




THE NEW YORK BOTANICAL GARDEN
PRO SCIENTIA
SALUTE
POPULIQUE
1891

理學博士 松村任三編

帝國植物名鑑

下卷

顯花部 前編

明治三十八年四月印行

東京 丸善株式會社

INDEX PLANTARUM JAPONICARUM

SIVE

Enumeratio Plantarum Omnium

EX INSULIS

KURILE, YEZO, NIPPON, SIKOKU, KIUSIU, LIUKIU, ET
FORMOSA HUCUSQUE COGNITARUM

Systematice et Alphabetice

DISPOSITA

ADJECTIS

Synonymis Selectis, Nominibus Japonicis,
Locis Natalibus.

AUCTORE

J. MATSUMURA

Botanices Professore in Universitate imperiale Tokiense, Horti Directore.

VOLUMEN SECUNDUM.

PHANEROGAMÆ.

PARS PRIMA.

(Gymnospermæ et Monocotyledoneæ.)

TOKIONI

Apud MARUZEN Bibliopolam 14,
via dicta Nihonbashi-dori Sanchome.

1905.

BREVITATIONES.

A. DC. Prod. = Candolle, A. de—Prodromus systematis naturalis Regni vegetabilis.

A. Gr. Perr. Exped. = List of dried Plants collected in Japan, by S. Wells Williams, Esq., and Dr. James Morrow. (1857).

A. Gr. Pl. Jap. = Diagnostic Characters of New Species of Phaenogamous Plants, collected in Japan by Charles Wright, Botanists of the U. S. North Pacific Exploring Expedition. (1859).

Bak. Handb. = Baker, J. G.—Handbook of the Amaryllideae. (1888).
—— Handbook of the Irideae. (1892).

Bak. J. L. S. = Baker, J. G.—(The Journal of the Linnean Society).

Banks, Ic. = Icones selectae Plantarum, quas in Japonia collegit et deleneavit Engelbertus Kaempfer; ex archetypis in Museo Britanico asservatis. (1791).

Bean, Gard. Chron. = Bean W. J.—A Classification of Hardy Bamboos. (The Gardeners' Chronicle XV. 1894).

Benn. B. H. B. = Bennett, A.—Notes on Japanese Potamogetones. (Bulletin de l'Herbier Boissier, IV. 1896).

Benn. J. B. = Bennett, A.—Notes on Potamogeton. (The Journal of Botany, British and Foreign. 1900, 1901, 1902, 1904).

Bl. Mus. Lugd. Bat. = Blume, C. L.—Museum Botanicum Lugduno-Batavum. (1849–1851).

Bl. Orch. Arch. Ind. = Blume, C. L.—Cellection des Orchidées les plus remarquables de l'archipel Indien et du Japon. (1858).

Boeck. Linn. = Boeckler, O.—Linnaea. Ein Journal für die Botanik in ihrem ganzen Umfange.

Boot. Carex. = Boott, Fr.—Illustrations of the Genus Carex. (1858–1867).

Bot. Mag. = Curtis's Botanical Magazine.

Buchen. E. Pl. = Buchenau, Fr.—Alismataceae, Scheuchzeriaceae. (Engler, Pflanzenreich, 1903).

Buch. Notizbl. Konigl. Bot. Gart. = Buchenau, Fr.—Eine nue Juncus-Art aus Japan. (Notizblatt des Königl.-botanischen Gartens und Museums zu Berlin, sowie der botanischen Centralstelle für deutschen Kolonien. III. 1901).

Bunge, Enum. Pl. Chin. = Bunge, A.—Enumeratio Plantarum, quas in China boreali collegit.

Clark. Fl. Br. Ind. = Clarke, C. B.—The Flora of British India.

Clk. Bull. Acad. Intern. Geogr. B. v. Bot. = Clarke, C. B.—Cyperaceae (excl. Carices) Japonicae Coreaneae. (Bulletin de L'Académie internationale de Géographie Botanique. 1904).

Clk. J. L. S. = Clarke, C. B.—The Journal of the Linnean Society.

Clk. Monogr. = Clarke, C. B.—Commelinaceae. (Monographiae Phanerogamarum Prodromi nunc continuatio, nunc revisio. 1881).

Drude, E. Pflanzf. = Drude, O.—Engler et Prantl, Pflanzenfamilien.

Dyer, J. L. S. = Thiselton-Dyer, W. T.—The Journal of the Linnean Society.

E. Brown, J. L. S. Brown, E.—The Journal of the Linnean Society.

E. Jahrb. v. Engl. Jahrb. = Engler, A.—Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie.

Elw. Monogr. = Elwes, H. J.—A Monograph of the Genus Lilium. (1880).

Engl. Monogr. v. Engl. DC. Monogr. II. = Engler, A.—Araceae. (Monograph. Phanerogam. Prodrom. 1879).

Fairch. Jap. Bamb. = Fairchild. D. G.—Japanese Bamboos and their Introduction into America. (1903).

Finet, Bull. Soc. Bot. France. = Finet, E. A.—Les Orchidées du Japon, principalement d'apres les collections de l'herbier du Museum d'histoire naturelle de Paris. (Bulletin de la Société botanique de France. 1900).

Franch. Bull. Soc. Bot. Fr. = Franchet, A.—Bulletin de la Société botanique de France.

Franch. Journ. de Bot. = Franchet, A.—Journal de Botanique.

Fr. Bull. Soc. phil. v. Franch. Bull. Soc. phil. = Franchet, A.—Bulletin de la Société philomatique de Paris.

Fr. Carex As. Or. = Franchet, A.—Les Carex de l'Asie Orientale. (Nouvelles Archives du Museum).

Fr. Pl. David. = Franchet, A.—Plantae Davidianae ex Sinarum Imperio. (1884).

Fr. Schm. Fl. Sachal. v. Reis. Amur. = Schmidt, Fr.—Reisen im Amur-lande und auf der Insel Sachalin. (1868).

F. S. II. = Franchet, A. et Savatier, L.—Enumeratio Plantarum in Japonia sponte crescentium.

Graebn. v. Graeb. E. Pl. = Graebner, P.—Sparganiaceae, Typhaceae. (Engler, Pflanzenreich. 1900).

Hack. B. H. B. = Hackel, E.—Enumeratio Graminum Japoniae. (Bull. Herb. Boiss. VII. 1899).

—— Supplementa Enumerationis Graminum Japoniae, Formosae, Coreae. (Bull. Herb. Boiss. IV. 1904).

Hack. Engl. Jahrb. = Hackel, E.—Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie.

Hack. Monogr. = Hackel, E.—Andropogoneae (Monograph. Phanerogam. Prodrom. 1889).

Hack. Oesterr. bot. Zeitschr. = Hackel, E.—Oesterreichische botanische Zeitschrift.

Hemsl. J. B. = Hemsley, W. B.—The Journal of Botany, British and Foreign.

Hemsl. J. L. S. = Hemsley, W. B.—An Enumeration of all the Plants known from China Proper, Formosa, Haiwan, Corea, the Luchu Archipelago, and the Island of Hongkong, together with their Distribution and Synonymy. (The Journal of the Linnean Society).

Hemsl. Kew Bull. = Hemsley, W. B.—Bulletin of Miscellaneous Information.

Henry, L. v. H. L. = Henry, A.—A List of Plants from Formosa. (Transactions of the Asiatic Society of Japan).

Hk. et Arn. Bot. Beech. Voy. = Hooker, W. J. et Arnott, G. A. W. —the Botany of Captain Beechey's Voyage. (1841).

Hk. Fl. Br. Ind. = Hooker, J. D.—The Flora of British India.

Ito, Ann. Bot. = Ito, T.—Annals of Botany.

Kawak. T. B. M. = Kawakami, T.—Tokyo Botanical Magazine.

Kranzl. Engl. Jahrb. = Kränzlin, F.—Botanisches Jahrbücher für Systematik.

Kuek. B. H. B. = Kuekenthal, G.—Bulletin de l'Herbier Boissier.

Kunth. v. Kth. Enum. = Kunth, C. S.—Enumeratio Plantarum omnium hucusque cognitarum.

Lev. et Vnt. Bull. Acad. Intern. Geogr. Bot. = Léveillé, H. et Vaniot, R. P. E.—Les Carex du Japon. (Bulletin de l'Académie internationale de géographie botanique).

Lour. Fl. Cochinch. = Loureiro, J.—Flora Cochinchinensis. (1790).

Mak. et Shib. T. B. M. = Makino, T. et Shibata, K.—Tokyo Botanical Magazine.

Mak. Ill. Fl. Jap. = Makino, T.—Illustrations of the Flora of Japan. Vol. I. No. 1–11. (1888–1891).

Mak. Phanerog. et Pterid. Jap. Ic. Ill. = Makino, T.—Phanerogamae et Pteridophytae Japonicae iconibus illustratae.

Mak. T. B. M. = Makino, T.—Tokyo Botanical Magazine.

Mast. B. H. B. = Masters, M. T.—De Coniferis quibusdam sinicis vel japonicis adnotationes quaedam porrigit. (Bulletin de l'Herbier Boissier. VI. 1898).
Masters, M. T.—Index numerorum coniferarum a cl. Rev. Pater Faurie in Japonia lectarum (Bulletin de l'Herbier Boissier. VI. 1898).

Mast. Gard. Chron. = Masters, M. T.—The Gardeners' Chronicle.

Mast. J. L. S. = Masters, M. T.—The Journal of the Linnean Society.

Matsum. Cat. = Matsumura, J.—Cataloque of Plants in the Herbarium of the College of Science, Imperial University, Tokyo. (1886).

Matsum. S. M. = Matsumura, J.—Shokubutsu Mei-i. (1895).

Matsum. T. B. M. = Matsumura, J.—Tokyo Botanical Magazine.

Max. Bull. Soc. Nat. Mosc. v. Max. Fl. Or fragm. = Maximowicz, C. J.—Ad Florae Asiae Orientalis cognitionem meliorem fragmenta. (Bull. Soc. Nat. Mosc. 1879).

Max. Diagn. VIII. = Maximowicz, C. J.—Diagnoses Plantarum novarum Asiaticarum. VIII. (1893).

Max. Engl. Jahrb. = Maximowicz, C. J.—Botanische Jahrbücher für Systematik.

Max. M. B. = Maximowicz, C. J.—Mélanges Biologiques tirés du

Bulletin de l'Académie impériale des sciences de St.-Pétersbourg.

Mayr, Bot. Centralbl. = Mayr, H.—Botanisches Centralblatt.

Mayr, Monogr, Abiet. Jap. = Mayr, H.—Monographie der Abietineen des Japanischen Reiches. (1890).

Miq. Bijdr. Fl. Jap. = Miquel, F. A. W.—Bijdragen tot de Flora van Japan.

Miq. Cat. = Miquel, F. A. G.—Catalogus Musei Botanici Lugduno-Batavi. (1870).

Miq. P. = Miquel, F. A. G.—Prolusio Florae Japonicae. (1866-67

Miyab. Fl. Kurile. = Miyabe, K.—The Flora of the Kurile Islands.

Munro, Monogr. Bamb. = Munro, Colonel.—A Monograph of the Bambusaceae. (Trans. Linn. Soc. XXVI.)

Murr. Pin. Jap. = Murray. A.—The Pines and Firs of Japan. (1863).

Nath. Bot. Centralb. = Nathorst, A. G.—Beiträge No. 2 zur Tertiärflora Japans. (Bot. Centralbl. 1884, No. 29, pp. 84-91).

Nath. Mesoz. Fl. Jap. = Nathorst, A. G.—Beiträge zur Mesozoischen Flora Japan's. (Denkschrift der Mathematisch-naturwissenschaftlichen Classe der Kaiserlichen Akademie der Wissenschaften. 1890).

Nath. Palaeont. Abhandl. = Nathorst, A. G.—Zur Fossilen Flora Japan's. (Palaeontologische Abhandlungen, herausgegeben von W. Dames und E. Kayser. IV. Heft. 3. 1888).

Ohk. T. B. M. = Ohkubo, S.—Tokyo Botanical Magazine.

Owat. T. B. M. = Owatari, C.—Tokyo Botanical Magazine.

Pfitz. Engl. Pflanz. = Pfitzer, E.—Orchidaceae Pleonandrae. (Engler, Pflanzenreich. IV.)

Pilg. E. Pl. = Pilger, R.—Taxaceae. (Engler, Pflanzenreich. 1903).

Regel et Til. Fl. Ajan. = Regel, E. et Tiling, H.—Florula Ajanensis.

Regel, v. Rgl. Gartenfl. = Regel, E.—Gartenflora.

Regel, Monogr. = Regel, E.—Alliorum adhuc cognitorum Monographia. (Acta Horti Petropolitani. III. 1874).

Reichb. f. Bot. Zeit. = Reichenbach, H. G. fil.—Ad Orchidographiam japonicam symbolae. (Botanische Zeitung. 1878).

—— Notiz ueber einige Orchideen der Goeringschen Sammlung japanischer Pflanzen. (Botanische Zeitung. 1845).

Rendl. E. Pl. = Rendle, A. B.—Najadaceae. (Engler, Pflanzenreich. 1901).

Riv. Bamb. = Rivière, F. A. et Rivière, M. C.—Les Bambous: Végétation, Culture, Multiplication en Europe, en Algére et généralement dans tout le Bassin Méditerranéen nord de l'Afrique, Maroc, Tuniste, Egypte. (1878).

Rolf. Ann. Bot. = Rolfe, R. A.—Annals of Botany.

Rolf. J. L. S. = Rolfe, R. A.—The Journal of the Linnean Society.

Rolf. Kew. Bull. = Rolfe, R. A.—Bulletin of Miscellaneous Information.

Ruhl. E. Pl. = Ruhland, W.—Eriocaulaceae. (Engler, Pflanzenreich. 1903).

Rupr. Bamb. = Ruprecht, F. J.—Bambuseae. (Act. Acad. Caes. Petrop. Ser. VI. Tom. V. 1839).

Satow, Trans. Asiat. Soc. Jap. = Satow, E.—The Cultivation of Bamboos in Japan. (Transactions of the Asiatic Society of Japan. XXVII. 1899.).

Shiras. v. Shirasw. Icon. = Shirasawa, H.—Nippon Shinrin Jumoku-zufu. (1900).

Solms-Laub. Monogr. = Solms-Laubach, H.—Pontederiaceae. (Monograph. Phanerogam. Prodrom.)

Steud. Glum. v. Syn. = Steudel, E. G.—Synopsis Plantarum Glumacearum. (1855).

S. Z. Abh. Acad. Munch, v. Fam. Nat. = Florae Japonicae Familiae naturales. (1843).

S. Z. Fl. Jap. = Siebold, P. F. et Zuccarini, J. G.—Flora Japonica. (1835–1870).

Tan. T. B. M. = Tanaka, N.—Tokyo Botanical Magazine.

Tashir. T. B. M. = Tashiro, Y.—Tokyo Botanical Magazine.

Th. Fl. Jap. v. F. J. = Thunberg, C. P.—Flora Japonica. (1784).

Th. T. L. S. = Thunberg, C. P.—The. Transactions of the Linnean Society of London.

Veitch. Man. Con. = A Manual of the Coniferae. (1881).

Warb. E. Pl. = Warburg, O.—Pandanaceae. (Engler, Pflanzenreich. 1900).

Warb. Muns. = Warburg, O.—Monsunia.

Wettst. Oester. Bot. Zeitsch. = Wettstein, R.—Studien ueber die

Gattungen Cephalanthera, Epipactis und Limodorum. (Oesterreichische Botanische Zeitschrift. 1889).

Wright, J. L. S. = Wright, C. H.—The Journal of the Linnean Society.

Yabe, T. B. M. = Yabe, Y.—The Botanical Magazine.

Yat. Icon. Fl. Jap. = Yatabe, R.—Iconographia Florae Japonicae. (1891–1892).

Yat. T. B. M. = Yatabe, R.—Tokyo Botanical Magazine.

Yokoy. Bull. Geol. Soc. Jap. = The Bulletin of the Geological Society of Japan.

Yokoy. J. C. S. = Yokoyama, M.—Jurassic Plants from Kaga, Hida, and Echizen, (Journ. Coll. Sci. 1890).

—— Mesozoic Plants from Kozuke, Kii, Awa, and Tosa. Journ. Coll. Sci. 1895).

Zoll. Syst. Verz. = Zollinger, H.—Systematisches Verzeichniss der in Indischen Archipel in den Jahren 1842–1848 gesammelten sowie der aus Japan empfangenen Pflanzen. (1854).

Index Plantarum Japonicarum.

Phanerogamæ.

Gymnospermæ.

Cycadaceæ.

(Sotetsu no tagui.)

Cycas circinalis, L.; Warb. Muns. I. 178; Dyer, J. L. S. XXVI. 560.
Nom. Jap.
Hab. Formosa.

Cycas revoluta, Th. Fl. Jap. 229; A. DC. Prod. XVI. 2, 526; Miq. P. 475; F. S. II. 475; Dyer, J. L. S. XXVI. 559.
Nom. Jap. *Sotetsu.* ソテツ
Hab. Liukiu.

Cycas taiwaniana, Carr. J. B. (1893) 2, t. 331; Dyer, J. L. S. XXVI. 560.
Nom. Jap.
Hab. Formosa.

Cycadaceæ fossiles.

(Sotetsu-no-tagui no kwaseki.)

Cycadospermum japonicum, Geyl. Foss. Pflanz. Juraf. Jap. 231; Yokoy. J. C. S. III. (1890) 56.
Hab. Japonia.

Dictyozamites grossinervis, Yokoy. J. C. S. III. (1890) 55.
Hab. Nippon: Simamura (Kaga).

Dictyozamites indicus, Feistm. *var.* **distans,** Yokoy. J. C. S. III. 53.
Hab. Nippon : Ozoo (Kaga), Usimaru (Hida).
Dioonites Kotoei, Yokoy. J. C. S. III. (1890) 44.
Hab. Nippon : Simamura (Kaga), Tanimura (Yetsizen).
Glossozamites parvifolius, Yokoy. J. C. S. VII. (1895) 226.
Hab. Nippon : Yuasa (Kii).
Nilssonia Johnstrupi, Heer ; Yokoy. J. C. S. VII. (1895) 226.
syn. *N. orientalis,* Nath. Mesoz. Fl. Jap. (1890) 5.
Hab. Sikok : Katadji, Toogodani (Tosa).
Nilssonia nipponensis, Yokoy. J. C. S. III. (1890) 42.
Hab. Nippon : Simamura (Kaga), Okami-goo (Hida).
Nilssonia orientalis, Heer ; Yokoy. J. C. S. III. (1890) 40.
Hab. Nippon : Hakogase (Yetsizen).
Nilssonia ozoana, Yokoy. J. C. S. III. (1890) 41.
Hab. Nippon : Ozoo (Kaga).
Nilssonia pterophylloides, Yokoy. J. C. S. VII. (1895) 228.
Hab. Nippon : Yuasa (Kii) ; Sikok : Katadji, Isiseki (Tosa).
Nilssonia schaumburgensis, Dunk.; Nath. Mesoz. Fl. Jap. (1890) 5 ; Yokoy. J. C. S. VII. (1895) 206, 227.
syn. *Pterophyllum schaumburgensis,* Dunk.
Anomozamites schaumburgensis, Schimp.
Hab. Nippon : Kagahara (Kootsuke), Yuasa (Kii) ; Sikok : Yakio-mura, Toogodani, Katadji (Tosa), Hiura (Awa).
Podozamites lanceolatus, Lindl. et Hutt. *var.* **genuina,** Heer ; Yokoy. J. C. S. III. (1890) 46.
Hab. Nippon : Simamura (Kaga), Okami-goo (Hida).
var. **intermedia,** Heer ; Yokoy. J. C. S. III. (1890) 46.
Hab. Nippon : Simamura (Kaga), Okami-goo (Hida).
var. **Eichwaldi,** Heer ; Yokoy. J. C. S. III. (1890) 47.
Hab. Nippon : Simamura (Kaga), Okami-goo (Hida), Tanimura (Yetsizen), Usimaru (Hida).
var. **minor,** Heer, Yokoy. J. C. S. III. (1890) 48 ; VII. (1895) 222.
Hab. Nippon : Simamura (Kaga) ; Sikok : Tannoo (Awa).
var. **latifolia,** Heer ; Yokoy. J. C. S. III. (1890) 48 ; Nath. Mesoz. Fl. Jap. (1890) 10.
Hab. Nippon : Simamura (Kaga) ; Sikok : Katadji, Rioseki-mura (Tosa).

var. **brevis**, Schenk; Yokoy. J. C. S. III. (1890) 49.
Hab. Nippon: Okami-goo (Hida).

Podozamites pusillus, Velen.; Yokoy. J. C. S. VII. (1895) 222.
Hab. Nippon: Kagahara (Kootsuke).

Podozamites Reinii, Geyl. Foss. Pflanz. Juraf. Jap. 229; Yokoy. J. C. S. III. (1890) 51.
Hab. Nippon: Ozoo, Simamura, Yanagidani (Kaga), Tanimura (Yetsizen), Okami-goo (Hida).

Podozamites tenuistriatus, Geyl. Foss. Pflanz. Juraf. Jap. 228.
Hab. Nippon: Okami-goo (Hida).

Ptilophyllum cutchense, Morr.; Nath. Mesoz. Fl. Jap. (1890) 12; Yokoy. J. C. S. VII. (1895) 229.
Hab. Sikok: Tsiooza (Tosa).

Zamiophyllum Buchianum, Ettingh.; Nath. Mesoz. Fl. Jap. (1890) 6; Yokoy. J. C. S. VII. (1895) 204, 223.
syn. *Pterophyllum Buchianum*, Ettingh.
Dioonites Buchianus, Schimp.
Hab. Nippon: Kagahara (Kootsuke), Yuasa (Kii); Sikok: Kaisekiyama, Isiseki, Rioseki-mura, Katadji, Yakio-mura, Toogodani (Tosa), Tannoo, Sakamoto (Awa).
var. **angustifolia**, Font.; Yokoy. J. C. S. VII. (1895) 224.
Hab. Nippon: Yuasa (Kii); Sikok: Katadji, Kaiseki-yama (Tosa).

Zamiophyllum Naumanni, Nath. Mesoz. Fl. Jap. (1890) 7; Yokoy. J. C. S. VII. (1895) 225.
Hab. Nippon: Yuasa (Kii); Sikok: Yakio-mura, Katadji, Kaiseki-yama, Toogo-dani, Isiseki (Tosa).

Zamites parvifolius, Geyl. Foss. Pflanz. Juraf. Jap. 227; Yokoy. J. C. S. III. (1890) 45.
Hab. Japonia.

Ginkgoaceæ.

(*Ichō-no-ki no tagui.*)

Ginkgo biloba, L.; Th. Fl. Jap. 358; S. Z. Fam. Nat. II. 109; Fl. Jap. II. t. 136; F. S. I. 474; Parl., DC. Prod. XVI. 2, 507; Mast. J. L. S. (1881) 500.

syn. *Salisburia adiantifolia*, Sm. T. L. S. III. 330; Miq. P. 332.
S. macrophylla, Koch.
Nom. Jap. *Ichō-no-ki.* イテフノキ
Ginnan-no-ki. ギンナンノキ
Hab. Japonia, cult.

Ginkgoaceæ fossiles.

(*Ichōnoki-no-tagui no kwaseki.*)

Czekanowskia rigida, Heer; Yokoy. J. C. S. III. (1890) 61.
Hab. Nippon: Ozoo (Kaga), Okami-goo (Hida).
Ginkgo digitata, Brgt.; Yokoy. J. C. S. III. (1890) 59.
syn. *Baiera digitata*, Schimp.
Cyclopteris digitata, Brgt.
Hab. Nippon: Okami-goo (Hida).
Ginkgo sibirica, Heer; Geyl. Foss. Pflanz. Juraf. Jap. 231; Yokoy. J. C. S. III. (1890) 60.
Hab. Japonia.
Ginkgodium Nathorsti, Yokoy. J. C. S. III. (1890) 57.
Hab. Nippon: Simamura, Yanagidani (Kaga), Okami-goo (Hida).

Coniferæ.

(*Shōhaku no tagui.*)

Abies brachyphylla, Max. M. B. VI. 23; Miq. P. 389; F. S. I. 467; Mast. Gard. Chron. (1879) 536; J. L. S. XVIII. 515; Veitch, Man. Con. 88; Mast. B. H. B. (1898) 273.
syn. *A. homolepis*, S. Z. Fl. Jap. II. 17, t. 108; Miq. P. 331; Mast. J. L. S. XVIII. 515; Mayr, Monogr. Abiet. Jap. 35.
Pinus brachyphylla, Parl., DC. Prod. XVI. 2, 424.
Picea brachyphylla, Gord.
Nom. Jap. *Dake-momi.* ダケモミ
Aobō. アヲバウ
Urajiro-momi. ウラジロモミ
Nire-momi. ニレモミ
Nikkō-momi. ニツクワウモミ

Hab. Nippon: Hakkooda, Tanabu (Mutsu), Hayatsine (Riktsiu), Nikko (Simotsuke), Norikra (Sinano), Fudsisan (Suruga).

Abies firma, S. Z. Fl. Jap. II. 15. t. 107; Murr. Pin. Jap. 53; Miq. P. 330; F. S. I. 467; Veitch, Man. Con. 95; Mast. J. L. S. (1881) 514; J. L. S. (1902) 557; B. H. B. (1898) 273; Mayr, Monogr. Abiet. 31; Warb. Muns. I. 189.

syn. *A. holophylla,* Max. M. B. VI. 22.
A. Momi, Sieb.
A. chensiensis, Van Tieg.
A. bifida, S. Z. Fl. Jap. II. 19, 109.
A. Webbiana, Lindl. et Gord.
Pinus holophylla, Parl., DC. Prod. XVI. 2, 424.
Picea firma, Gord.
Picea Webbiana, Gord.

Nom. Jap. *Momi.* モミ

Hab. Nippon: Tanabu (Mutsu), Nikko, Siobara (Simotsuke), Norikra (Sinano); Hida; Hiyeisan (Yamasiro); Sikok; Kiusiu: Nagasaki (Hizen); Tsusima.

Abies Mariesii, Mast. Gard. Chron. (1879) 788; J. L. S. XVIII. 519; Veitch, Man. Con. 100; Mayr, Monogr. Abiet. 40.

Nom. Jap. *Oh-shirabiso.* オホシラビソ
Oh-ryusen. オホリウセン
Aomori-todomatsu. アヲモリトドマツ

Hab. Nippon: Hakkooda (Mutsu), Adsumasan, Hiutsi-dake (Iwasiro), Nantaisan (Simotsuke), Norikra (Sinano), Haksan (Kaga).

Abies sachalinensis, Mast. Gard. Chron. (1879) 588; J. L. S. XVIII. 517; B. H. B. (1898) 273; Veitch, Man. Con. 106; Mayr, Monogr. Abiet. 42; Matsum. T. B. M. (1901) 141.

syn. *A. Veitchii, v. sachalinensis,* Fr. Schm. Reis. Amur. 175.

Nom. Jap. *Todo-matsu.* トドマツ
Hup. (*Nom. Ainu.*)

Hab. Kurile: Sikotan; Yezo: Abasiri (Kitami), Akan (Kusiro), Tsitose (Iburi), Djoosankei (Isikari); Formosa: Mt. Morrison.

Abies umbellata, Mayr, Monogr. Abiet. 34.

Nom. Jap. *Urajiro-momi.* ウラジロモミ

Hab. Nippon: Kai, Hida; Mitsumine, Djiumondji-tooge (Musasi).

Abies Veitchii, Lindl. Gard. Chron. (1861) 23; Murr. Pin. Jap. 39; Miq. P. 389; Mast. J. L. S. XVIII. 515; J. L. S. (1902) 557; (1881) 485, 515; F. S. I. 468; Mayr, Monogr. Abiet. 38; Mast. B. H. B. (1898) 273; Veitch, Man. Con. 107.

syn. *A. nephrolepis,* Max. M. B. VI. 21.
Picea Veitchii, Gord.
Pinus selenolepis, Parl.
P. Veitchii, Mac Nab.

Nom. Jap. *Shirabiso.* シラビソ
Shirabe. シラベ
Ryusen. リウセン
Ko-ryusen. コリウセン
Shira-tsuga. シラツガ

Hab. Kurile: Kunasiri; Nippon: Nikko (Simotsuke), Fudsisan (Suruga), Ontake, Norikra (Sinano); Sikok: Isidsutsi (Iyo).

Cedrus Libani, Barr. *var.* **Deodara,** Hk.; Warb. Muns. I. 188.

Nom. Jap. *Himalaya-sugi.* ヒマラヤスギ

Hab. Nippon: Tokio, Yokohama (Musasi), cult.

Cephalotaxus drupacea, S. Z. Fam. Nat. II. 108; Fl. Jap. II. 66; Miq. P. 33; F. S. I. 473; Parl., DC. Prod. XVI. 2, 504; Mast. J. L. S. (1881) 499; B. H. B. (1898) 274; Warb. Muns. I. 194; Shirasaw. Icon. t. XIV; Pilg. E. Pl. 100.

syn. *Taxus baccata,* Th. Fl. Jap. 275.
T. Inukaja, Knight.

Nom. Jap. *Inu-gaya.* イヌガヤ
Hebo-gaya. ヘボガヤ
Abura-gaya. アブラガヤ
Bebe-gaya. べヽガヤ
Hyobi. ヒヨウビ
Hyobu. ヒヨウブ
Kanatni. (Nom. Ainu).
Anatni. (Nom. Ainu).
Anakni. (Nom. Ainu).

Hab. Yezo: Sapporo, Djoosankei (Isikari), Takasima (Iburi); Nippon: Aomori, Kiudodjisan, Hirosaki (Mutsu), Akita (Ugo), Uzen; Nambu (Riktsiu), Aidsu (Iwasiro), Tsitsibu (Musasi), Itsinomiya (Kadsusa), Murayama (Suruga), Amagisan (Idsu), Nagato; Kiusiu; Tsusima.

var. **Harringtonia,** Miq.; Pilg. E. Pl. 102.

syn. *Taxus Harringtonia,* Forb.

T. Harringtoniana, Knight.

Cephalotaxus pedunculata, S. Z. Fam. Nat. II. 108; Fl. Jap. II. 67; F. S. I. 473; Parl.; DC. Prod. XVI. 2, 503; Mast. J. L. S. (1881) 499; (1886) 201; (1902) 545.

Hab.

form. **fastigiata,** Pilg. E. Pl. 103.

syn. *Cephalotaxus drupacea, v. fastigiata,* Carr.

C. pedunculata, v. Buergeri, Max.. M. B. VII. 563.

C. Buergeri, Miq. P. 333.

Podocarpus koraiana, Sieb.

Nom. Jap. *Chōsen-maki.* テウセンマキ

Hab. Japonia, cult.

Chamæcyparis formosensis, Matsum. T. B. M. (1901) 137.

Nom. Jap. *Taiwan-hinoki.* タイワンヒノキ

Hab. Formosa: Mt. Morrison.

Chamæcyparis obtusa, S. Z.; Parl., DC. Prod. XVI. 2, 466; F. S. I. 471; Warb. Muns. I. 190.

syn. *Retinospora obtusa,* S. Z. Fl. Jap. II. 38; Miq. P. 332.

Thuya obtusa, Mast. J. L. S. (1881) 491.

Cupressus obtusa, Koch; Mast. B. H. B. (1898) 274.

Nom. Jap. *Hinoki.* ヒノキ

Hab. Nippon: Hirosaki (Mutsu), Tootoomi; Tsusima.

var. **lycopodioides,** Carr.

syn. *Retinospora lycopodioides,* Gord.; Parl., DC. Prod. XVI. 2, 466.

Nom. Jap.

Hab.

var. **pygmæa,** Carr.

syn. *Retinospora obtusa pygmaea,* Gord.; Parl., DC. Prod. XVI. 2, 466.

Thuya pygmaea, hort.

Nom. Jap.

Hab.

var. **nana,** Carr.

syn. *Retinospora obtusa nana,* hort.

Nom. Jap.

Hab.

var. **Keteleerii,** hort.; Parl., DC. Prod. XVI. 2, 466.

Nom. Jap.

Hab.

var. **breviramea,** Mast. J. L. S. (1881) 494.

syn. *Chamæcyparis breviramea,* Max. M. B. VI. 23; Miq. P. 389; F. S. I. 470.

Nom. Jap.

Hab.

var. **pendula,** Mast. J. L. S. (1881) 494.

syn. *Chamæcyparis pendula,* Max. M. B. VI. 25; Miq. P. 389; F. S. I. 471; Warb. Muns. I. 190.

Nom. Jap. *Shidare-hiba.* シダレヒバ

Hab.

var. **filicoides,** Mast. J. L. S. (1881) 494.

syn. *Retinospora filicoides,* hort.

Nom. Jap.

Hab.

Chamæcyparis pisifera, Endl. Con. 64; Parl., DC. Prod. XVI. 2, 465; Miq. P. 332; F. S. I. 470; Warb. Muns. I. 190.

syn. *Thuya pisifera,* Mast. J. L. S. (1881) 489.
Retinospora pisifera, S. Z. Fl. Jap. II. 39.
Cupressus pisifera, Koch; Mast. B. H. B. (1898) 274.

Nom. Jap. *Sawara.* サハラ

Hab. Nippon: Ikao (Kootsuke), Miyanosita (Sagami).

var. **squarrosa,** Mast. J. L. S. (1881) 490.

syn. Chamæcyparis squarrosa, Endl. Con. 65; Parl., DC. Prod. XVI. 2, 467; Miq. P. 332; F. S. I. 471.
Retinospora squarrosa, S. Z. Fl. Jap. II. 40
Chamæcyparis ericoides, Carr.
Cupressus squarrosa, Laws.

Nom. Jap. *Himuro.* ヒムロ

Hab. Nippon: Nokogiri-yama (Boosiu).

var. **leptoclada,** Mast. J. L. S. (1881) 490.

syn. *Chamæcyparis squarrosa leptoclada,* Endl.
Retinospora leptoclada, Zucc.

Nom. Jap.

Hab.

var. **plumosa,** Mast. J. L. S. (1881) 490.
syn. *Chamæcyparis obtusa plumosa,* Carr.
Retinospora plumosa, hort.
Nom. Jap. *Shinobu-hiba.* シノブヒバ
Hab.

var. **filifera,** Mast. J. L. S. (1881) 491; B. H. B. (1898) 274.
syn. *Retinospora filifera,* Staund.
Nom. Jap. *Hiyoku-hiba.* ヒヨクヒバ
Hab.

Cryptomeria japonica, Don, T. L. S. XVIII. 2, 166; S. Z. Fl. Jap. II. 43; Miq. P. 332; Parl., DC. Prod. XVI. 2, 438; Hk. Ic. t. 668; F. S. I. 469; Mast. J. L. S. (1881) 497; (1902) 544; B. H. B. (1898) 273; Warb. Muns. I. 189.
syn. *Cupressus japonica,* L. f.; Th. Fl. Jap. 265.
Taxodium japonicum, Brongn.
Cryptomeria Fortunei, Otto et Dietr.
Nom. Jap. *Sugi.* スギ
Hab. Yezo; Nippon: Aomori (Mutsu), Akita (Ugo); Sikok; Kiusiu; Tsusima.

var. **elegans,** Mast. J. L. S. (1881) 497.
syn. *Cryptomeria elegans,* Veitch.
Nom. Jap. *Yawara-sugi.* ヤハラスギ
Hab.

var. **torta,** Max.; Mast. J. L. S. (1881) 498.
Nom. Jap. *Enkō-sugi.* エンコウスギ
Kusari-sugi. クサリスギ
Tomoe-sugi. トモエスギ
Hab.

Cunninghamia sinensis, R. Br.; S. Z. Fl. Jap. II. t. 103; Murr. Pin. Jap. 116; Miq. P. 331; Parl., DC. Prod. XVI. 2, 432; Mast. J. L. S. (1881) 502; (1902) 548; B. H. B. (1898) 273; Warb. Muns. I. 189; Matsum. T. B. M. (1901) 139.
syn. *C. lanceolota,* Lamb.; Bot. Mag. t. 2743.
Pinus lanceolota, Lamb.
Belis jaculifolia, Salisb.
B. lanceolata, Sweet.
Nom. Jap. *Kōyōzan.* カウエウサン
Ryuhi-gaya. リウヒガヤ

Oranda-momi. オランダモミ
Hab. Liukiu : Okinawa ; Formosa : Tsioosookei.

Cupressus macrocarpa, Hartw.; Warb. Muns. I. 190.
Nom. Jap.
Hab. cult.

Juniperus chinensis, L.; S. Z. Fl. Jap. tt. 126, 127 ; Miq. P. 331 ; Parl., DC. Prod. XVI. 2. 487 ; F. S. I. 472 ; Mast. J. L. S. (1881) 497 ; (1902) 541 ; B. H. B. (1898) 274 ; Matsum. T. B. M. (1901) 138.
syn. *J. Thunbergii*, Hk. et Arn. Bot. Beech. Voy. 971.
J. barbadensis, Th. Fl. Jap. 264.
J. virginica, Th. Fl. Jap. 264.
Nom. Jap. *Byakshin.* ビヤクシン
Ibuki. イブキ
Hab. Kurile : Kunasiri ; Yezo : Rebunsiri (Kitami) ; Nippon : Hakkooda (Mutsu) ; Tsusima ; Liukiu : Yaeyama ; Formosa ; Mt. Morrison.
var. **procumbens**, Endl.
syn. *Juniperus procumbens*, S. Z. Fl. Jap. II. 59.
Nom. Jap. *Hai-byakushin.* ハヒビヤクシン
Sonare. ソナレ
Hab.

Juniperus communis, L.; Kawak. T. B. M. (1900) 111.
Nom. Jap. *Rishiri-byakushin.* リシリビヤクシン
Hab. Yezo : Riisiri (Kitami).

Juniperus littoralis, Max. M. B. VI. 375 ; XII. 230 ; Mast. J. L. S. (1881) 496 ; (1902) 542 ; F. S. I. 471 ; Warb. Muns. I. 191.
syn. *Juniperus conferta*, Parl., DC. Prod. XVI. 2, 48I.
Nom. Jap. *Hai-nezu.* ハヒネズ
Hato. ハト (Idsumo).
Hab. Yezo ; Nippon ; Kiusiu ; Liukiu.

Juniperus nipponica, Max. M. B. VI. 374 ; F. S. I. 471 ; Mast. J. L. S. (1881) 496.
Nom. Jap. *Miyama-nezu.* ミヤマネズ
Hab. Nippon : Nambu (Riktsiu), Gassan (Uzen), Katta-dake (Rikzen), Tateyama (Yettsiu).

Juniperus recurva, Ham. *var.* **squamata**, Parl., DC. Prod. XVI. 2, 482 ; Mast. B. H. B. (1898) 274.

syn. *J. densa*, Gord.

J. squamata, Ham.

Nom. Jap.

Hab. Nippon : Tsiookaisan (Ugo), Sennin-tooge.

Juniperus rigida, S. Z. Fl. Jap. II. 109 ; Miq. P. 331 ; Parl., DC. Prod. XVI. 2, 480 ; F. S. I. 471 ; Mast. J. L. S. (1881) 496 ; B. H. B. (1898) 274 ; Warb. Muns. II. 191.

syn. *J. communis*, Th. Fl. Jap. 264.

Nom. Jap. *Muro.* ムロ
Nezu. ネズ

Hab. Yezo : Kitami ; Nippon : Nikko (Simotsuke), Boosiu ; Hitatsi ; Kurikara-tooge (Yettsiu), Hamamatsu (Tootoomi), Kioto (Yamasiro), Oomi ; Komono (Ise) ; Kii ; Ohmine (Yamato), Suwoo ; Settsu.

var. **filiformis,** Max.

Nom. Jap. *Yore-nezu.* ヨレネズ

Hab. cult.

Juniperus taxifolia, Hk. et Arn. Bot. Beech. Voy. 271 ; S. Z. Fl. Jap. II. 109 ; Miq. P. 331 ; Parl., DC. Prod. XVI. 2, 481 . F. S. I. 472 ; Mast. J. L. S. (1881) 497 ; Warb. Muns. I; 191 ; Matsum. T. B. M. (1901) 138.

Nom. Jap. *Shima-muro.* シマムロ
Hide. ヒデ (Bonin).

Hab. Sitsitoo (Idsu) ; Bonin ; Liukiu : Okinawa, Yakunosima.

Larix dahurica, Turcz.; Mast. B. H. B. (1896) 272.

Nom. Jap.

Hab. Kurile : Etorof ; Rubetz.

Larix leptolepis, Gord.; F. S. I. 466 ; Miq. P. 330 ; F. S. I. 466 ; Mast. B. H. B. (1898) 272 ; Mayr, Monogr. Abiet. 63 ; Murr. Pin. Jap. 89 ; Warb. Muns. I. 189.

syn. *L. japonica*, Carr.

Abies leptolepis, S. Z. Fl. Jap. II. 12.

Pinus Larix, Th. Fl. Jap. 275.

P. leptolepis, Parl., DC. Prod. XVI. 2, 410.

Nom. Jap. *Kara-matsu.* カラマツ
Fuji-matsu. フジマツ
Rakuyōshō. ラクエフシヨウ
Aka-matsu. アカマツ (Nikkō).

Hab. Nippon: Asama (Sinano), Nikko (Simotsuke), Fudsisan (Suruga).

Larix sibirica, Led.; Mast. B. H. B. (1898) 272.

syn. *L. kurilensis,* Mayr. Monogr. Abiet. 66.

Nom. Jap. *Shikotan-matsu.* シコタンマツ

Gui-matsu. グイマツ

Hab. Kurile: Etolof, Sikotan.

Libocedrus macrolepis, Benth.; Mast. J. L. S. (1902) 540; J. B. (1903) 268.

Nom. Formos. *Uon-giok-siu.* 黃肉樹

Hab. Formosa.

Picea ajanensis, Fisch.; Mast. J. L. S. (1881) 508; Mayr, Monogr. Abiet. 53; J. L. S. (1902) 553; B. H. B. (1898) 272.

syn. *Abies ajanensis,* Lindl. et Gord.

A. jezoensiz, S. Z. Fl. Jap. II. 19; Murr. Pin. Jap. 72; Miq. P. 330.

A. Menziesii, Loud.; F. S. I. 467.

Nom. Jap. *Ezo-matsu.* エゾマツ

Hab. Kurile: Kunasiri, Sikotan; Yezo: Tokatsi, Isikari; Riisiri (Kitami); Nippon: Fudsisan (Suruga), Togaksi, Ontake, Norikra (Sinano).

var. **microsperma,** Mast. B. H. B. (1898) 272.

syn. *Abies microsperma,* Lindl.; Miq. C. 389 (microcarpa).

Nom. Jap.

Hab.

Picea Alcockiana, Carr.; Mast. Gard. Chron. (1880) 212; J. L. S. (1881) 508; B. H. B. (1898) 272; J. L. S. (1902) 553.

syn. *Abies Alcockiana,* Lindl. et Veitch; Murr. Pin. Jap. 66; Miq. C. 389.

Pinus Alcockiana, Parl., DC. Prod. XVI. 2, 417.

Abies bicolor, Max. M. B. VI. 24; F. S. I. 467.

Picea bicolor, Mayr, Monogr. Abiet. 49.

Nom. Jap. *Iramomi.* イラモミ

Matsuhada. マツハダ

Hab. Yezo: Akan (Kusiro); Nippon: Fudsisan (Suruga).

Picea Glehni, Mast. Gard. Chron. (1880) 300; J. L. S. (1881) 512; Mayr, Monogr. Abiet. 56; Mast. B. H. B. (1898) 272.

syn. *Abies Glehni,* Fr. Schm. Reis. Amur. 176.

Nom. Jap. *Shinko-matsu.* シンコマツ
Aka-ezo. アカエゾ
Shunk. (Nom. Ainu).
Hab. Kurile: Kunasiri; Yezo: Kitami; Raiden-san (Siribesi); Formosa: Mt. Morrison.

Picea hondoensis, Mayr, Monogr. Abiet. 51.
Nom. Jap. *Tōhi.* トウヒ
Hab. Nippon: Nantaisan (Simotsuke).

Picea Maximowiczii, Regel; Mast. Gard. Chron. (1880) 363; J. L. S. (1902) 554.
syn. *Abies Maximowiczii,* R. Neum.; Parl.; DC. Prod. XVI. 2, 431.
Picea obovata, v. japonica, Max.; F. S. I. 466; Miq. C. 389.
Nom. Jap.
Hab. Japonia.

Picea polita, Carr.; Mast. J. L. S. (1881) 507; B. H. B. (1898) 272.
syn. *Abies polita,* S. Z. Fl. Jap. II. 20; Miq. P. 331; F. S. I. 466.
Pinus polita, Parl., DC. Prod. XVI. 2, 417.
P. Abies, Th. Fl. Jap. 275.
Abies Torano, Sieb. Syn. Pl. Oecon. 58.
A. Thunbergii, Lamb.
A. Smithiana, Gord.
Picea Smithiana, Lamb.
Abies Smithiana, Loud.
Nom. Jap. *Hari-momi.* ハリモミ
Bara-momi. バラモミ
Toranoo-momi. トラノヲモミ
Hab. Yezo: Sapporo (Isikari); Nippon: Hirosaki (Mutsu), Nikko (Simotsuke); Sikok: Yahadsu-yama (Tosa).

Pinus cembra, L. *var.* **manchuria,** Mast. B. H. B. (1898) 271.
syn. *Pinus mandshurica,* Regel.
Nom. Jap. *Shimofuri-matsu.* シモフリマツ
Shimofuri-goyō. シモフリゴエフ
Hinekiri-matsu. ヒネキリマツ
Hab. Yezo; Nippon: Morioka (Riktsiu), cult.

Pinus densiflora, S. Z. Fl. Jap. II. 112; Miq. P. 329; F. S. I. 464; Mast. J. L. S. (1902) 549; Mayr, Monogr. Abiet. 72; Mast. B. H. B. (1898) 271.
Nom. Jap. *Aka-matsu.* アカマツ
Me-matsu. メマツ

Hab. Nippon: Morioka (Riktsiu), Tanabu (Mutsu); Tsusima: Mitakesan.

Pinus koraiensis, S. Z. Fl. Jap. II. 28; Murr. Pin. Jap. 1; Miq. P. 330; F. S. I. 465; Mayr, Monogr. Abiet. 73; Mast. B. H. B. (1898) 271.

syn. *P. strobus,* Th. Fl. Jap. 275.

Nom. Jap. *Chōsen-goyō.* テウセンゴエフ
Chōsen-matsu. テウセンマツ

Hab. Yezo: Rebunsiri (Kitami); Nippon: Hirosaki (Mutsu), cult.; Nambu (Riktsiu).

Pinus luchuensis, Mayr, Bot. Centralbl. LVIII. (1894) 150; Warb. Muns. I. 188; Matsum. T. B. M. (1901) 140.

Nom. Jap. *Ryukyu-matsu.* リウキウマツ
Okinawa-matsu. オキナハマツ

Hab. Liukiu: Ohsima, Okinawa, Yaeyama, Miyakosima, Isigaki, Iriomote.

Pinus Massoniana, Lamb.; Mast. J. L. S. (1902) 551; B. H. B. (1898) 271; Matsum. T. B. M. (1901) 140.

syn. *P. sinensis,* Benth.; Warb. Muns. I. 188.

Nom. Jap. *Taiwan-akamatsu.* タイワンアカマツ

Hab. Formosa.

Pinus parviflora, S. Z. Fl. Jap. II. 115; Murr. Pin. Jap. II; Miq. P. 330; Parl.; DC. Prod. XVI. 2, 60; F. S. I. 465; Mast. J. L. S. (1881) 504; Mayr, Monogr. Abiet. 76; Matsum. T. B. M. (1901) 140.

Nom. Jap. *Hime-komatsu.* ヒメコマツ

Hab. Yezo: Yesasi-yama (Osima); Nippon: Hakkooda (Mutsu), Tsiookaisan (Ugo), Iwatesan, Nambu, Toowada (Riktsiu), Sennin-tooge; Siobara, Nikko (Simotsuke); Tsusima; Yakunosima; Formasa: Mt. Morrison.

Pinus pentaphylla, Mayr, Monogr. Abiet. 78; Mast. B. H. B. (1898) 272.

Nom. Jap. *Goyō-matsu.* ゴエフマツ

Hab. Yezo: Yesan (Osima); Nippon; Aomori, Hirosaki (Mutsu), Morioka (Riktsiu), cult., Sendai (Rikzen), Norikra (Sinano), Tokio (Musasi), cult.

Pinus pumila, Regel; Mast. B. H. B. (1898) 272; Mayr, Monogr.

Abiet. 80; Warb. Muns. I. 188; Yabe et Yendo, T. B. M (1904) 173.

Nom. Jap. *Hai-matsu.* ハヒマツ

Hab. Kurile; Yezo: Asariyama (Siribesi), Moiwa (Isikari); Nippon: Uzen, Ugo, Yetsigo, Iwasiro.

Pinus Thunbergii, Parl., DC. Prod. XVI. 2, 388; F. S. I. 464; Mayr, Monogr. Abiet. 69; Mast. J. L. S. XVIII. 504; B. H. B. (1898) 272; J. L. S. (1902) 552; Warb. Muns. I. 188.

syn. *P. sylvestris,* Th. Fl. Jap. 274.

P. Massoniana, S. Z. Fl. Jap. II. 24; Miq. P. 330.

Nom. Jap. *Kuro-matsu.* クロマツ

O-matsu. ヲマツ

Hab. Nippon: Akita (Ugo), Ikao (Kootsuke), Oomi; ins. Hatsidjoo (Idsu); Kiusiu: ins. Gotoo; Yakunosima.

Podocarpns argotænia, Hance, J. B. (1883) 357; Mast. J. L. S. (1902) 547.

syn. *P. insignis,* Hemsl. J. B. (1885) 287.

Nom. Jap.

Hab. Formosa.

Podocarpus latifolia, Wall.; Mast. J. L. S. (1902) 547.

Nom. Jap.

Hab. Formosa: Tamsui.

Podocarpus macrophylla, Don; Parl., DC. Prod. XVI. 2, 517; S. Z. Fl. Jap. 70; Max. M. B. VII. 562; Miq. P. 332; F. S. I. 475; Mast. J. L. S. (1881) 502; Warb. Muns. I. 192; Matsum. T. B. M. (1901) 139; Mak. T. B. M. (1898) 735; Pilg. E. Pl. 79; Shirasaw. Icon. t. XIII.

syn. *Taxus macrophylla,* Th. Fl. Jap. 276.

Nom. Jap. *Inu-maki.* イヌマキ

Kusa-maki. クサマキ

Hon-maki. ホンマキ

Hab. Kiusiu: Nagasaki (Hizen); Tsusima: Mt. Tatera; Liukiu: Iriomote; Formosa.

form. **grandifolia,** Pilg. E. Pl. 80.

syn. *Podocarpus macrophylla, v. liukiuensis,* Warb. Muns. I. 192.

Nom. Jap.

Hab. Liukiu.

form. **angustifolia,** Pilg. E. Pl. 80.

syn. *Podocarpus macrophplla, v. angustifolia,* Bl.

Nom. Jap.

Hab.

subsp. Maki, Sieb.; Pilg. E. Pl. 80.

syn. *Podocarpus macrophylla, v. Maki,* Endl.

P. japonica, Sieb.

P. Makoyi, Bl.

P. chinensis, Wall.; Parl., DC. Prod. XVI. 2, 516; S. Z. Fam. Nat. II. 108; Mast. J. L. S. (1881) 502; Warb. Muns. I. 192.

P. macrophylla, v. chinensis, Max. M. B. VII. 562.

P. Maki, S. Z.

Nom. Jap. *Maki.* マキ

Rakan-maki. ラカンマキ

Hab. Nippon: Atami (Idsu); Liukiu; Formosa.

var. **appressa,** Matsum. S. M. 223.

syn. *Podocarpus appressa,* Max. M. B. VII. 561; F. S. I. 475; Pilg. E. Pl. 92.

Nom. Jap. *Sekkwa-maki.* セツクワマキ

Hab. Japonia, cult.

Podocarpus Nageia, Zoll. et Moritz; Mak. T. B. M. (1903) 113; Pilg. E. Pl. 60.

syn. *Myrica Nagi,* Th. Fl. Jap. 76.

Nagaea Nagi. O. Kze.

Podocarpus Nageia, R. Br.; S. Z. Fl. Jap. II. 71; Parl., DC. Prod. XVI. 2, 508; Max. M. B. VII. 562; Miq. P. 332; F. S. I. 474; Mast. J. L. S. (1881) 501; Warb. Muns. I. 191; Mak. T. B. M. (1898) 257; Henry, L. 91; Matsum. T. B. M. (1901) 139; Shirasaw. Icon. t. XIII.

Nageia japonica, Gaertn.

Dammara Veitchii. Henk. et Hochst.

Agathis Dammara, Engl. Jahrb. IV. 353.

Nom. Jap. *Nagi.* ナギ

Chikara-shiba. チカラシバ

Hab. Nippon; Sikok: Asidsuriyama (Tosa); Kiusiu; Yakunosima.

var. **ovata,** Mak. T. B. M. (1903) 114.

syn. *Podocarpus ovata,* Henk. et Hochst.; Parl., DC. Prod. XVI. 2, 509.
Nageia ovata, Gord.
Podocarpus Nageia, v. rotundifolia, Max. M. B. VII. 562; Regel, Gartenfl. (1864) 37; F. S. I. 474; Mast. J. L. S. (1881) 501.
Nom. Jap.
Hab. Japonia, cult.
var. **angustifolia,** Max.; Mak. T. B. M. (1903) 114; Pilg. E. Pl. 62.
syn. *Podocarpus Nageia, v. angustifolia,* Max. M. B. VII. 562; Regel, Gartenfl. (1864) 37; F. S. I. 475; Mast. J. L. S. (1881) 501.
Nom. Jap.
Hab. Japonia, cult.
var. **cæsia,** Mak. T. B. M. (1899) 268; (1903) 115.
syn. *Podocarpus cæsia,* Max. M. B. VII. 562; F. S. I. 474; Mast. J. L. S. (1881) 501; Mak. T. B. M. (1895) 315; Pilg. E. Pl. 62.
Nageia cæsia, O. Kze.
Nom. Jap. *Usuyuki-nagi.* ウスユキナギ
Hab. Japonia, cult.

Sciadopitys verticillata, S. Z. Fl. Jap. II. 1; Miq. P. 331; Murr. Pin. Jap. 109; Parl., DC. Prod. XVI. 2, 435; F. S. I. 468; Mast. J. L. S. (1881) 502; Mast. B. H. B. (1898) 273.
syn. *Taxus verticillata,* Th. Fl. Jap. 276.
Pinus verticillata, Sieb.
Nom. Jap. *Kōya-maki.* カウヤマキ
Hab. Nippon: Tanabu (Mutsu), Akita (Ugo), cult.; Mt. Kooya (Kii); Sikok: Mt. Hoonokawa (Tosa).

Taxus baccata, L. subsp. **cuspidata,** Pilg. E. Pl. 112.
syn. *Taxus cuspidata,* S. Z. Fam. Nat. 108; Th. Fl. Jap. II. 61; Miq. P. 333; F. S. I. 472; Parl., DC. Prod. XVI. 2, 502; Mast. J. L. S. (1881) 500; B. H. B. (1898) 274; Shiras. Icon. t. XV.
Taxus baccata, v. cuspidata, Carr.

Cephalotaxus umbraculifera, Sieb.; Parl., DC. Prod. XVI. 2, 504; Miq. P. 333; F. S. I. 475; Mast. J. L. S. (1881) 499.

Nom. Jap. *Ichii.* イチヰ
Suō-no-ki. スハウノキ
Onko. ホンコ
Raramani. (Nom. Ainu).
Rarumani. (Nom. Ainu).
Kuneni. (Nom. Ainu).

Hab. Kurile: Sikotan; Yezo: Rebunsiri (Kitami), Sapporo (Isikari); Nippon: Iwatesan (Riktsiu), Tanabu (Mutsu), Nikko (Simotsuke).

var. **latifolia**, Pilg. E. Pl. 112.

Nom. Jap.

Hab. Yezo: Hakodate (Osima).

subsp. **globosa**, Pilg. f. **tardiva**, Pilg. E. Pl. 114.

syn. *Cephalotaxus tardiva*, Sieb.
Taxus baccata, v. adpressa, Carr.
T. adpressa, Gord.
T. tardiva, Laws.; Parl., DC. Prod. XVI, 2, 502; F. S. I. 472; Mast. J. L. S. (1881) 500.
T. sinensis, v. tardiva, Knight.
T. cuspidata, S. Z.
Verataxus cuspidata, Senil.

Nom. Jap. *Kyara-boku.* キャラボク

Hab. Japonia, cult.

Thuja japonica, Max. M. B. VI. 26; Mast. J. L. S. (1881) 486; B. H. B. (1898) 273.

syn. *Thuja Staundishii*, Carr.; Mast. Gard. Chron. (1878) 397.
Thujopsis Staundishii, hort.
Thuja gigantea, Parl. non Nutt.
T. gigantea, v. japonica, F. S. I. 469.

Nom. Jap. *Kurobi.* クロビ
Kurobe. クロベ
Nezuko. ネズコ
Gorō-hiba. ゴラウヒバ

Hab. Nippon: Hirosaki (Mutsu), Nikko (Simotsuke), Togaksi, Komagatake (Sinano).

Thuja occidentalis, L.

Nom. Jap. *Nioi-hiba.* ニホヒヒバ
Hab. Tokio, cult.

Thuja orientalis, L.; Th. Fl. Jap. 266; S. Z. Fl. Jap. II. 31; Mast. B. H. B. (1898) 273; J. L. S. (1902) 540; Warb. Muns. I. 190.
syn. *Biota orientalis,* Endl.; Miq. P. 331; F. S. I. 470; Parl.; DC. Prod. XVI. 2, 461.
Nom. Jap. *Konote-gashiwa.* コノテガシハ
Harigi. ハリギ
Hab. Japonia, cult.; Formosa media.
var. **pendula,** Parl.; DC. Prod. XVI. 2, 462.
syn. *Cupressus pendula,* Th. Fl. Jap. 265.
Biota pendula, Endl.
Thuja pendula, Lamb.; S. Z. Fl. Jap. II. 30; Miq. P. 332.
T. filiformis, Lodd.
Nom. Jap. *Ito-hiba.* イトヒバ
Hab. cult.
var. **falcata,** Hort.; Mast. B. H. B. (1898) 274.
Nom. Jap. *Wa-byakudan.* ワビヤクダン
Hab. Nippon: Hirosaki (Mutsu), cult.

Thujopsis dolabrata, S. Z. Fl. Jap. II. 34; Parl., DC. Prod. XVI. 2, 460; Miq. P. 332; F. S. I. 469; Warb. Muns. I. 189.
syn. *Thuja dolabrata,* L.; Th. Fl. Jap. 266; Mast. J. L. S. (1881) 486; B. H. B. (1898) 273.
Platycladus dolabrata, Spach.
Thujopsis lætevirens, Lindl.
Nom. Jap. *Asunaro.* アスナロ
Hiba. ヒバ
Hab. Nippon: Aomori (Mutsu), Tsitsibu (Musasi).
var. **nana,** S. Z.; Mast. J. L. S. (1881) 486.
syn. *Thujopsis dolabrata nana,* Gord.
Nom. Jap. *Hime-asunaro.* ヒメアスナロ
Hab.

Torreya nucifera, S. Z. Fam. Nat. II. 108; Fl. Jap. II. 64; Parl., DC. Prod. XVI. 2, 505; Miq. P. 333; F. S. I. 473; Mast. J. L. S. (1881) 500; (1902) 546; Warb. Muns. I. 194; Shiras. Icon. t. XV; Pilg. E. Pl. 105.
syn. *Taxus nucifera,* L.; Th. Fl. Jap. 275.

Caryotaxus nucifera, Henk. et Hochst.
Fœtataxus nucifera, Senil.
Tumion nuciferum, Greene.
Nom. Jap. *Kaya.* カヤ
Hab. Nippon: Hirosaki (Mutsu), Nambu (Riktsiu), Aidsu (Iwasiro); Kiusiu: Kirisima (Hiuga); Sado; Atami (Idsu).

Tsuga diversifolia, Max. M. B. VI. 373; Mast. J. L. S. XVIII. 512; Mayr, Monogr. Abiet. 61.
syn. *Abies diversifolia*, F. S. I. 468.
Nom. Jap. *Kome-tsuga.* コメツガ
Kuro-tsuga. クロツガ
Hab. Nippon: Nikko (Simotsuke), Siranesan (Kootsuke), Mitsumine (Musasi), Ontake, Togaksi (Sinano), Haksan (Kaga); Kiusiu.

Tsuga japonica, Shiras. T. B. M. (1895) 84.
syn. *Pseudotsuga japonica*, Shiras. Icon. t. VII.
Nom. Jap. *Toga-sawara.* トガサハラ
Hab. Nippon: Yamato; Kii.

Tsuga Sieboldi, Carr.; Mast. J. L. S. XVIII. 512; B. H. B. (1898) 273; Mayr, Monogr. Abiet. 59; Warb. Muns. I. 189.
syn. *Abies Tsuga*, S. Z. Fl. Jap. II. 14; F. S. I. 468; Murr. Pin. Jap. 84; Miq. P. 331; F. S. I. 468.
Nom. Jap. *Tsuga.* ツガ
Toga. トガ
Toga-matsu. トガマツ
Hab. Nippon: Iwakisan (Mutsu), Hayatsinesan (Riktsiu), Nikko (Simotsuke), Norikra (Sinano), Kiyosumi (Boosiu); Yamato; Kooyasan, Natsisan (Kii); Sikok; Yakunosima.

Coniferæ fossiles.

(*Shōhaku-no-tagui no kwaseki.*)

Cyparissidium (?) japonicum, Yokoy. J. C. S. VII. (1895) 229.
Hab. Nippon: Kagahara (Kootsuke); Sikok: Tannoo, Fudsikawa (Awa).

Pinus Nordenskjoldi, Heer; Yokoy. J. C. S. III. (1890) 63.
syn. *Cyclopitys Nordenskjoldi*, Yokoy. Bull. Geol. Sec. Jap. I. 8.

Hab. Nippon: Simamura (Kaga).

Sequoia disticha, Heer; Nath. Palæont. Abhandl. IV. (1888) 199.

Hab. Nippon: Moriyosi-mura (Ugo), Kooya (Iwaki).

Sequoia Langsdorfii, *Brgn.*; Nath. Bot. Centralb. (1884) No. 29, 85.

Hab. Yezo; Nippon: Moriyosi-mura (Ugo), Kooya (Iwaki), Adsuhata (Hitatsi).

Taxodium distichum miocenum, Heer; Nath. Bot. Centralb. (1884) No. 29, 85; Nath. Palæont. Abhandl. IV. (1888) 201.

Hab. Yezo; Nippon: Kayaksa-mura (Ugo).

Torreya venusta, Yokoy. J. C. S. VII. (1895) 230; Pilg. E. Pl. 110.

Hab. Nippon: Yuasa (Kii).

Gnetaceæ.

(*Maō no tagui.*)

Ephedra vulgaris, Rich. var. **helvetica,** Hk. et Thoms.; Miq. P. 333; F. S. I. 464.

syn. *Ephedra helvetica,* C. A. Mey.

Nom. Jap. *Maō.* マワウ

Hab. cult.

Angiospermæ.

Monocotyledoneæ.

(*Tanshiyō-shokubutsu.*)

Typhaceæ.

(*Gama no tagui.*)

Typha angustata, Bory. et Chaub.; Græbn. E. Pl. 14.
syn. *T. media,* Bory. non Schleich.
T. angustifolia, Sibth. et Sm.
T. æqualis, Schniz.
T. damaniatica, Schreb.
T. stenophylla, Sint.
T. Ehrenbergii, Schur.
Nom. Jap. *Hime-gama.* ヒメガマ
Hab. Yezo: Tomakomai (Iburi); Nippon: Baniu-gawa (Sagami), Hikami (Suwoo); Tsusima; Liukiu: Okinawa; Formosa: Sintec.

Typha latifolia, L.
Nom. Jap. *Gama.* ガマ
Hab. Nippon: Tokio (Musasi).

Typha Shuttleworthii, Koch et Sond., subsp. **orientalis,** Græb. E. Pl. 10.
syn. *T. japonica,* Miq. P. 324; F. S. II. 11.
T. orientalis, Presl; E. Brown, J. L. S. XXXVI. 171.
T. latifolia, Bretschn.
T. Schuttleworthii, v. orientalis, Rohrb.
Nom. Jap. *Ko-gama.* コガマ
Ko-himegama. コヒメガマ
Hab. Kiusiu.

Pandanaceæ.

(*Adan no tagui.*)

Freycinetia formosana, Hemsl. Kew Bull. (1896) 166; Warb. E. Pl. 41; E. Brown, J. L. S. XXXVI. 171.

Nom. Jap. Tsuru-adan. ツルアダン

Hab. Formosa: Kelung; Liukiu; Bonin.

Pandanus boninensis, Warb. Muns. II.; E. Pl. 45.

Nom. Jap. Takonoki. タコノキ

Hab. ins. Bonin.

Pandanus odoratissimus, L. f.; Henry, L. 100; E. Brown, J. L. S. XXXVI. 171.

Nom. Jap.

Lintou. 林投 (Nom. Formos).

Lincha. 林茶 (Nom. Formos).

Hab. Formosa: Takow, Tamsui.

Pandanus tectorius, Sol. *var.* **liukiuensis,** Warb. E. Pl. 48.

syn. P. fragrans, Matsum. T. B. M. (1897) 69.

Nom. Jap. Adan. アダン

Hab. Liukiu: Okinawa, Ohsima.

Sparganiaceæ.

(*Mikuri no tagui.*)

Sparganium longifolium, Turcz.; Miq. P. 325; F. S. II. 11; Mak. T. B. M. (1894) 507.

Nom. Jap. Mikuri. ミクリ

Hab. Yezo: Hakodate (Osima); Nippon: Yokoska (Sagami); Tootoomi.

Sparganium macrocarpum, Mak. Ms.

Nom. Jap. Azuma-mikuri. アヅマミクリ

Hab. Nippon: Djunsainuma (Simoosa).

Sparganium nipponicum, Mak. Ms.

Nom. Jap. Hime-mikuri. ヒメミクリ

Hab. Nippon: Djunsanuma (Simoosa).

Sparganium simplex, Huds.; Franch. Bull. Soc. Bot. Fr. XXVI. 87.

Nom. Jap. Ko-mikuri. コミクリ

Hab. Yezo: Ksri (Kusiro); Nippon: Aomori (Mutsu), Gosen (Yetsigo); Tsusima.

Sparganium yamatense, Mak. Ms.

Nom. Jap.

Hab. Nippon: Nara (Yamato).

Potamogetonaceæ.

(*Hirumushiro no tagui.*)

Cymodocea isoetifolia, Aschers.; Mak. T. B. M. (1899) 140.

Nom. Jap. *Shio-nira.* シホニラ

Hab. Liukiu.

Phyllospadix japonica, Mak. T. B. M. (1897) 137; (1899) 269.

Nom. Jap. *Ebi-amamo.* エビアマモ

Hab. Nippon: oras pacif.; mari Japonico.

Phyllospadix Scouleri, Hk. f.; Mak. T. B. M. (1899) 269.

Nom. Jap. *Suga-mo.* スガモ
Umi-suge. ウミスゲ
Gomo-kusa. ゴモクサ
Hama-kusa. ハマクサ

Hab. Yezo; Nippon: Riktsiu.

Phyllospadix serrulata, Rupr.; Yabe, T. B. M. (1903) 124.

Nom. Jap.

Hab. Tsusima.

Potamogeton alpinus, Balb.; Benn. J. B. (1904) 72.

Nom. Jap.

Hab. Japonia.

Potamogeton crispus, L.; Miq. P. 325; F. S. II. 15; Mak. T. B. M. (1887) 3; (1890) 31; Benn. B. H. B. (1896) 546.

Nom. Jap. *Ebimo.* エビモ

Hab. Yezo: Ksri (Kusiro); Nippon: Tokio (Musasi), Yokoska (Sagami), Suwoo; Liukiu: Naha (Okinawa).

Potamogeton cristatus, Reg. et Mack.; Benn. B. H. B. (1896) 545, 546.

syn. *P. hybridus,* Mak. T. B. M. (1890) 30; Ill. Fl. Jap. I. t. 55, non Michx.; Benn. J. B. (1892) 229.

Nom. Jap. *Koba-no-hirumushiro.* コバノヒルムシロ

Hab. Nippon: Aidsu (Iwasiro), Tokio (Musasi).

Potamogeton distinctus, Benn. J. B. (1904) 72.
Nom. Jap.
Hab. Nippon: Aomori (Mutsu).

Potamogeton flabellatus, Bab.; Benn. B. H. B. (1896) 546.
Nom. Jap.
Hab.

Potamogeton Gaudichaudi, Cham. Linn. (1827) 199; Benn. B. H. B. (1896) 548; J. L. S. XXXVI. 194.
syn. *P. malayana,* Miq.
P. Wrightii, Morong.
P. mucronatus, Presl.; Mak. T. B. M. (1896) 58; Henry, L. 101.
P. tretocarpus, Max.; Mak. T. B. M. (1890) 30, 174.
P. japonicus, F. S. II. 15; Benn. B. H. B. (1896) 546.
P. lucens, Vidal.
Nom. Jap. Sasabamo. サヽバモ
Hab. Yezo: Abasiri (Kitami); Nippon: Tokio (Musasi); Sikok; Liukiu: Okinawa; Formosa: Bankinsing, Takow.

Potamogeton gracilis, Wolfg.; Benn. B. H. B. (1896) 547.
syn. *P. gramineus,* L. *v. mongolicus,* Max.
Nom. Jap.
Hab.

Potamogeton heterophyllus, Schreb.; Benn. B. H. B. (1896) 547.
Nom. Jap.
Hab. Yezo: Nemuro.
var. **mongolicus,** Max.; Benn; B. H. B. (1896) 547.
Nom. Jap.
Hab. Yezo: Nemuro.

Potamogeton indicus, Roxb.; Benn. B. H. B. (1896) 546.
Nom. Jap.
Hab. Yezo: Yesan-saki (Osima).

Potamogeton javanicus, Hassk.; Benn. J. B. (1891) 154; B. H. B. (1896) 546; J. L. S. XXXVI. 194.
Nom. Jap.
Hab. Yezo: Abasiri-ko (Kitami), Adsuma-gawa (Osima); Nippon: Akita (Ugo); Kiusiu: Simabara, Nagasaki (Hizen); Formosa: Tamsui, Taipeh.

Potamogeton limosellifolius, Max ; Benn. J. B. (1904) 69.
Nom. Jap.
Hab. Liukiu.

Potamogeton Maackianus, Benn. J. B. (1904) 74.
syn. *P. serrulatus,* Reg. et Mack.; Mak. T. B. M. (1890) 174; (1891) 338.
P. Robbinsii, Mak. T. B. M. (1887) 4.
P. Robbinsii, v. japonicus, Benn. B. H. B. (1896) 546, 549; J. L. S. XXXVI. 196.
Nom. Jap. *Sennin-mo.* センニンモ
Hab. Yezo : Akan-ko (Kusiro) ; Nippon : Nikko (Simotsuke), Hakone (Sagami), Kisogawa (Owari).

Potamogeton Miduhikimo, Mak. Ill. Fl. Jap. t. 54, 2 ; Benn. B. H. B. (1896) 548.
syn. *P. hybridus,* Miq. P. 325 ; F. S. II. 15.
Nom. Jap. *Mizuhiki-mo.* ミヅヒキモ
Hab. Nippon : Akita (Ugo) ; Simoosa ; Kiusiu : Tsikgo ; Simabara (Hizen) ; Sikok : Kubokawa (Tosa).

Potamogeton Morongii, Benn. J. B. (1902) 145.
Nom. Jap.
Hab. Nippon : Numasaki (Mutsu).

Potamogeton natans, L.; Miq. P. 325 ; F. S. II. 14 ; Mak. T. B. M. (1890) 30, 302 ; Benn. B. H. B. (1896) 546.
Nom. Jap. *Oh-hirumushiro.* オホヒルムシロ
Hab. Yezo : Hakodate (Osima), Iburi ; Nippon : Sitsinohe (Mutsu), Sagami ; Tarumi (   ) ; Sikok : Tosa ; Formosa : Taipeh.

Potamogeton nipponicus, Mak. Ill. Fl. Jap. t. 56, 2 ; Benn. B. H. B. (1896) 547.
syn. *P. lucens, var.* Mak. T. B. M. (1887) 3, t. 1. f. b.
P. lucens, v. nipponica, Mak. T. B. M. (1890) 31.
Nom. Jap. *Sasa-ebimo.* サヽエビモ
Hab. Yezo : Soobetz (Iburi) ; Nippon : Nikko (Simotsuke).

Potamogeton oxyphyllus, Miq. P. 325 ; F. S. II. 15 ; Mak. T. B. M. (1887) 4 ; Benn. B. H. B. (1896) 547 ; J. L. S. XXXVI. 195.

Nom. Jap. *Sasa-mo.* サヽモ
Yanagi-mo. ヤナギモ
Hab. Yezo: Urakawa (Hidaka); Nippon: Aidsu (Iwasiro), Tokio (Musasi), ins. Sado; Suwoo; Sikok: Matsuyama (Iyo).
var. **Fauriei,** Benn. J. B. (1904) 76.
Nom. Jap.
Hab. Yezo: Mori (Osima); Nippon: Sjoonai (Uzen).

Potamogeton pectinatus, L.; Mak. T. B. M. (1887) 4; (1891) 338; Benn. B. H. B. (1896) 546.
Nom. Jap. *Ryunohige-mo.* リウノヒゲモ
Hab. Nippon: Kisogawa (Owari); Sikok: Kootsi (Tosa); Liukiu: Okinawa, Yaeyama.

Potamogeton perfoliatus, L.; Mak. T. B. M. (1887) 3, t. 1. f. a; (1890) 31; Benn. B. H. B. (1896) 546.
Nom. Jap. *Hiroba-no-ebimo.* ヒロバノエビモ
Hab. Yezo: Nemuro; Akan-ko (Kusiro); Nippon: Simoosa; Hakone (Sagami); Sikok: Tosa.
var. **cordato-lanceolatus,** M. et K.; Benn. B. H. B. (1896) 548.
Nom. Jap.
Hab. Yezo: Adsuma-gawa (Osima).

Potamogeton polygonifolius, Pour.; F. S. II. 14; Mak. T. B. M. (1890) 30, 302; (1896) 58; Benn. B. H. B. (1896) 546.
syn. *P. natans, v. polygonifolius,* Mak. T. B. M. (1887) 3.
Nom. Jap. *Hiru-mushiro.* ヒルムシロ
Hab. Yezo: Tomakomai (Iburi); Nippon: Aidsu (Iwasiro), Mito (Hitatsi), Tokio (Musasi), Yokoska (Sagami); Sikok: Iyo; Liukiu.

Potamogeton prælongus, Wulf.; Benn. J. B. (1895) 372; B. H. B. (1896) 548.
Nom. Jap.
Hab. Yezo: Nemuro.

Potamogeton pusillus, L.; Miq. P. 325; F. S. II. 15; Mak. T. B. M. (1887) 4; (1890) 31; (1896) 58; Benn. B. H. B. (1896) 546
Nom. Jap. *Ito-mo.* イトモ
Hab. Yezo: Nemuro; Adsuma-gawa (Osima), Tomakomai (Iburi); Nippon: Aidsu (Iwasiro), Suwoo; Sikok: Tosa; Tsusima; Liukiu: Sjuri (Okinawa).

var. **brevifolius,** Nolte; Benn. B. H. B. (1896) 547.
Nom. Jap.
Hab. Nippon: Aomori (Mutsu).

Potamogeton Tepperi, Benn. J. B. (1887) 178; B. H. B. (1896) 548; J. L. S. XXXVI. 196.
Nom. Jap.
Hab. Yezo: Abasiri (Kitami); Nippon: Aomori (Mutsu), ins. Sado.

Potamogeton zosterifolius, Schum.; Benn. B. H. B. (1896) 547.
Nom. Jap.
Hab. Yezo: Akan-ko (Kusiro).

Ruppia maritima, L.; F. S. II. 14; Aschers. J. B. (1875) 113; Henry, L. 102.
Nom. Jap. Kawa-tsurumo. カハツルモ
Hab. Nippon: Kawasaki (Musasi), Simoosa; Kiusiu; Liukiu: Yaeyama.

Zannichellia pedicellata, Buch.-Ham.; Benn. J. L. S. XXXVI. 197.
Nom. Jap.
Hab. Liukiu.

Zostera marina, L.; Miq. C. 97; F. S. II. 14; Mak. T. B. M. (1896) 318; Benn. J. L. S. XXXVI. 197.
Nom. Jap. Ama-mo. アマモ
Moshio-gusa. モシホグサ
Hab. Yezo; Nippon; Kiusiu; Tsusima.

Zostera nana, Roth.; F. S. II. 509; Aschers. J. B. (1875) 113; Mak. T. B. M. (1896) 318.
Nom. Jap. Ko-amamo. コアマモ
Hab. Nippon; Tsusima.

Najadaceæ.

(*Ibaramo no tagui.*)

Najas ancistrocarpa, A. Br.; Rendl. E. Pl. 11.
Nom. Jap.
Hab. Nippon: Yokohama (Musasi).

Najas foveolata, A. Br.; Rendl. E. Pl. 15.
Nom. Jap.
Hab. Nippon: Yokoska (Sagami).

Najas graminea, Del.; Kunth. Enum. III. 115.
syn. *N. serristipula,* Max. M. B. VI. 275; F. S. II. 13.
Nom. Jap. *Hossu-mo.* ホッスモ
Hab. Nippon: Simoosa; Yokohama (Musasi); Sikok: Tosa; Liukiu; Formosa: Taipeh.

Najas major, All.; F. S. II. 13.
syn. *N. marina,* L.
Nom. Jap. *Ibara-mo.* イバラモ
Hab. Nippon: Simoosa; Tokio (Musasi); Kiusiu: Suizendji (Higo).

Najas minor, All.; F. S. II. 13; Rendl. E. Pl. 14; J. B. (1900) 107, t. 408.
Nom. Jap. *Torige-mo.* トリゲモ
Hab. Nippon: Simoosa; Tokio (Musasi).

Scheuchzeriaceæ.

(*Shibana no tagui.*)

Scheuchzeria palustris, L.; Buchen. E. Pl. 15.
Nom. Jap. *Ezo-sekishō.* エゾセキシヤウ
Hab. Yezo: Horomui (Isikari); Nippon: Osenuma (Iwasiro).

Triglochin maritimum, L.; Miq. P. 71; F. S. II. 17.
syn. *Ornithogalum japonicum,* Buerg.
Nom. Jap. *Shiba-na.* シバナ
Hab. Yezo: Nemuro; Ksri (Kusiro), Morolan (Iburi); Nippon: Yokohama (Musasi), Kawahari (Bizen); Tsusima.

Triglochin palustre, L.
Nom. Jap. *Hosoba-no-sibana.* ホソバノシバナ
Hab. Yezo: Hakodate (Osima), Tomakomai (Iburi).

Alismataceæ.

(*Omodaka no tagui.*)

Alisma canaliculatum, Al. Br. et Bouché; Buchen. E. Pl. 15.
Nom. Jap.
Hab. Japonia.

Alisma Plantago, L.; Miq. P. 70, 356; F. S. II. 16.
syn. *A. flava*, Th. Fl. Jap. 153.
A. cordifolia, Th. Fl. Jap. 153.
Nom. Jap. *Tōgoku-hera-omodaka.* タウゴクヘラオモダカ
Hab. Nippon: Simoosa.
var. **angustifolium**, Kunth; Mak. T. B. M. (1894) 380; (1895) 12.
syn. *A. Plantago, β.* Willd.
A. angustifolium, Hopp.
A. lanceolatum, With.
A. Plantago, v. lanceolatum, Mart.
A. ranunculoides, All.
Nom. Jap. *Hera-omodaka.* ヘラオモダカ
Hab. Yezo: Hakodate (Osima); Nippon: Aomori (Mutsu); ins. Hatsidjoo, Suwoo; Tsusima; Liukiu: ins. Isigaki.
var. **parviflorum**, Torr.; F. S. II. 16; Mak. T. B. M. (1894) 379.
syn. *A. parviflorum*, Pursh.
A. Plantago, v. latifolia, Miq. P. 356.
Nom. Jap. *Saji-omodaka.* サジオモダカ
Hab. Yezo: Sapporo (Isikari); Nippon: Mito (Hitatsi).

Caldesia parnassifolia, Parl.
syn. *Alisma reniforme*, D. Don; Wight, Ic. II. t. 322; Mak. T. B. M. (1894) 172, 380; (1901) 106.
A. parnassifolia, F. Muell.
A. parnassifolia, v. majus, Michx.
A. calophyllum, Wall.
Nom. Jap. *Maruba-omodaka.* マルバオモダカ
Hab. Nippon: Kadsusa.

Sagittaria Aginashi, Mak. T. B. M. (1901) 104.
syn. *S. sagittifolia, v. Aginashi*, Mak. T. B. M. (1892) 49.
Nom. Jap. *Aginashi.* アギナシ
Hab. Yezo: Sapporo (Isikari); Nippon.

Sagittaria pygmæa, Miq. P. 70; F. S. II. 17; Buchen. E. Pl. 44.
syn. *S. sagittifolia*, L. *v. oligocarpa*, Micheli, Monogr. 68; Wright, J. L. S. XXXVI. 189.
S. sagittifolia, v. pygmæa, Mak. T. B. M. (1901) 106.
Nom. Jap. *Urikawa.* ウリカハ
Oh-boshisō. オホボシサウ

Hab. Nippon : Tokio (Musasi), Suwoo ; Sikok : Tosa ; Liukiu.

Sagittaria sagittifolia, L.; Miq. P. 70 ; F. S. II. 16 ; Buchen. E. Pl. 46.

syn. *S. sagittata,* Th. Fl. Jap. 242.

Nom. Jap. *Omodaka.* オモダカ

Hab. Nippon : Aidsu (Iwasiro), Kadsusa, Tokio (Musasi) ; Formosa.

var. **leucopetala,** Miq.; Buchen. E. Pl. 48.

syn. *Sagittaria hirundinacea,* Bl.

Nom. Jap.

Hab. Kiusiu ; Formosa.

var. **longiloba,** Turcz.; Miq. P. 70.

syn. *Sagittaria sagittifera, v. longiloba,* Mak. T. B. M. (1895) 314.

Nom. Jap. *Hosoba-omodaka.* ホソバオモダカ

Hab. Nippon : Sakura (Simoosa) ; Liukiu : Okinawa

form. **sinensis,** Mak. T. B. M. (1901) 105.

syn. *Sagittaria sinensis,* Sims. Bot. Mag. t. 1631.

S. sagittifolia, v. edulis, Sieb.

S. obtusa, Th. Fl. Jap. 242.

S. edulis, Schlecht. Linn. XVIII. 432.

Nom. Jap. *Kuwai.* クワヰ

Hab. Nippon, cult.

Triuridaceæ.

(*Hongōsō no tagui.*)

Sciaphila japonica, Mak. T. B. M. (1902) 211.

Nom. Jap. *Hongōsō.* ホンゴウサウ

Hab. Nippon : Hongoo (Ise) ; Owari.

Hydrocharitaceæ.

(*Dochikagami no tagui.*)

Blyxa caulescens, Max.; Mak. T. B. M. (1890) 173.

syn. *Diplosyphon caulescens,* Max.

Nom. Jap. *Yanagi-subuta.* ヤナギスブタ

Hab. Nippon : Musasi ; Sikok : Tosa ; Liukiu : Okinawa.

Blyxa ceratosperma, Max.; Mak. T. B. M. (1890) 173.
Nom. Jap. Subuta. スブタ
Hab. Nippon : Sikok : Tosa.

Blyxa leiocarpa, Max.
syn. *Diplosyphon leiocarpa*, Max.; Mak. T. B. M. (1890) 26.
Nom. Jap. Ko-yanagi-subuta. コヤナギスブタ
Hab. Nippon : Musasi.

Blyxa Roxburghii, Rich.; Miq. P. 159 ; F. S. II. 18.
syn. *Diplosyphon orizetorum*, Decne.
Nom. Jap.
Hab.

Enhalus Kœnigii, Rich.; Wright, J. L. S. XXXVI. 3.
syn. *Enhalus acoroides*, Rich.; Ito, Ann. Bot. XIII. 465 ; Mak. T. B. M. (1896) 318.
Nom. Jap. Umi-shōbu. ウミシヤウブ
Hab. Liukiu : Yaeyama, Iriomote.

Halophila ovata, Gaud.; Wright, J. L. S. XXXVI. 3 ; Ito, Ann. Bot. XIII. 465.
syn. *H. ovalis*, Hk. f.; J. B. (1875) 113 ; Mak. T. B. M. (1896) 318.
Nom. Jap. Umi-hirumo. ウミヒルモ
Hab. Nippon : Miura (Sagami) ; Nodo ; Liukiu.

Hydrilla verticillata, Royle, *var.* **Roxburghii**, Casp. Pringh. Jahrb. I. 494 ; Miq. P. 159 ; F. S. II. 17.
syn. *Hydrilla japonica*, Miq. P. 159 ; F. S. II. 18.
Nom. Jap. Kuromo. クロモ
Hab. Nippon : Tokio (Musashi), Simoosa ; Suwoo ; Kiusiu : Suizendji (Higo) ; Liukiu ; Formosa : Taipeh.

Hydrocharis Morsus ranæ, L.; Wright, J. L. S. XXXVI. 2.
syn. *H.* asiatica, Miq. P. 160 ; F. S. II. 19.
Nom. Jap. Dochi-kagami. ドチカヾミ
Hab. Nippon : Aomori (Mutsu), Simoosa ; Tokio (Musasi), Tootoomi ; Suwoo ; Kiusiu : Tsikzen.

Ottelia alismoides, Pers.; Miq. P. 159 ; F. S. II. 19 ; Mak. T. B. M. (1891) 53 ; (1897) 72 ; Gurke, E. Pl. 257.
syn. *O. japonica*, Miq. P. 159 ; F. S. II. 19.
Nom. Jap. Mizu-ōbako. ミヅオホバコ
Mizu-asagao. ミヅアサガホ

Mizu-hokori. ミヅホコリ
Mizu-aoi. ミヅアフヒ
Maruba-no-mizu-ōbako. マルバノミヅオホバコ
Kawa-hōzuki. カハホヽヅキ
Ta-ōbako. タオホバコ

Hab. Nippon: Aomori (Mutsu); Rikzen; Koodsuke; Kadsusa; Tokio (Musasi); Suwoo; Kiusiu: Tsikzen.

Thlassia Hemprichii, Asch., J. B. (1875) 112.

syn. *Schizotheca Hemprichii*, Ehrb.

Nom. Jap.

Hab. Liukiu.

Vallisneria spiralis, L.; F. S. II. 18.

Nom. Jap. *Itomo.* イトモ
Sekishōmo. セキシヤウモ

Hab. Nippon: Tokio (Musasi); Suwoo; Bittsiu; Kiusiu: Suizendji (Higo).

Gramineæ.

(*Kwahon no tagui.*)

Agropyrum caninum, Beauv.; Hack. B. H. B. (1899) 714.

syn. *Triticum caninum*, Schreb.; A. Gr. Perr. Exped. 328; Miq. P. 175; F. S. II. 185.

Nom. Jap.

Hab. Yezo: Sapporo (Isikari), Nagatoyo (Siribesi); Nippon: Gongensaki (Mutsu); Matsusima (Rikzen), Simoda (Idsu); Tsusima.

Agropyrum semicostatum, Nees; Steud. Syn. 346; Hack. B. H. B. (1899) 714.

syn. *Triticum semicostatum*, Miq. P. 175; F. S. II. 185.

Nom. Jap. *Natsu-no-chahikigusa.* ナツノチヤヒキグサ
Kamoji-gusa. カモジグサ
Kazura. カヅラ

Hab. Yezo: Ksri (Kusiro), Hakodate (Osima); Nippon: Hondoodji (Uzen), Deyu (Yetsigo), Mt. Adsuma, Wakamatsu (Iwasiro), Matsu sima (Rikzen), Nandjoo (Sinano), Tokio (Musasi), Mt. Amagisan, ins. Hatsidoo (Idsu), Amatsu (Boosiu), Mt. Tsukba (Hitatsi), Harakosai (Bittsiu), Hikami (Suwoo); Sikok: Kusaka (Tosa); Tsusima.

Agrostis alba, L.; Hack. B. H. B. (1899) 649.

Nom. Jap. *Konuka-gusa.* コヌカグサ

Hab. Yezo: Nemuro; Tomakomai (Iburi), Mt. Moiwa, Sapporo, Djoosankei (Isikari), Hakodate (Osima); Nippon: Nikko-Yumoto (Simotsuke); Tsusima.

Agrostis canina, L.; Hack. B. H. B. (1899) 649.

Nom. Jap. *Takane-nukabo.* タカネヌカボ

Hab. Kurile: Yetorof; Yezo: Urakawa (Hidaka); Nippon: Mt. Komagatake (Sinano), Rokdjiurigoye (Yetsigo).

var. **formosana**, Hack. B. H. B. (1904) 528.

Nom. Jap.

Hab. Formosa: Taitum.

Agrostis flaccida, Hack. B. H. B. (1899) 649.

Nom. Jap. *Miyama-nukabo.* ミヤマヌカボ
Hime-komesusuki. ヒメコメスヽキ

Hab. Yezo: Siretoko, Riisiri, Robunsiri (Kitami), Mt. Komagatake, Mori, Hakodate (Osima); Nippon: Mt. Gassan, Mt. Hayatsine (Riktsiu), Aidsu (Iwasiro), Mt. Siranesan (Simotsuke), Mt. Haksan (Kaga), Mt. Ontake, Mt. Sirouma (Sinano); Sikok: Mt. Tsurugisan, Mt. Isidsutsi (Iyo).

Agrostis perennans, Tuckerm.; Miq. P. 165; F. S. II. 166; Hack. B. H. B. (1899) 648, 721.

Nom. Jap. *Yama-nukabo.* ヤマヌカボ

Hab. Kurile: Yetorof; Yezo: Menasi (Nemuro), Saruru (Hidaka), Sjari (Kitami), Sapporo (Isikari), Adsuma (Iburi); Nippon: Kominato (Mutsu), Mt. Yudono (Uzen), Matsusima, Sendai, Oginohama (Rikzen), Mt. Adsuma (Iwasiro), Simidsu-tooge (Yetsigo), Nikko-Yumoto (Simotsuke), Mt. Tateyama (Yettsiu), Kawanakasima, Mt. Asama, Mt. Ontake (Sinano), Mt. Amagi (Idsu), Yuda (Nagato); Sikok: Tosa; Tsusima; Liukiu: Kuntsian.

form. **pauciflora**, Hack.

Hab. Nippon: Mt. Haksan (Kaga).

form. **paleata**, Hack.

Hab. Nippon: Mt. Tsiookaisan (Ugo).

form. **subcontracta**, Hack.

Hab. Nippon: Nikko (Simotsuke).

Agrostis scabra, Willd.; A. Gr. Pl. Jap. 328; Hack. B. H. B (1899) 648.

Nom. Jap. *Ezo-nukabo.* エゾヌカボ

Hab. Yezo: Menasi (Nemuro), Mombetz, Rebunsiri, Abasiri (Kitami), Sapporo (Isikari), Urakawa (Hidaka), Otaru (Siribesi), Wenbetz (Tesio), Mori (Osima), Tomakomai (Iburi), Akkesi, Siranuka (Kusiro); Nippon: Aomori, Hakkooda (Mutsu), Mt. Akagi-Djizoogatake (Koodsuke), Mt. Asama (Sinano).

Agrostis Scouleri, Trin.; Hack. B. H. B. (1904) 523.

Nom. Jap. *Tachi-nukabo.* タチヌカボ

Hab. Nippon: Osenuma (Iwasiro).

Agrostis spica venti, L.; F. S. II. 167.

Nom. Jap.

Hab. Yedo.

Agrostis tenuiflora, Steud.; Hack. B. H. B. (1899) 648.

Nom. Jap. *Nukabo.* ヌカボ

Hab. Nippon: Tokio.

Agrostis valvata, Steud.; Syn. 171; Miq. P. 165; F. S. II. 167.

Nom. Jap.

Hab. Japonia.

Aira capillaris, Host.

Nom. Jap. *Nuka-susuki.* ヌカスヽキ

Hab. Tokio, cult.

Alopecurus fulvus, L.; Hack. B. H. B. (1899) 648.

syn. *A. geniculatus,* A. Gr. Pl. Jap. 328; Miq. P. 165; F. S. II. 158.

A. æqualis, Sobol.; Rendl. J. L. S. XXXVI. 384.

Nom. Jap. *Suzume-no-teppō.* スヽメノテツパウ

Yari-kusa. ヤリクサ

Suzume-no-yari. スヽメノヤリ

Hyohyo-gusa. ヒヨヒヨグサ

Yarimbo. ヤリンボ

Hab. Kurile; Yezo: Sarubuto (Hidaka), Hakodote (Osima); Nippon: Tokio, Yokohama (Musasi), Yokoska (Sagami), Yugasima, Simoda (Idsu), Numadsu-Enoura (Suruga), Nandjoo (Sinano), Yada (Suwoo); Sikok: Tosa; Kiusiu: Nagasaki (Hizen); Tsusima; Liukiu: Okinawa.

Alopecurus geniculatus, L.; Hack. B. H. B. (1904) 528.
Nom. Jap.
Hab. Formosa : Taipeh.

Alopecurus japonicus, Steud.; Miq. P. 165 ; F. S. II. 158 ; Hack. B. H. B. (1899) 648.
syn. *A. malacostachyus,* A. Gr. Perr. Exped. 328.
Nom. Jap. Seto-gaya. セトガヤ
Hab. Nippon : Tokio, Yokohama (Musasi), Simoda (Idsu), Yada (Suwoo) ; Sikok : Tosa ; Kiusiu : Nagasaki (Hizen) ; Tsusima.

Alopecurus pratensis, L.; B. H. B. (1899) 648.
Nom. Jap. Oh-suzumeno-teppo. オホスヾメノテツパウ
Hab. Nippon : Sambongi (Mutsu), Tokio (Musasi).

Andropogon aciculatus, Retz.; Hack. B. H. B. (1899) 721, 723; (1904) 527.
syn. *Chrysopogon aciculatus,* Trin.; Mak. T. B. M. (1896) 64; Rendl. J. L. S. XXXVI. 368.
Nom. Jap. Okinawa-michishiba. オキナハミチシバ
Hab. Liukiu : Hanedji (Ins. Okinawa) ; Miyakosima ; Formosa : Kelung, Taipeh, Pachina, Bioolitsu.

Andropogon assimilis, Steud.; Rendl. J. L. S. XXXVI. 370.
Nom. Jap.
Hab. Liukiu.

Andropogon brevifolius, Sw.; Miq. P. 179 ; F. S. II. 191 ; **genuinus,** Hack. Monogr. 363 ; B. H. B. (1899) 642.
syn. *A. brevifolius, v. pulla,* F. S. II. 610.
Nom. Jap. Ushi-kusa. ウシクサ
Hab. Nippon : Tokio, Hanasono (Musasi), Yokoska (Sagami), Mt. Fudsi, Togeppoo (Suruga), Harada (Tootoomi), Sinano ; Mikawa ; Iwayayama (Yamasiro), Yada (Suwoo) ; Sikok : Tosa ; Kiusiu : Sunatori (Higo) ; Formosa : Kelung.

Andropogon contortus, L.; Matsum. T. B. M. (1897) 77 ; Hack. B. H. B. (1899) 721, 723.
syn. *Heteropogon contortus,* Beauv.; Rendl. J. L. S. XXXVI. 366.
Nom. Jap. Akahige-gaya. アカヒゲガヤ
Hab. Liukiu : Simasiri ; Formosa : Daitoo, Funkang, Takow.

Andropogon formosanus, Rendl. J. L. S. XXXVI. 371.
Nom. Jap.
Hab. Formosa : Takow.

Andropogon halepensis, Sibth.

Nom. Jap. Hime-morokoshi. ヒメモロコシ

Hab. Tokio, cult.

Andropogon intermedius, R. Br.; Rendl. J. L. S. XXXVI. 373; Hack. B. H. B. (1904) 527.

syn. A. Vachellii, Nees.

Nom. Jap.

Hab. Formosa: Takow, Ape's Hill.

Andropogon Ischæmum, L.; Rendl. J. L. S. XXXVI. 374; Hack. B. H. B. (1904) 527.

Nom. Jap.

Hab. Formosa: Ape's Hill, Takow, Tamsui.

Andropogon micranthus, Kth. **genuinus**, Hack. Monogr. 489; B. H. B. (1899) 642.

syn. A. capilliflorus, Steud. syn. 397; F. S. II. 192; Hack. Engl. Jahrb. V. 50.

A. serratus, Miq. P. 178; F. S. II. 192, non Retz.

Nom. Jap. Hime-aburasusuki. ヒメアブラスヽキ

Ko-aburasusuki. コアブラスヽキ

Hab. Nippon: Yokoska, Hakone (Sagami), Atami (Idsu), Magra (Bittsiu); Sikok: Matsuyama (Iyo), Tosa; Kiusiu: Nagasaki, Sonoki (Hizen), Kagosima (Satsuma); Liukiu: Ohsima, Simasiri (ins. Okinawa); Formosa: Pachina, Daitoo, Sintek, Tamsui, Taipeh.

var. **spicigerus**, Hack. Monogr. 489; B. H. B. (1899) 642.

Nom. Jap.

Hab. Nippon: Niisika (Kii).

Andropogon Nardus, L.; Henry, L. 108.

syn. Cymbopogon Nardus, Rendl. J. L. S. XXXVI. 376.

Nom. Jap. Kōsui-gaya. カウス井ガヤ

Hab. Formosa: Takow.

Andropogon Nardus, L. *var.* **Gœringii**, Hack. Monogr. 607; B. H. B. (1899) 642; (1904) 527.

syn. A. Gœringii, Steud. Bot. Zeit. (1846) 22.

A. marginatus, Steud. Bot. Zeit. (1829) 472.

A. Schœnanthus, Miq. P. 178; F. S. II. 191.

Nom. Jap. O-garukaya. ヲガルカヤ

Inu-garukaya. イヌガルカヤ

Hab. Nippon: Nikko (Simotsuke), Mt. Tsukba (Hitatsi), Hansawa (Musasi), Yokoska (Sagami), Hongoo (Kadsusa), Togeppoo (Suruga), Koosi (Mikawa), Mt. Kasuga (Yamoto), Itado (Nagato), Hikami (Suwoo); Kiusiu: Nagasaki (Hizen), Asosan (Higo); ins. Bonin; Liukiu; Ohsima; Formosa: Pachina, Tamsui, Tsiukoo.

subsp. **hamatulus,** Hack. Monogr. 606; Rendl. J. L. S. XXXVI. 376.

Nom. Jap.

Hab. Formosa: Takow.

Andropogon serratus, Th. Fl. Jap. 41, *var.* **genuina,** Hack. Monogr. 521; B. H. B. (1899) 642.

syn. *A. tropicus,* Spr.; Miq. P. 178; F. S. II. 192.

A. dicroanthus, Steud. Syn. 393.

Sorghum fulvum, Beauv.; Rendl. J. L. S. XXXVI. 367.

Nom. Jap. *Morokoshi-gaya.* モロコシガヤ

Hab. Nippon: Itakra (Bittsiu); Sikok: Tosa; Kiusiu: Yatsu (Buzen), Wakasugiyama, Ohkawa (Tsikzen), Nagasaki, Kawara-yama (Hizen); Formosa: Tamsui.

var. **nitidus,** Hack. Monogr. 521; Rendl. J. L. S. XXXVI. 367; Hack. B. H. B. (1904) 527.

Nom. Jap.

Hab. Formosa: Tamsui.

Andropogon Sorghum, Brot.

syn. *Sorghum vulgare,* Pers.; Rendl. J. L. S. XXXVI. 367.

Nom. Jap.

Hab. Formosa, cult.

var. **obovatus,** Hack. Monogr. 514.

Nom. Jap. *Hōki-morokoshi.* ハヽキモロコシ

Hab. Tokio, cult.

subvar. **niger,** Hack. Monogr. 514.

syn. *A. niger,* Kth.

Nom. Jap. *Karasu-morokoshi.* カラスモロコシ

Hab. Tokio, cult.

var. **vulgaris,** subsp. **japonicus,** Hack. Monogr. 515; B. H. B. (1899) 642.

syn. *Sorghum saccharatum,* Pers.; Miq. P. 179; F. S. II. 192.

Nom. Jap. *Morokoshi.* モロコシ
Rozoku. ロゾク
Hab. Tokio, cult.

Anthoxanthum odoratum, L.; Matsum. S. M. (1895) 25; Hack. B. H. B. (1899) 646; Mak. T. B. M. (1903) 211.

Nom. Jap. *Haru-gaya.* ハルガヤ
Hab. Yezo: Riisiri (Kitami); Nippon: Sambongi (Mutsu), Tokio, Yokohama (Musasi), cult.

Apulda mutica, L.; Henry, L. 108; Hack. B. H. B. 721, 723; (1904) 527.

Nom. Jap. *Hime-garukaya.* ヒメガルカヤ
Okinawa-garukaya. オキナハガルカヤ
Hab. Liukiu: ins. Okinawa, Yaeyama; Formosa: Tamsui, Taipeh, Bioolitz, Pikoh, Takow.

Arrhenatherum avenaceum, Beauv.

Nom. Jap. *Oh-kanitsuri.* オホカニツリ
Hab. Yezo: Sapporo, cult.

Arthraxon ciliaris, Beauv.; F. S. II. 187; **genuinus**; Hack. Monogr. 355; B. H. B. (1899) 642.

syn. *Arthraxon japonicum*, Miq. P. 176.
Lacœa Langsdorffiana, Steud. Syn. 413.
Pleuroplitis Langsdorffiana, Trin.
Deyeuxia japonica, Spr.
Andropogon lasiocoleos, Steud.
A. Retzii, Steud. Syn. 375.
A. submuticus, Steud. Syn. 382.
Lasioelytrum hirtum, Steud. Syn. 12.

Nom. Jap. *Kobuna-gusa.* コブナグサ
Hab. Yezo: Morolan (Iburi), Hakodate (Osima); Nippon: Aomori, Kuroisi (Mutsu), Sambongi (Rikzen), Sjoonai (Uzen), Akita (Ugo), Tokio (Musasi), Yokoska (Sagami), Mt. Fudsi (Suruga), Hikami (Suwoo); Sikok: Tosa; Kiusiu: Nagasaki (Hizen).

var. **cryptatherus**, Hack. Monogr. 355; Mak. T. B. M. (1896) 66; Hack. B. H. B. (1899) 642.

Nom. Jap. *Shiro-kobunagusa.* シロコブナグサ
Hab. Yezo: Hakodate (Osima); Nippon: Tokio (Musasi), Hakone (Sagami), Tsihaya (Kawatsi); Sikok: Koosaka (Tosa);

Tsusima; Liukiu; Formosa: Pachina, Kelung, Taipeh, Pikoh.

var. **centrasiaticum,** Hack. Monogr. 355.

syn. *Arthraxon lanceolatus,* Miq. P. 176; F. S. II. 188.

Nom. Jap.

Hab. Kiusiu: Nagasaki (Hizen).

subsp. **nudus,** Hack. Monogr. 356; B. H. B. (1904) 527.

syn. *Batratherum nudum,* Nees.

Nom. Jap.

Hab. Formosa: Bioolitsu.

subsp. **submuticus,** Hack. Monogr. 356; Rendl. J. L. S. XXXVI. 360.

Nom. Jap.

Hab. Liukiu.

Arundinella anomala, Steud. Syn. 116; Miq. P. 164; F. S. II. 165, 597; Hack. B. H. B. (1899) 643; Rendl. J. L. S. XXXVI. 341.

syn. *Panicum mandshuricum,* Max. Fl. Amur. 328.

Nom. Jap. *Toda-shiba.* トダシバ
Baren-shiba. バレンシバ

Hab. Yezo: Kusiro; Ohtsu (Tokatsi), Hakodate, Yesansaki (Osima); Nippon: Aomori (Mutsu), Mt. Gandsu (Riktsiu), Sendai (Rkzen), Tokio, Hanasono (Musasi), Hongoo (Kadsusa), Yoko-ka (Sagami), Mt. Haruna (Koodsuke), Usui-tooge, Kawanakasima (Sinano), Mt. Fudsi (Suruga), Harada (Tootoomi), Seirendji (Iga), Yada (Suwoo); Sikok: Oegoori (Awa), Mt. Godai (Tosa); Kiusiu: Nakahara (Tsikzen), Sonoki (Hizen), Buzen; Tsusima.

var. **oxyantha,** F. S. II. 165.

Nom. Jap.

Hab. Nippon: Nikko (Simotsuke).

Arundinella hispida, Hack. B. H. B. (1904) 527.

syn. *Andropogon hispidus,* Willd.
Ischæmum hispidum, H. B. K.
Arundinella brasiliensis, Raddi.
A. nepalensis, Trin.
Acratherum miliaceum, Link.

Nom. Jap.

Hab. Formosa.

Arundinella setosa, Trin.; Hack. B. H. B. (1899) 723; Rendl. J. L. S. XXXVI. 342; Hack. B. H. B. (1904) 528.

Nom. Jap. *Hi-gaya.* ヒガヤ

Hab. Formosa: Pachina, Sintec, Takow, Ape's Hill, Taitum.

Arundo Donax, L.; Hack. B. H. B. (1899) 704.

syn. *Arundo bifaria,* Retz.; Mak. T. B. M. (1896) 321.

Amphidonax bifaria, Nees; Steud. Syn. 197; Miq. P. 166; F. S. II. 171.

Nom. Jap. *Yoshi-take.* ヨシタケ

Dan-chiku. ダンチク

Hab. Nippon: Amatsu (Boosiu), Sakai (Idsumi), Waka-no-ura, Natsi (Kii), Dan-no-ura (Nagato); Sikok: Kootsi, Urato (Tosa); Kiusiu: Seisjoogawa (Hizen).

var. **coleotricha,** Hack. B. H. B. (1899) 724.

Nom. Jap. *Takasago-chiku.* タカサゴチク

Hab. Formosa: Tamsui, Kelung, Sintec, Pachina; Liukiu: Oh-sima.

Arundo formosana, Hack. B. H. B. (1899) 724; (1904) 529; Rendl. J. L. S. XXXVI. 408.

Nom. Jap. *Hina-yoshi.* ヒナヨシ

Hab. Liukiu: ins. Yaeyama; Formosa: Koo-choo, Sintenkui, Sizangan, Fuk-ki-sjoo, Sjalioo-too, Kelung, Taipeh, Sintec, Taichiu, Sin-yei-sjoo, Tainan, Takow, Tamsui.

var. **gracilis,** Hack. B. H. B. (1899) 724; Rendl. J. L. S. XXXVI. 408.

Nom. Jap.

Hab. Formosa: Kelung, Tamsui.

Asprella japonica, Hack. B. H. B. (1899) 715.

Nom. Jap. *Iwatakesō.* イハタケサウ

Miyama-kadsura. ミヤマカヅラ

Hab. Kiusiu: Mt. Inugatake (Buzen).

Asprella sibirica, Trauttv. *var.* **longearistata,** Hack. B. H. B. (1904) 525.

Nom. Jap. *Azuma-gaya.* アヅマガヤ

Hab. Nippon: Mt. Adzuma (Iwasiro).

Atropis convoluta, Gris.; Hack. B. H. B. (1899) 713.

Nom. Jap.

Hab. Yezo: Mombetz, Abasiri (Kitami); Nemuro; Erimosaki (Hidaka), Morolan (Iburi); Nippon: Matsusima (Rikzen).

Avena barbata, Brot.; Hack. B. H. B. (1899) 703.

syn. *A. hirsuta,* Roth.; Miq. P. 167; F. S. II. 174.

A. japonica, Steud. Syn. 231.

Nom. Jap.

Hab. Japonia, cult.

Avena fatua, L.; Th. Fl. Jap. 54; Miq. P. 167; F. S. II. 173; Hack. B. H. B. (1899) 703.

Nom. Jap. *Chahiki.* チャヒキ

Suzume-mugi. スズメムギ

Karasu-mugi. カラスムギ

Hab. Nippon: Tokio (Musasi), Yokoska (Sagami), Ikuta (Settsu), Hirosima (Aki); Sikok: Tosa; Kiusiu: Ohkawa (Tsikzen); Tsusima; Liukiu: ins. Okinawa.

Avena sativa, L.; Th. Fl. Jap. 54; Miq. P. 167; A. Gr. Pl. Jap. 328; F. S. II. 173; Hack. B. H. B. (1899) 703.

Nom. Jap. *Ma-karasu-mugi.* マカラスムギ

Hab. Yezo: Djoosankei (Isikari); Urakawa (Hidaka); Nippon: Tokio, Yokohama (Musasi); Yokoska (Sagami); Simoda (Idsu); Kiusiu: Nagasaki (Hizen), cult.

Avena sterilis, L. *var.* **minor,** Coss. et Dur.; Hack. B. H. B. (1899) 703.

Nom. Jap.

Hab. Nippon: Niigata (Yetsigo).

Avena strigosa, Schreb.; Hack. B. H. B. (1899) 703.

Nom. Jap. *Seiyō-chahiki.* セイヤウチャヒキ

Hab. Tokio, cult.

Beckmannia erucæformis, Host; Miq. P. 161; F. S. II. 157; Hack. B. H. B. (1899) 704.

syn. *Phalaris oryzoides,* Th. Fl. Jap. 44.

Nom. Jap. *Mino-gome.* ミノゴメ

Hab. Yezo: Notoro (Kitami), Sapporo (Isikari); Nippon: Matsusima (Rikzen); Tokio (Musasi), Yokoska (Sagami), Ono (Suwoo); Kiusiu: Nagasaki (Hizen).

Brachyelytrum erectum, Beauv. *var.* **japonicum,** Hack. B. H. B. (1899) 647.

Nom. Jap. *Kōya-zasa.* カウヤザサ

Hab. Nippon : Sendai, Ohbandaira-tooge (Rikzen), Mt. Tsukba (Hitatsi), Mt. Kongoosan (Kawatsi), Mt. Kooyasan (Kii) ; Sikok : Nanokawa (Tosa).

Brachypodium japonicum, Miq. P. 174 ; F. S. II. 185 ; Hack. Engl. Jahrb. VI. 50 ; B. H. B. (1899) 714 ; (1904) 529.

syn. *Bromus racemiferus,* Steud. Syn. 174.

B. confinis, Steud. Syn. 174 ; A. Gr. Pl. Jap. 328.

Nom. Jap. *Yama-kadtsura.* ヤマカヅラ

Yama-kamoji-gusa. ヤマカモジグサ

Hab. Yezo : Hiragisi, Bannosawa (Isikari), Hakodate (Osima), Pasikuru (Kusiro) ; Nippon : Aomori (Mutsu), Hondoodji (Uzen), Mt. Tsukba (Hitatsi), Tokio, Yokohama (Musasi), Yokoska, Kamakra, Miura (Sagami), Simoda (Idsu), Mt. Fudsi (Suruga), Mt. Haksan (Kaga), Mt. Ibuki (Oomi), Ise ; Yamato ; Mt. Natsi (Kii), San-indoo ; Sikok : Mt. Isidsutsi (Iyo), Otsi, Mt. Yahadsu (Tosa) ; Kiusiu : Mt. Kirisima (Hiuga), Uresino (Hizen) ; Tsusima : Mt. Mitake ; Formosa : Taitum.

var. **minor,** Miq. P. 174 ; F. S. II. 185.

syn. *Festuca tertia,* Steud. Syn. 316.

Hab. Nippon : Yokoska (Sagami) ; Kiusiu : Nagasaki (Hizen).

Brachypodium sylvaticum, Beauv.; Miq. P. 174 ; F. S. II. 185 ; Hack. B. H. B. (1899) 714.

Nom. Jap.

Hab. Yezo : Abasiri (Kitami) ; Nippon : Yokoska (Sagami).

Briza maxima, L.

Nom. Jap. *Kobansō.* コバンサウ

Hab. Nippon : Tokio, cult.

Briza minor, L.; Miq. P. 169 ; F. S. II. 178 ; Hack. Engl. Jahrb. VI. 50 ; B. H. B. (1899) 708.

Nom. Jap. *Hime-kobansō.* ヒメコバンサウ

Suzu-gaya. スズガヤ

Hab. Nippon : Hikami (Suwoo), Idsumi ; Kiusiu : Nagasaki (Hizen), Sakrasima (Ohsumi) ; Tsusima ; Liukiu : ins. Ohsima.

Bromus ciliatus, L.; Hack. B. H. B. (1899) 714.

Nom. Jap.

Hab. Kurile : Kunasiri ; Yezo : Kiritapp (Kusiro).

Bromus confinis, Nees; Steud. Syn. 320; Miq. P. 171; F. S. II. 181; Hack. B. H. B. (1899) 714.

syn. *B. villiferus,* Steud. Syn. 362, exp.

Nom. Jap.

Hab. Nippon: Yokoska (Sagami).

Bromus japonicus, Th. Fl. Jap. 52, t. 11; Miq. P. 171; F. S. II. 181; Hack. B. H. B. (1899) 714.

syn. *B. villiferus,* Steud. Syn. 362, exp.

B. patulus, Mert. et Koch.

Nom. Jap. *Suzume-no-chahiki.* スズメノチヤヒキ

Hab. Yezo: Mombetz (Kitami); Nippon: Aomori, Nohedji, Kominato (Mutsu), Gongenzaki, Matsusima (Rikzen), Tokio (Musasi), Yokoska (Sagami), Aso, Nandjoo (Sinano), Oh-utsi (Suwoo); Hirosima (Aki); Sikok: Tosa; Kiusiu: Nasima (Tsikzen), Nagasaki (Hizen); Tsusima.

Bromus mollis, L.

Nom. Jap. *Hama-chahiki.* ハマチヤヒキ

Hab. Yezo: Zenibako (Isikari).

Bromus pauciflorus, Hack. B. H. B. (1899) 713.

syn. *Festuca pauciflora,* Th. Fl. Jap. 52.

F. remotiflora, Steud.

Schenodorus remotiflorus, Miq. P. 171; F. S. II. 181.

Nom. Jap. *Kitsune-gaya.* キツネガヤ

Hab. Yezo: Kusuri; Sapporo (Isikari), Soobetz (Iburi), Hakodate (Osima); Urakawa (Hidaka), Nippon: Kuroisi (Mutsu), Aidsu, Mt. Adsuma (Iwasiro), Aone (Rikzen); Nikko (Shimotsuke), Mt. Hagro (Sado), Totsigi-tooge (Yetsizen), Siosiri-tooge (Sinano), Tokio (Musasi), Yokoska (Sagami), Mt. Kongoosan (Kawatsi), Honguu (Kii), Nagano (Suwoo); Sikok: Wakimatsi (Awa), Tosa; Kiusiu: Nagasaki, Uresino (Hizen); Tsusima.

Bromus secalinus, L.; Hack. B. H. B. (1899) 714.

Nom. Jap. *Karasu-no-chahiki.* カラスノチヤヒキ

Hab. Yezo: Sapporo (Isikari); Nippon: Tokio, cult.

Bromus unioloides, Willd.

Nom. Jap. *Inu-mugi.* イヌムギ

Hab. Nippon: Tokio (Musasi), efferata.

Brylkinia caudata, Fr. Schm. Fl. Sachal. 19. t. VIII. f. 22-27; F. S. II. 180; Hack. B. H. B. (1899) 708; (1904) 523.

syn. *Ehrharta caudata,* Munro; A. Gr. Bot. Jap. 420; Miq. P. 161.

Alopecurus caudatus, Th.

Nom. Jap. Haji-gaeri. ハジガヘリ

Hab. Yezo: Kombu-mori (Kusiro), Hakodate, Mori (Osima), Otaru (Iburi); Nippon: Nikko (Simotsuke), Itoo (Idsu), Mt. Fudsi (Suruga), Hakone (Sagami), Mt. Ontake, Mt. Togaksi (Sinano), Mt. Kooya (Kii); Sikok: Mt. Tebako (Tosa), Mt. Tsurugi (Iyo).

Calamagrostis arundinacea, Roth. **genuina,** Hack B. H. B. (1899) 652.

syn. *C. sylvatica,* DC.

Deyeuxia sylvatica, Kunth.

Nom. Jap. Nogariyasu. ノガリヤス

Hab. Yezo: Sapporo (Isikari), Esan-saki (Osima); Nippon: Mayebara ( ), Mt. Sirane (Simotsuke), Mt. Kurokami (Koodsuke), Tokio, Takao, Tsitsibu (Musasi), Yokoska, Hakone (Sagami), Mt. Komagatake (Sinano), Tatsuta, Itakra (Bittsiu); Sikok: Tosa; Kiusiu: Mt. Aso (Higo), Bungo.

var. **brachytricha,** Hack. B. H. B. (1899) 652.

syn. *Calamagrostis brachytricha,* Steud. Syn. 189; Miq. P. 166; F. S. II. 169.

C. brevipila, Miq. Cat. 112.

Deyeuxia sylvatica, v. brachytricha, Rendl. J. L. S. XXXVI. 396.

Hab. Yezo: Masike (Tesio); Nippon: Onomitsi (Bingo).

var. **sciuroides,** Hack. B. H. B. (1899) 652.

syn. *Calamagrostis sciuroides,* F. S. II. 168, 600.

Deyeuxia sylvatica, v. sciuroides, Rendl. J. L. S. XXXVI. 398.

Nom. Jap. Saitō-gaya. サイトウガヤ

Hab. Nippon: Yokoska (Sagami), Mitsumine (Musasi).

var. **nipponica,** Hack. B. H. B. (1899) 652; (1904) 523.

syn. *Calamagrostis nipponica,* F. S. II, 168, 599.

Nom. Jap. *Murasaki-nogariyasu.* ムラサキノガリヤス
Hab. Nippon : Mt. Komagatake (Yetsigo), Yokoska (Sagami).

Calamagrostis Epigeios, Roth.; F. S. II. 168.
Nom. Jap. *Yama-awa.* ヤマアハ
Hab. Yezo : Sapporo, Mt. Moiwa (Isikari), Iwanai, Tomakomai, Morolan (Iburi) ; Nippon : Aomori (Mutsu), Funakosi (Ugo), Aidsu (Iwasiro), Aone (Rikzen), Simidsu-tooge (Yetsigo), Wada-tooge, Nandjoo (Sinano), Tokio, Koiwa (Musasi), Mt. Futago, Hakone, Totsuka (Sagami), Mt. Tsukba (Hitatsi), Mt. Futatsu-dake, Mt. Haruna (Koodsuke).

var. **densiflora,** Led.; Hack. B. H. B. (1899) 649 ; (1904) 529.
Nom. Jap. *Hoso-yamaaua.* ホソヤマアハ
Hab. Yezo : Mombetz (Kitami), Nemuro ; Kusiro ; Hakodate (Osima) ; Nippon : Ohkumasan (Bingo), Aone (Rikzen); Gansusan (Riktsiu), Aomori, Numasaki (Mutsu), Yetsigo, Futagoyama (Sagami) ; Formosa : Taitum.

Calamagrostis Fauriei, Hack. B. H. B. (1899) 658 ; (1904) 523.
Nom. Jap. *Kanitsuri-nogariyasu.* カニツリノガリヤス
Hab. Nippon : Mt. Gassan (Uzen), Mt. Iidesan (Iwasiro).

Calamagrostis inæquiglumis, Hack. B. H. B. (1899) 651.
Nom. Jap.
Hab. Yezo : Erimo-saki (Hidaka).

Calamagrostis littorea, DC.; F. S. II. 168.
syn. *Calamagrostis Onœi,* F. S. II. 598 ; Hack. B. H. B. (1899) 650.
Nom. Jap. *Chi-gusa.* チグサ
Hossu-gaya. ホッスガヤ
Toshima-gaya. トシマガヤ
Hab. Yezo : Soobetz (Iburi), Urakawa (Hidaka), Sapporo (Isikari) ; Nippon : Yamagata (Uzen), Mt. Sirane (Simotsuke), Mt. Haksan (Kaga), Niikawa, Kawanakasima (Sinano).

Calamagrotis longiseta, Hack. B. H. B. (1899) 650; (1904) 523.
Nom. Jap. *Hige-gariyasu.* ヒゲガリヤス
Hab. Nippon : Mt. Iidesan (Iwasiro), Simidsu-tooge, Mt. Komagatake (Yetsigo), Mt. Kimpoksan (Sado), Mt. Haksan (Kaga), Mt. Asama, Wada-tooge, Mt. Ontake (Sinano).

Calamagrostis Matsumuræ, Max. M. B. XII. 932 ; Hack. B. H. B. (1899) 652.

Nom. Jap. *Mutsu-nogariyasu.* ムツノガリヤス
Hab. Yezo : Tomakomai (Iburi) ; Nippon : Aomori, Mt. Hakkooda, Mt. Iwakisan (Mutsu), Mt. Hayatsine, Mt. Gandsusan (Riktsiu), Aone, Daienndji (Rikzen), Mt. Tsurugisan.

Calamagrostis robusta, F. S. II. 169, 600 ; Max. Bull. Soc. N. Mosc. (1879) 69.
syn. *Calamagrostis varia,* Max.
C. brachytricha, Hance.
Deyeuxia robusta, Mak. T. B. M. (1890) 230.
Nom. Jap.
Hab. Yezo : Otaru (Siribesi) ; Nippon : Karibasawa (Mutsu) ; Yokoska, Hakone (Sagami).

Calamagrostis sachalinensis, Fr. Schm. Fl. Sachal. 202, t. 8-14 ; Hack. Engl. Jahrb. VI. 50 ; B. H. B. (1899) 650.
syn. *Calamagrostis hakonensis,* F. S. II. 168, 599.
Deyeuxia sachalinensis, Rendl. J. L. S. XXXVI. 395.
Nom. Jap. *Hime-nogariyasu* ヒメノガリヤス
Hab. Kurile : Kunasiri ; Yezo : Rebunsiri, Siretoko (Kitami), Otaru (Siribesi), Tomakomai (Iburi) ; Nippon : Aomori, Mt. Osoresan (Mutsu), Mt. Gandsusan, Mt. Hayatsine (Riktsiu), Mt. Tsiookaisan (Ugo), Mt. Yudonosan (Uzen), Mt. Godsusan (Yetsigo), Mt. Kimpoksan (Sado), Aidsu (Iwasiro), Mt. Nantaisan, Mt. Siranesan (Simotsuke), Mt. Tsukba (Hitatsi), Ikao, Mt. Futatsu-dake (Koodsuke), Mt. Futago, Hakone (Sagami), Mt. Fudsi (Suruga), Horinoutsi, Mitsumine (Musasi), Mt. Haksan (Kaga), Komono (Ise), Simo-no-Suwa (Sinano), Mt. Kongoosan (Kawatsi), Tamba ; Sikok : Tsurugisan (Awa), Tsuyetate-tooge, Mt. Yahadsu (Tosa), Mt. Isidsutsi (Iyo) ; Kiusiu : Mt. Kirisima (Hiuga).
var. **argyrea,** F. S. II. 168.
Nom. Jap. *Ko-iwagariyasu.* コイハガリヤス
Hab. Nippon : Usui-tooge, Simo-no-Suwa (Sinano), Nikko-Yumoto (Simotsuke) ; Sikok : Mt. Isidsutsi (Iyo), Mt. Yahadsu (Tosa).

Calamagrostis stricta, Trin.; Hack. B. H. B. (1899) 652.
syn. *Arundo stricta,* Timm.
Nom. Jap.

Hab. Kurile: Kunasiri.

var. **aculeolata,** Hack. B. H. B. (1899) 652.

Nom. Jap.

Hab. Yezo: Kusiro.

Calamagrostis urelytra, Hack. B. H. B. (1899) 653.

Nom. Jap. Miyama-nogariyasu. ミヤマノガリヤス

Hab. Yezo: Riisiri (Kitami); Nippon: Mt. Gassan (Uzen), Mt. Sirouma (Sinano).

Calamagrostis villosa, Mut.; Hack. B. H. B. (1899) 650.

syn. Calamagrostis Halleriana, DC.; F. S. II. 168.

Nom. Jap. Iwa-nogariyasu. イハノガリヤス

Hab. Kurile: Kunasiri; Yezo: Abasiri, Siretoko, Riisiri, Sjari (Kitami), Zenibako, Tomakomai, Wasibetz (Iburi), Yuubari, Sapporo (Isikari), Bentensima (Nemuro); Nippon: Mt. Zoowoosan (Uzen), Mt. Sirane, Nikko (Simotsuke), Mt. Haksan (Kaga), Mt. Tateyama (Yettsiu), Mt. Fudsi (Suruga).

var. **Langsdorffii,** Hack. B. H. B. (1899) 650.

syn. Calamagrostis Langsdorffii, Trin.

Nom. Jap. Iwa-gariyasu. イハガリヤス

Hab. Kurile: Siumsiu; Yezo: Rebunsiri (Kitami), Sibetsja (Tokatsi); Nippon: Mt. Haksan (Kaga), Nikko (Simotsuke)

Calamagrostis Yatabei, Max. M. B. XII. 932; Hack. B. H. B. (1899) 650.

Nom. Jap.

Hab. Nippon: Hakone (Sagami).

Centotheca lappacea, Desv.; Rendl. J. L. S. XXXVI. 419.

Nom. Jap.

Hab. Formosa.

var. **inermis,** Rendl. J. L. S. XXXVI. 420.

Hab. Formosa: Bankinsing.

Chamægraphis depauperata, Nees; Hack. B. H. B. (1899) 645.

syn. Chamægraphis spinescens, Poir.

Nom. Jap. Uki-shiba. ウキシバ

Hab. Nippon: Tsutsiura (Hitatsi), Koonodai (Simoosa), Tasiro (Owari); Formosa: Taitoo.

Chloris barbata, Sw.; Henry, L. 109; Rendl. J. L. S. XXXVI. 403

Nom. Jap.

Hab. Formosa: Ape's Hill, Pescadores.

Chloris incompleta, Roth; Rendl. J. L. S. XXXVI. 404.

syn. *Ch. digitata*, Steud.

Nom. Jap.

Hab. Formosa: Takow, Ape's Hill.

Chloris radiata, Sw.; Hack. B. H. B. (1899) 722.

Nom. Jap. *Hige-jiwa.* ヒゲシワ

Hab. Bonin.

Cinna pendula, Trin.; Matsum. Cat. (1886) 231; Hack. B. H. B. (1899) 648.

syn. *Cinna latifolia*, Gris.

Nom. Jap. *Fusa-gaya.* フサガヤ

Hab. Nippon: Nikko (Simotsuke), Mt. Komagatake (Sinano).

Coelachne japonica, Hack. B. H. B. (1899) 701.

Nom. Jap.

Hab. Nippon: Akita (Ugo), Sambongi (Rikzen), Ohsaka (Settsu).

Coelachne pulchella, R. Br.; Mak. T. B. M. (1890) 230.

Nom. Jap. *Hina-zasa.* ヒナザヽ

Hab. Nippon: Hakone (Sagami), Tasiro (Owari); Sikok: Tosa.

Coix agrestis, Lour. Fl. Cochinch. 674; Miq. P. 161; F. S. II. 157; Hack. B. H. B. (1899) 638.

Nom. Jap. *Tō-mugi.* タウムギ
Hato-mugi. ハトムギ
Shikoku-mugi. シコクムギ
Chōsen-mugi. テウセンムギ
Kusu-dama. クスダマ

Hab. Tokio, cult.

Coix Lacryma-Jobi, L.; Hack. B. H. B. (1899) 638; (1904) 526.

syn. *Coix Lacryma*, L.; Th. F. J. 37; Miq. P. 161; F. S. II. 156.

Nom. Jap. *Juzu-dama.* ジユズダマ
Zushi-dama. ヅシダマ
Susu-dama. ススダマ
Zuzugo. ズズゴ
Hachikoku. ハチコク
Sudame. スダメ
Zuzu-dama. ズズダマ

Hab. Nippon: Morioka (Riktsiu), Tokio (Musasi), Yokoska, Hakone (Sagami), Harakosai (Bittsiu), Maruko; Kiusiu:

Nomonosaki (Hizen); Sikok: Matsuyama (Iyo); Tsusima; Liukiu: Naha; Formosa: Taipeh, Pachina, Taiko, Funsui.

Cynodon Dactylon, Pers.; Miq. P. 167; F. S. II. 172; Hack. B. H. B. (1899) 703; (1904) 529.

Nom. Jap. *Gyogi-shiba.* ギヤウギシバ

Hab. Yezo: Hakodate (Osima); Nippon: Niigata (Yetsigo), Funakosi (Ugo), Kawanakasima (Sinano), Tokio (Musasi), Sitsirigahama (Sagami), Suwoo, Onomitsi (Bittsiu), Hirosima (Aki); Kiusiu: Siita (Buzen), Ohkawa (Tsikzen); Sikok: Wakimatsi (Awa); Tsusima; Bonin; Liukiu: Okinawa; Formosa: Taipeh, Takow, Ape's Hill.

Dactylis glomerata, L.; F. S. II. 179; Hack. B. H. B. (1899) 708.

Nom. Jap. *Kamo-gaya.* カモガヤ

Hab. Yezo: Sapporo (Isikari); Nippon: Matsusima (Rikzen), Tokio (Musasi), Yokoska (Sagami), efferata.

Dactyloctotenium ægyptiacum, Willd.; Kurit. T. B. M. (1889) 95; Hack. B. H. B. (1899) 722.

syn. *Eleusine ægyptiaca*, Pers.

Nom. Jap. *Tatsu-no-tsumegaya.* タツノツメガヤ

Hab. Bonin; Liukiu: ins. Miyakosima, ins. Iheya, Hanedji (Okinawa); Formosa: Taipeh, Sintek, Kizan, Takow, Ape's Hill.

Deschampsia caespitosa, Beauv.; Matsum. Cat. (1886) 332; Hack. B. H. B. (1899) 702.

syn. *Aira cæspitosa*, L.

Nom. Jap. *Miyama-komesusuki.* ミヤマコメスヽキ

Hab. Kurile: Etorof, Suisan-wan (Urup); Yezo: Kusiro, Riruran (Kusiro), Erimo-saki (Hidaka); Nippon: Nikko-Akanuma (Simotsuke), Mt. Tateyama (Yettsiu), Mt. Komagatake, Mt. Sirouma (Sinano), Mt. Haksan (Kaga).

Deschampsia flexuosa, Trin.; Matsum. Cat. (1886) 332; Hack. B. H. B. (1899) 702.

syn. *Aira flexuosa*, L. *var. montana*, F. S. II. 172.

Aira montana, L.

Nom. Jap. *Kome-susuki.* コメスヽキ

Hab. Kurile: Seseki; Yezo: Siretoko (Kitami); Nippon: Mt. Osoresan (Mutsu), Mt. Tsiookaisan (Ugo), Mt. Gansusan (Riktsiu), Mt. Hakkaisan (Yetsigo), Mt. Sirane (Simo-

tsuke), Mt. Komagatake, Mt. Ontake (Sinano), Mt. Tateyama (Yettsiu), Mt. Haksan (Kaga).

form. **montana,** Hack. B. H. B. (1899) 702. (*var. montana,* Trin.)

Nom. Jap.

Hab. Yezo: Riisiri (Kitami); Nippon: Mt. Hakkooda (Mutsu).

Diarrhena japonica, F. S. II. 603; Hack. B. H. B. (1899) 707.

syn. *Onœa japonica,* F. S. II. 172.

Nom. Jap. *Tatsunohige.* タツノヒゲ

Hab. Yezo: Yesasi (Kitami), Akan (Kusiro), Sapporo, Yuubari (Isikari), Hakodate (Osima); Nippon: Mt. Hayatsine (Riktsiu), Chuzenji-Nikko (Simotsuke), Aidsu (Iwasiro), Taga (Hitatsi), Tokio, Tsitsibu (Musasi), Hakone (Sagami), Semba, Narai (Sinano); Sikok: Mt. Tebako (Tosa); Tsusima.

Digitaria formosana, Rendl. J. L. S. XXXVI. 323.

Nom. Jap.

Hab. Formosa: Takow, Ape's Hill.

Digitaria Henryi, Rendl. J. L. S. XXXVI. 323.

Nom. Jap.

Hab. Formosa: Takow, Ape's Hill.

Dimeria ornithopoda, Trin. **genuina.**

Nom. Jap. *Karimata-gaya.* カリマタガヤ

Hab. Nippon: Tokio (Musasi), Futagawa (Mikawa); Sikok: Tosa.

var. **tenera,** Hack. Monogr. 80; B. H. B. (1899) 639.

syn. *Dimeria stipæformis,* Miq. P. 176; F. S. II. 187.

Andropogon stipæformis, Steud. Syn. 577.

Nom. Jap. *Ko-karimatagaya.* コカリマタガヤ

Hab. Yezo: Sapporo (Isikari); Nippon: Sambongi (Mutsu), Akita (Ugo), Nikko (Simotsuke), Hakone (Sagami), Mt. Tsukba (Hitatsi), Heilindji (Musasi); Kiusiu: Satsuma; Liukiu: Naha (Okinawa).

form. **microchaeta,** Hack.

Nom. Jap. *Hime-karimatagaya.* ヒメカリマタガヤ

Hab. Nippon: Tokio (Musasi).

var. **subrobusta,** Hack. Monogr. 82; B. H. B. (1904) 524.

Nom. Jap.

Hab. ins. Sado.

Diplachne fusca, Beauv.; Rendl. J. L. S. XXXVI. 411.

Nom. Jap.

Hab. Formosa : Takow.

Diplachne serotina, Link. *var.* **aristata**, Hack. B. H. B. (1899) 704.

syn. *Diplachne serotina*, *v. chinensis*, Max. Bull. Soc. Nat. Mosc. (1879) 70.

Molinia serotina, Max.

Nom. Jap. *Chōsen-gariyasu.* テウセンガリヤス

Hab. Nippon : Sirako, Wada, Yokohama (Musasi), Tatsuta (Bittsiu) ; Sikok : Tosa.

Eleusine coracana, Gærtn.; F. S. II. 172 ; Hack. B. H. B. (1899) 703.

syn. *Cynosurus coracanus*, L.; Th. F. J. 51.

Nom. Jap. *Shikoku-bie.* シコクビエ

Nora-bie. ノラビエ

Hab. Nippon : Kamakra (Sagami), Tokio (Musasi), cult.; Formosa.

Eleusine indica, Gærtn.; Miq. P. 167 ; F. S. II. 171 ; Hack. B. H. B. (1899) 703 ; (1904) 529.

syn. *Eleusine japonica*, Miq. P. 167.

Cynosurus indicus, L.; Th. F. J. 52.

Nom. Jap. *Chikara-gusa.* チカラグサ

O-hishiwa. オヒシワ

Hab. Nippon : Tokio (Musasi), Yokoska (Sagami), Tomioka (Tootoomi), Onomitsi (Bittsiu), Suwoo ; Tsusima ; Kiusiu : Nagasaki (Hizen) ; Liukiu : Naha (Okinawa) ; Formosa : Kelung, Sintek, Pachina, Tamsui, Takow.

Elymus arenarius, L.; Miq. P. 174 ; F. S. II. 184 ; Hack. B. H. B. (1899) 715.

Nom. Jap. *Kusa-dō.* クサドウ

Hama-ninniku. ハマニンニク

Tenki-gusa. テンキグサ

Muritsu. ムリツ (Yezo.)

Hab. Kurile : Tokotan (Urup.), Kunasiri ; Yezo : Mombetz (Kitami), Yudoo (Tokatsi), Hakodate (Osima) ; Nippon : Takado (Hitatsi).

Elymus dahuricus, Turcz.; Hack. B. H. B. (1899) 715.

Nom. Jap. *Hama-mugi.* ハマムギ

Hab. Yezo : Rebunsiri (Kitami), Iwanai, Otaru, Takasima (Siribesi), Zenibako, Tomakomai (Iburi), Nippon : Gongen-saki, Kanegasawa (Mutsu); Tsusima.

Elymus sibiricus, L.; Hack. B. H. B. (1899) 715.

Nom. Jap.

Hab. Yezo : Urakawa (Hidaka).

Enteropogon gracilior, Rendl. J. L. S. XXXVI. 403.

Nom. Jap.

Hab. Formosa : Takow, Ape's Hill.

Eragrostis atrovirens, Trin.; Hack. B. H. B. (1899) 724; (1904) 529.

syn. *Poa barbata,* Th. F. J. 50.

P. atrovirens, Desf.

P. Brownii, Kunth.

Eragrostis bahiensis, Schrad.

E. Brownii, Nees.; Steud. Syn. 279; Miq. P. 169.

E. orientalis, Nees; Henry, L. 109.

E. elongata, Jacq.; Rendl. J. L. S. XXXVI. 413.

Nom. Jap. *Ito-suzumegaya.* イトスヾメガヤ

Hab. Kiusiu : Mimidsu (Hiuga); Sikok, Tosa; Formosa : Sintek, Pachina, Taipeh, Tamsui, Takow.

Eragrostis bulbillifera, Steud. Syn. 267; Hack. B. H. B. (1904) 529.

syn. *Eragrostis Brownei,* Miq. P. 169, non Nees.

E. bahiensis, F. S. II. 177, non Schrad.

Nom. Jap. *Hosoba-no-suzumegaya.* ホソバノスヾメガヤ

Hab. Sikok : Matsuyama (Iyo), Kootsi (Tosa); Formosa : Kelung, Pachina.

Eragrostis ferruginea, Beauv; Miq. P. 168; F. S. II. 177; Hack. B. H. B. (1899) 705.

syn. *Poa ferruginea,* Th. F. J. 50.

Nom. Jap. *Kaze-kusa.* カゼクサ

Hab. Nippon : Mt. Sennen-yama (Mutsu), Sendai, Aone (Rikzen), Aidsu (Iwasiro), Tokio (Musasi), Yokoska, Hakone (Sagami), Kobe (Settsu), Muro (Yamato), Kongoosan (Kawatsi), Onomitsi (Bittsiu), Hikami (Sawoo); Sikok : Mt. Yabadsu (Tosa); Kiusiu : Nagasaki (Hizen); Tsusima.

Eragrostis geniculata, Nees. et Meyen.; Hack. B. H. B. (1904) 529.

Nom. Jap.
Hab. Formosa : Tamsui.

Eragrostis japonica, Trin.; Steud. Syn. 266; Hack. B. H. B. (1899) 705; (1904) 529.
syn. *Poa japonica,* Th. F. J. 51.
Eragrostis tenella, Benth.; Miq. P. 168; F. S. II. 177; Hack. Engl. Jahrb. VI. 50, non Beauv.
E. teuuissima, Schrad.
E. tenella, v. japonica, Roem. et Sch.
E. aurea, Steud. Syn. 267.
E. interrupta, Beauv. *v. tenuissima,* Stapf.; Rendl. J. L. S. XXXVI. 415.
Nom. Jap. Kogome-kazekusa. コゞメカゼクサ
Hab. Nippon: Koofu (Kai), Tomioka (Tootoomi), Onomitsi (Bittsiu), Habu (Nagato); Sikok: Matsuyama (Iyo), Tosa; Kiusiu: Toyooka (Bungo), Nagasaki (Hizen); Liukiu: Ohsima; Formosa: Pachina, Tooseikak, Tamsui, Takow.

Eragrostis major, Host.; Hack. B. H. B. (1899) 706; Rendl. J. L. S. XXXVI. 416.
syn. *Eragrostis megastachya,* Link.; F. S. II. 177.
Nom. Jap. Susume-gaya. スゞメガヤ
Hab. Nippon: Koofu (Kai), Nagase, Kawanakasima (Sinano), Tokio (Musasi), Ohtsu (Sagami), Okayama, Onomitsi (Bittsiu); Formosa: Takow, Ape's Hill.

Eragrostis Makinoi, Hack. B. H. B. (1899) 725.
Nom. Jap. Hime-suzumegaya. ヒメスゞメガヤ
Hab. Formosa : Sintek.

Eragrostis minor, Host.; Hack. B. H. B. (1899) 724.
Nom. Jap. Ko-suzumegaya. コスゞメガヤ
Hab. Formosa: Pinang.

Eragrostis pilosa, Beauv.; Miq. P. 168; F. S. II. 176; Mak. T. B. M. (1896) 67; Hack. B. H. B. (1899) 706.
syn. *Eragrostis multicaulis,* Steud. Syn. 426.
Glyceria airoides, Steud. Syn. 287.
Nom. Jap. Niwa-hokori. ニハホコリ
Hab. Yezo: Biroo (Tokatsi), Sapporo (Isikari), Otaru (Siribesi), Akkesi (Kusiro), Hakodate (Osima); Nippon: Aomori (Mutsu), Morioka (Riktsiu), Akita (Ugo), Sendai (Rikzen),

Aidsu (Iwasiro), Tokio (Musasi), Yokoska, Hakone (Sagami), Siosiri (Sinano), Yada (Suwoo); Sikok: Tosa; Tsusima; Liukiu: Kuntsian (Okinawa); Formosa: Kelung, Taipeh.

Eragrostis pilosissima, Link; Rendl. J. L. S. XXXVI. 417.
Nom. Jap.
Hab. Japonia.

Eragrostis plumosa, Link; Hack. B. H. B. (1899) 724.
syn. *Eragrostis tenella,* Roem. et Sch., Rendl. J. L. S. XXXVI. 418.
Nom. Jap. *Nuka-kazekusa.* ヌカカゼクサ
Hab. Liukiu: ins. Yaeyama; Formosa: Tamsui, Sintek, Taipeh, Tsuikoo, Pachina.

Eragrostis unioloides, Nees; Hack. B. H. B. (1899) 724.
syn. *E. amabilis,* Wright et Arn.; Rendl. J. L. S. XXXVI. 412.
Nom. Jap. *Beni-suzumegaya.* ベニスヾメガヤ
Hab. Formosa: Taipeh, Tooseikak.

Erianthus formosanus, Stapf.; Rendl. J. L. S. XXXVI. 350.
Nom. Jap.
Hab. Formosa: Ape's Hill.

Erianthus pollinioides, Rendl. J. L. S. XXXVI. 350.
Nom. Jap.
Hab. Formosa: Takow.

Eriochloa annulata, Kunth; Hack. B. H. B. (1904) 528.
syn. *Eriochloa polystachya,* H. B. et K.
Nom. Jap. *No-kibi.* ノキビ
Hab. Formosa: Kootoosioo, Takow.

Eriochloa villosa, Kunth; F. S. II. 164; Hack. B. H. B. (1899) 643.
syn. *Paspalum villosum,* Th. F. J. 45.
Helopus villosus, Nees; Miq. P. 164.
Panicum tuberculiflorum, Steud. Syn. I. 59.
Eriochloa villosa, f. distachya, Hack. Engl. Jahrb. VI. 49.
Nom. Jap. *Naruko-bie.* ナルコビエ
Hab. Nippon: Kuroisi (Mutsu), Tokio, Yokohama (Musasi); Yokoska (Sagami), Murayama (Suruga), Honguu (Kii), Sikok: Wakimatsi (Awa), Takaoka (Tosa); Kiusiu: Mimidsu (Hiuga), Nagasaki (Hizen); Tsusima; Liukiu: Ohsima.

Festuca elatior, L. subsp. **pratensis,** Hack. B. H. B. (1899) 713.

syn. *Festuca pratensis,* Huds.

Nom. Jap.

Hab. Yezo: Nemuro.

form. **subsimplex,** Hack. B. H. B. (1899) 713.

Nom. Jap.

Hab. Yezo: Hakodate (Osima).

subsp. **arundinacea,** Hack. B. H. B. (1899) 713.

syn. *Festuca arundinacea,* Schreb.

Nom. Jap. *Oni-ushi-no-kegusa.* オニウシノケグサ

Hab. Tokio, cult.

Festuca Myurus, L.; Hack. B. H. B. (1899) 713.

syn. *F. Pseudo-Myuros,* Soy. Willem.

Nom. Jap. *Naginata-gaya.* ナギナタガヤ

Hab. Nippon: Ohsaka (Settsu).

Festuca ovina, L.; Miq. P. 170; F. S. II. 181; *var.* **vulgaris,** Koch.; Hack. B. H. B. (1899) 713.

Nom. Jap. *Ushi-no-kegusa.* ウシノケグサ

Hab. Kurile: Siumsiu; Yezo: Kusiro; Toobuto (Nemuro), Adsuma (Iburi), Siretoko (Kitami), Otaru (Siribesi); Nippon: Aomori, Sitsinohe (Mutsu), Sendai (Rikzen), Nikko-Yumoto, Mt. Taroosan (Simotsuke), Mt. Asama, Mt. Komagatake, Mt. Togaksi (Sinano), Mt. Haksan (Kaga), Mt. Fudsi (Suruga), Mt. Kasuga (Yamato), Kawatsi, Tsuyama (Mimasaka), Sonobe (Tamba).

Festuca parvigluma, Steud. Syn. 305; Miq. P. 170; F. S. II. 180; Hack. B. H. B. (1899) 713.

syn. *Festuca pauciflora,* A. Gr. Pl. Jap. 328.

Nom. Jap. *Toboshigara.* トボシガラ

Hab. Yezo: Hakodate (Osima); Nippon: Hirosaki, Aomori (Mutsu), Mt. Adsuma (Iwasiro), Tokio (Musasi), ins. Miyake (Idsu), Yokoska (Sagami), Ikuta (Settsu), Suwoo; Sikok: Tosa; Kiusiu: Amaksa (Hizen); Tsusima.

Festuca rubra, L.; Miq. P. 170; F. S. II. 181, **genuina,** Hack. B. H. B. (1899) 713.

Nom. Jap. *Oh-ushinokegusa.* オホウシノケグサ

Hab. Yezo: Riisiri, Siretoko, Sjari (Kitami), Erimosaki (Hidaka),

Morolan, Takasima (Iburi), Hakodate (Osima); Nippon: Aomori, Gongensaki (Mutsu), Niigata (Yetsigo), Mt. Siro-uma (Sinano).

var. **planifolia,** Hack. B. H. B. (1899) 713.

Nom. Jap.

Hab. Nippon: Matsusima (Rikzen).

Festuca subulata, Bong. *var.* **japonica,** Hack. B. H. B. (1899) 713.

Nom. Jap. *Oh-toboshigara.* オホドボシガラ

Hab. Yezo: Saruru (Kitami), Menasi (Nemuro); Nippon: Nikko-Yumoto (Simotsuke), Mt. Asama (Sinano).

Garnotia japonica, Hack. Oesterr. bot. Zeitschr. (1902) 55; B. H. B. (1904) 523.

Nom. Jap.

Hab. Nippon: Bakwan (Nagato).

Glyceria acutiflora, Torr.; Hack. B. H. B. (1899) 712; (1904) 525.

syn. *Glyceria japonica,* Miq. P. 168; F. S. II. 178.

Hemibromus japonicus, Steud. Syn. 317.

Nom. Jap. *Mudsuore-gusa.* ムヅオレグサ

Hab. Nippon: Tokio (Musasi), Togaksi (Sinano), Biwa (Ohmi), Yamagutsi (Suwoo); Tottori (Inaba); Sikok: Tosa; Tsusima.

Glyceria aquatica, Sm.; Hack. B. H. B. (1899) 711.

Nom. Jap. *Hiroha-no-dojōtsunagi.* ヒロハノドヂヤウツナギ

Hab. Yezo: Mombetz (Kitami), Urakawa (Hidaka), Djoosankei (Isikari); Nippon: Morioka (Riktsiu), Nikko (Simotsuke), Narai (Sinano).

Glyceria arundinacea, Kunth; Hack. B. H. B. (1899) 711.

Nom. Jap. *Oh-dojō-tsunagi.* オホドヂヤウツナギ

Hab. Yezo: Sapporo (Isikari), Sibetsja (Tokatsi); Nippon: Kawanakasima, Nagase, Naudjoo (Sinano).

Glyceria fluitans, R. Br.; A. Gr. Pl. Jap. 328; Miq. P. 169; F. S. II. 177. Mak. T. B. M. (1895) 73; *var.* **leptorhiza,** Max. Fl. Amur. 320; Hack. B. H. B. (1899) 712; (1904) 525.

Nom. Jap. *Ukigaya.* ウキガヤ

Hab. Yezo: Hattausi (Kusiro), Morolan (Iburi); Nippon: Simura, Futsiu (Musasi), Simoda (Idsu); Kiusiu: Satsuma.

Glyceria pallida, Trin.; Hack. B. H. B. (1899) 712.

syn. *Windsoria pallida,* Torr.

Nom. Jap.
Hab. Yezo: Sapporo (Isikari), Soobetz (Iburi), Kiritapp (Kusiro).

Glyceria remota, Fries, *var.* **japonica,** Hack. B. H. B. (1899) 712.
Nom. Jap. Miyama-ichigotsunagi. ミヤマイチゴツナギ
Hab. Yezo: Riisiri, Siretoko (Kitami), Iwanai (Siribesi), Nippon: Karibasawa (Mutsu); Mt. Gassan, Mt. Zoowoosan (Uzen), Mt. Iwakisan (Mutsu), Mt. Tsiookaisan (Ugo), Mt. Haksan (Kaga), Mt. Komagatake, Mt. Ontake, Mt. Sirouma (Sinano).

Glyceria tonglensis, Clk. J. L. S. XV. 119: Hack. B. H. B. (1899) 712.
syn. *Glyceria ischyoneura,* Steud. Syn. 427.
G. caspia, Trin.; A. Gr. Bot. Jap. 435; Miq. P. 169; F. S. II. 178.
Nom. Jap. Dojō-tsunagi. ドヂヤウツナギ
Hab. Yezo: Erimosaki (Hidaka), Hakodate (Osima), Nippon: Sitsinohe (Mutsu), Oginohama (Rikzen), Tokio (Musasi), Yokoska (Sagami), Mama (Simoosa), Mitake (Kai), Haksan-Yumoto (Kaga), Tateyama (Yettsiu); Sikok: Tosa; Tsusima.

Hierochloe alpina, Rœm. et Sch. *var.* **intermedia,** Hack. B. H. B. (1899) 646.
Nom. Jap. Miyama-kōbō. ミヤマカウバウ
Hab. Yezo: Sjakotan (Siribesi); Nippon: Mt. Tateyama (Yettsiu), Mt. Komagatake (Sinano).

Hierochloe borealis, Rœm. et Sch.; A. Gr. Pl. Jap. 329; Miq. P. 161; F. S. II. 157; Hack. B. H. B. (1899) 646.
Nom. Jap. Kōbō. カウバウ
Hab. Kurile: Etorof; Yezo: Yesasi, Mombetz (Kitami), Kusiro; Yuubari (Iburi), Hakodate (Osima); Nippon: Aomori (Mutsu), Tokio, Tsitsibu, Koganei (Musasi), Mt. Nantaisan (Simotsuke), Ohmuro (Idsu), Mt. Fudsi (Suruga).

Hierochloe japonica, Max. M. B. XII. 929; Mak. T. B. M. (1890) 230; Hack. B. H. B. (1899) 646.
Nom. Jap. Takane-kōbō. タカネカウバウ
Hab. Nippon: Mt. Fudsi (Suruga), Mt. Haksan (Kaga), Mt. Sirane (Simotsuke), Torie-tooge (Sinano); Sikok: Mt. Tebako (Tosa).

Holcus lanatus, L.; Hack. B. H. B. (1899) 702.
Nom. Jap. *Shirage-gaya.* シラゲガヤ
Hab. Yezo: Nemuro; Nippon: Matsusima (Rikzen), Nikko-Yumoto (Simotsuke).

Hordeum murinum, L.; F. S. II. 186; Hack. B. H. B. (1899) 715.
Nom. Jap. *Mugi-kusa.* ムギクサ
Hab. Nippon: Tokio, Yokohama, cult.

Hordeum sativum, Jessen.
var. **hexastichon.**
syn. *Hordeum hexastichon,* L.; A. Gr. Perr. Exped. 328; Miq. P. 175; Hack. B. H. B. (1899) 715.
Nom. Jap. *Hadaka-mugi.* ハダカムギ
var. **vulgare.**
syn. *Hordeum vulgare,* L.; Th. F. J. 55; A. Gr. Perr. Exped. 328; Miq. P. 175.
Nom. Jap. *Oh-mugi.* オホムギ
var. **distichon.**
syn. *Hordeum distichon,* L.
Nom. Jap.. *Yahazu-mugi.* ヤハズムギ

Ichnanthus pallens, Munro; Hack. B. H. B. (1899) 723; Rendl. J. L. S. XXXVI. 334; Hack. B. H. B. (1904) 528.
Nom. Jap. *Taiwan-sasakibi.* タイワンサヽキビ
Hab. Formosa: Pachina, Tamsui, Kushaka.

Imperata arundinacea, Cyr.; Miq. P. 176; F. S. II. 188.
syn. *Imperata pedicellata,* Steud.; A. Gr. Perr. Exped. 329.
I. Thunbergii, Beauv.
Saccharum spicatum, Th. F. J. 42.

genuina, Hack. Monogr.
Nom. Jap. *Chigaya.* チガヤ
Hab. Nippon: Nuruya, Akita (Ugo), Tokio (Musasi), Gongensaki (Mutsu), Gifu (Mino), Yokoska (Sagami), Simoda, Atami (Idsu), Owari; Kiusiu: Nagasaki (Hizen); Tsusima.
var. **Koenigii,** Hack. Engl. Jahrb. VI. 50; B. H. B. (1899) 639, (1904) 526; Rendl. J. L. S. XXXVI. 346.
syn. *Imperata Koenigii,* Beauv.
Nom. Jap. *Fushige-chigaya.* フシゲチガヤ
Hab. Nippon: Tokio (Musasi), Tsioodjanohara (Idsu), Hikami

(Suwoo); Tsusima; Liukiu: Ohsima; Formosa: Taipeh, Sifun, Sintek, Takow, S. Cape, Taitum, Tamsui.

Isachne australis, R. Br.; Miq. P. 164; F. S. II. 164; Hack. Engl. Jahrb. VI. 50; B. H. B. (1899) 643; (1904) 528.

syn. *Panicum lepidotum,* Steud.; A. Gr. Pl. Jap. 329.
Milium globosum, Th. F. J. 49.

Nom. Jap. *Chigo-zasa.* チゴザヽ

Hab. Yezo: Sapporo (Isikari), Hakodate (Osima); Nippon: Aomori, Nohedji (Mutsu), Aidsu (Iwasiro), Tokio, Kanagawa (Musasi), Mama (Simoosa), Itsinomiya (Kadsusa), Yokoska (Sagami), Simoda (Idsu), Hagrosan (Sado), Niigata (Yetsigo), Totsinoki-tooge (Yetsizen), Seilendji (Iga), Kioto (Yamasiro), Tamba, Singuu (Kii), Hikami (Suwoo); Sikok: Yamasiro-dani (Awa), Tosa; Kiusiu: Siita (Buzen); Tsusima; Formosa: Tamsui, Pikoh, Ape's Hill, Takow.

Isachne monticola, Buse; Hack. B. H. B. (1904) 528.

Nom. Jap.

Hab. Formosa: Taitum.

Isachne Myosotis, Nees; Hack. Engl. Jahrb. VI. 50; Mak. T. B. M. (1890) 90; *var.* **nudiglumis,** Hack. B. H. B. (1899) 721.

syn. *Isatis Myosotis,* Nees; Mak. T. B. M. (1895) 111.

Nom. Jap. *Hai-chigozasa.* ハヒチゴザヽ

Hab. Nippon: Hikami (Suwoo); Sikok: Kamibun, Sakawa (Tosa); Kiusiu: Kagosima (Satsuma); Liukiu: Mt. Yonadake.

Ischæmum angustifolium, Hack. B. H. B. (1899) 723; Rendl. J. L. S. XXXVI. 364.

Nom. Jap. *Wata-gaya.* ワタガヤ

Hab. Formosa: Hoosan.

Ischæmum anthephoroides, Miq. P. 357; F. S. II. 193; Hack. Monogr. 216; B. H. B. (1899) 641.

syn. *Ischæmum barbatum,* Miq. P. 179.
Andropogon anthephoroides, Steud. Syn. 375.
A. caricosus, Th. F. J. 39.
Rottboellia anthephoroides, Steud.

Nom. Jap. *Ke-kamonohashi.* ケカモノハシ

Hab. Nippon: Aomori (Mutsu), Niigata (Yetsigo), Iwase (Yet-

tsiu), Itsinomiya (Kadsusa), Sitsirigahama, Yokoska (Sagami), Miho, Simidsu, Kurasawa (Suruga), Atawa (Kii), Kikugahama (Nagato); Sikok: Tosa; Kiusiu: Mimidsu (Hiuga); Hirato (Hizen).

Ischæmum aristatum, L.; Rendl. J. L. S. XXXVI. 364. *var.* **gibbum,** Hack. Monogr. 204; B. H. B. (1904) 527.

syn. *I. gibbum,* Trin.

Nom. Jap.

Hab. Formosa: Takow.

Ischæmum aureum, Hack. Monogr. 224; Rendl. J. L. S. XXXVI. 365.

Nom. Jap.

Hab. Liukiu.

Ischæmum ciliare, Retz.; Hack. B. H. B. (1899) 723; Rendl. J. L. S. XXXVI. Hack. B. H. B. (1904) 527.

Nom. Jap. *Hime-kamonohashi.* ヒメカモノハシ

Hab. Formosa: Tamsui, Tsuikoo, Pachina, Bioolitsu.

Ischæmum eriostachyum, Hack. Monogr. 218; Rendl. J. L. S. XXXVI. 365; B. H. B. (1904) 253.

Nom. Jap.

Hab. Nippon: Niigata.

Ischæmum muticum, L.; Hack. Monogr. 212; B. H. B. (1899) 641.

Nom. Jap. *Oni-shiba.* オニシバ

Hab. Nippon: Takado (Hitatsi), Kudjuukuri (Kadsusa), Yokoska, Yanagisima, Sitsirigahama (Sagami); Sikok: Tosa; Liukiu: Okinawa; Formosa: Hentsung.

Ischæmum rugosum, Salisb. *var.* **segetum,** Hack. Monogr. 208; B. H. B. (1899) 723; Rendl. J. L. S. XXXVI. 366.

Nom. Jap. *Taiwan-aiashi.* タイワンアイアシ

Hab. Formosa: Tamsui, Taipeh.

Ischæmum Sieboldii, Miq. P. 179; F. S. II. 193; Hack. Monogr. 217; B. H. B. (1899) 641.

syn. *Andropogon crassipes,* Steud. Syn. 375.

Nom. Jap. *Kamo-no-hashi.* カモノハシ
Hasami-gaya. ハサミガヤ

Hab. Nippon: Aomori (Mutsu), Taga, Mt. Tsukba (Hitatsi), Itsinomiya (Kadsusa), Tokio (Musasi), Yokoska, Nagai (Sagami), Iwasiro (Kii), Hikami (Suwoo), Onomitsi (Bin-

go); Sikok: Tosa; Kiusiu: Mimidsu (Hiuga); Tsusima; Liukiu: ins. Miyakosima; Formosa: Kelung.

var. **formosanum,** Hack. B. H. B. (1904) 527.

Nom. Jap.

Hab. Formosa: Bioolitsu.

Ischæmum timorense, Kunth; Hack. Monogr. 229: B. H. B. (1904) 527.

Nom. Jap.

Hab. Formosa: Hokuto.

Koeleria cristata, Pers.; Miq. P. 171; F. S. II. 179; Hack. B. H. B. (1899) 706.

syn. *Koeleria gracilis,* Pers.

Nom. Jap. *Minoboro.* ミノボロ

Hab. Nippon: Aomori (Mutsu), Mt. Tsukba (Hitatsi), Tokio (Musasi), Yokoska (Sagami), Mt. Asama, Mt. Togaksi (Sinano), Mt. Fudsi (Suruga), Yada (Suwoo); Kiusiu: Hakosaki (Tsikzen), Satsuma.

Leersia hexandra, Sw.; Hack. B. H. B. (1899) 646, 723; (1904) 528; Rendl. J. L. S. XXXVI. 345.

Nom. Jap. *Ashikaki.* アシカキ

Hab. Nippon: Tokio (Musasi), Nagano (Suwoo); Kiusiu: Siita (Buzen); Liukiu: Yaeyama; Formosa: Pachina, Taipeh, Sjaliootoo, Takow.

Leersia oryzoides, Sw.; F. S. II. 593; Hack. B. H. B. (1899) 645.

Nom. Jap.

Hab. Yezo: Sapporo (Isikari).

var. **japonica,** Hack. B. H. B. (1899) 645.

Nom. Jap. *Sayanuka-gusa.* サヤヌカグサ

Hab. Nippon: Tokio (Musasi), Yada (Suwoo); Sikok: Koosaka (Tosa).

Leptochloa chinensis, Nees; Hack. B. H. B. (1899) 704; (1904) 529.

syn. *Leptochloa tenerrima,* Miq. P. 167; F. S. II. 171, non Rœm. et Sch.

L. eragrostoides, Steud.; Miq. P. 167; Cat. 112; F. S. II. 171.

L. capillacea, Beauv.; Mak. T. B. M. (1896) 67.

Nom. Jap. *Aze-gaya.* アゼガヤ

Hab. Nippon: Tokio (Musasi), Itakra (Bittsiu), Onomitsi (Bingo); Sikok: Inomura (Tosa); Liukiu: Naha (Okinawa) Miyakosima; Formosa: Pachina, Sintek, Taipeh, Tamsui.

Lepturus repens, R. Br.; Rendl. J. L. S. XXXVI. 433.

Nom. Jap.

Hab. Formosa: Takow.

Lolium multiflorum, Lam.

Nom. Jap. *Nezumi-mugi.* ネズミムギ

Hab. Tokio, B. G. cult.

Lolium perenne, L.; F. S. II. 186; Hack. B. H. B. (1899) 714.

Nom. Jap. *Hoso-mugi.* ホソムギ

Hab. cult.

Lolium rigidum, Gaud.; Hack. B. H. B. (1899) 714.

Nom. Jap.

Hab. Yezo: Sapporo (Isikari); Nippon: Akanumanohara-Nikko (Simotsuke), Yokoska (Sagami); Kiusiu: Ohkawa (Tsikzen).

Lophatherum gracile, Brongn.; **genuinum,** Hack. B.H.B. (1899) 707.

syn. *Lophatherum humile,* Miq. P. 170; F. S. II. 180.

Nom. Jap.

Hab. Nippon: Ohsaka (Settsu), Hirosima (Aki); Sikok: Kootsi (Tosa); Kiusiu: Nagasaki (Hizen).

var. **annulatum,** Hack. B. H. B. (1899) 707.

syn. *Lophatherum annulatum,* F. S. II. 180, 605.

Nom. Jap. *Takane-sasakusa.* タカネサヽクサ

Hab. Nippon: Mt. Mitake (Sinano), Mayebara ( ).

var. **elatum,** Hack. B. H. B. (1899) 707.

syn. *Lophatherum elatum,* Zoll. et Moritz.; Miq. P. 170; F. S. II. 179.

L. elatum, v. glabrum, Hack. Engl. Jahrb. VI. 50.

L. japonicum, Steud. Syn. 300.

L. Lehmanni, Nees; Henry, L. 109.

Acroelytrum japonicum, Steud. Bot. Zeit. (1846) 21.

Nom. Jap. *Sasa-kusa.* サヽクサ

Hab. Nippon: Ibaraki (Hitatsi), Mt. Takao (Musasi), Miidera (Ohmi), Yunomine (Kii); Sikok: Mt. Usi-yama (Tosa), Kompira-yama (Sanuki); Kiusiu: Kagosima (Satsuma), Nagasaki (Hizen), Mt. Kirisima (Hiuga); Sunatori (Higo);

Tsusima; Liukiu: Ohsima, Yaeyama; Formosa: Kelung, Bankinsing.

var. **pilosulum,** Hack. B. H. B. (1899) 708.

syn. *Lophatherum pilosulum,* Steud. Syn. 428; Miq. P. 170; F. S. II. 180.

Hab. Japonia.

Manisuris granularis, Sw.; Rendl. J. L. S. XXXVI. 363.

syn. *Hackelchloa granularis,* Kze.

Nom. Jap. *Yae-gaya.* ヤヘガヤ

Hab. Kiusiu: Sitsitoo (Satsuma); Formosa: Takow, Ape's Hill, Tamsui.

Melica nutans, L.; Miq. P. 169; F. S. II. 178; Hack. B. H. B. (1899) 76.

Nom. Jap. *Kome-gaya.* コメガヤ

Hab. Yezo: Mori, Hakodate (Osima), Otaru (Siribesi), Sapporo (Isikari); Nippon: Aidsu (Iwasiro), Nikko (Simotsuke), Mt. Kimpoksan (Sado), Mt. Asama, Mt. Togaksi (Sinano), Funatsu (Hida), Mt. Ibuki (Ohmi); Sikok: Kusaka (Tosa).

Melica Onoei, F. S. II. 603; Hack. B. H. B. (1899) 707; (1904) 523.

syn. *Melica Matsumuræ,* Hack. B. H. B. (1899) 706.

Nom. Jap. *Michi-shiba.* ミチシバ

Hanabi-gaya. ハナビガヤ

Hab. Nippon: Nikko Asio (Simotsuke), Tsitsibu (Musasi), Oiwake, Torii-tooge, Semba, Managasi (Sinano); Tsusima.

Milium effusum, L.; A. Gr. Bot. Jap. 435; Miq. P. 162; F. S. II. 160.

Nom. Jap. *Ibuki-nukabo.* イブキヌカボ

Hab. Yezo: Zenibako (Isikari), Mombetz (Kitami), Sempodji (Kusiro), Hakodate (Osima); Nippon: Aomori (Mutsu), Nikko (Simotsuke), Ikegami, Aume (Musasi), Mt. Fudsi (Suruga).

Miscanthus condensatus, Hack. B. H. B. (1899) 639.

Nom. Jap. *Hachijō-susuki.* ハチヂヤウスヽキ

Magusa. マグサ

Hab. Nippon: ins. Hatsidjoo (Idsu); Bonin; Liukiu: Ohsima.

Miscanthus japonicus, Anders.; Hack. Monogr. 107; B. H. B. (1899) 639; (1904) 526; Rendl. J. L. S. XXXVI. 347.

syn. *Saccharum densum*, Nees.
S. polydactylon, *v. a.* Thunb.
S. floridulum, Labil.
S. prægrande, Steud.
Eulalia densa, Munro.
Miscanthus luzonensis, Anders.

Nom. Jap. *Tokiwa-susuki.* トキハスヽキ
Kan-susuki. カンスヽキ

Hab. Yezo: Isikari; Nippon: Isitsu (Idsumi), Sano (Boosiu), Hiratsuka (Sagami), Mikawa, Yada (Suwoo); Sikok: Mt. Tsurugisan (Iyo); Tsusima; Formosa: Tamsui, Sjaliootoo, Taipeh, Subonsja, Polisja, Suisja, Kelung, Pikoh, Takow, Ape's Hill.

Miscanthus Matsumurae, Hack. B. H. B. (1899) 640; B. H. B. (1904) 522.

Nom. Jap. *Kariyasu-modoki.* カリヤスモドキ

Hab. Nippon: Mt. Katta-dake (Rikzen), Nikko (Simotsuke), Mt. Fudsi (Suruga), Sirane (Kai), Kiusiu: Mt. Kirisima (Hiuga), Asosan (Higo).

Miscanthus purpurascens, Anders.; Hack. Monogr. 106; B. H. B. (1899) 639.

Nom. Jap. *Murasaki-susuki.* ムラサキスヽキ

Hab.

Miscanthus sacchariflorus, Hack. Monogr. 102; Mak. T. B. M. (1894) 90; Hack. B. H. B. (1899) 639.

syn. *Miscanthus saccharifer*, Benth.
Imperata sacchariflora, Max.
I. eulalioides, Miq. P. 177; F. S. II. 188.

Nom. Jap. *Ogi.* ヲギ

Hab. Nippon: Inokasira, Kawagutsi (Musasi), Arai (Tootoomi).

Miscanthus sinensis, Anders.; Hack. Monogr. 105; Bot. Mag. (1893) t. 7304; Hack. B. H. B. (1899) 639; (1904) 526; Rendl. J. L. S. XXXVI. 348.

syn. *Eulalia japonica*, Trin.
Erianthus japonicus, Beauv.
Saccharum japonicum, Th. Tr. Linn. Soc. II. 328. exp.
S. polydactylon, Th. F. J. 42.

Nom. Jap. *Susuki.* スヽキ

Hab. Yezo: Saruru (Hidaka), Sapporo, Djoosankei (Isikari); Nippon: Katta-dake (Rikzen), Aomori, Kuroisi (Mutsu), Aidsu (Iwasiro), Mt. Tsukba (Hitatsi), Nikko (Simotsuke), Hakone, Yokoska (Sagami), Simidsu (Suruga), Tokio (Musasi), Hosoya (Mikawa), Hikami (Suwoo); Kiusiu: Ohkawa (Tsikzen), Usitsugawa (Hizen), Bungo; Asosan (Higo); Sikok: Mt. Yahadsu (Tosa); Tsusima; Formosa: Takow, Tamsui.

var. **intermedius,** Hack.

Nom. Jap. Ito-susuki. イトスヽキ

Hab. Japonia, cult.

var. **formosanus,** Hack. B. H. B. (1904) 526.

Nom. Jap. Hoso-susuki. ホソスヽキ

Hab. Formosa: Hokkookei, Polisja.

Miscanthus tinctorius, Hack. Monogr. 103; B. H. B. (1899) 639.

syn. Imperata tinctoria, Miq. P. 177; F. S. II. 188.

Saccharum obscurum, Steud. Syn. 407.

Nom. Jap. Kariyasu. カリヤス

Hab. Nippon: Aidsu (Iwasiro), Mt. Siroama, Mt. Komagatake (Sinano); Sikok: Sakawa (Tosa).

Molinia japonica, Hack. B. H. B. (1899) 704; (1904) 523.

Nom. Jap. Numa-gaya. ヌマガヤ

Susuki-yoshi. スヽギヨシ

Yachi-gaya. ヤチガヤ

Hab. Yezo: Riisiri (Kitami), Sapporo (Isikari); Nippon: Mt. Hokkooda, Mt. Osoresan, Aomori (Mutsu), Simidsu-tooge, Mt. Komagatake (Yetsigo), Nikko-Akanumanohara (Simotsuke), Atsuhata (Hitatsi), Hikawa (Musasi), Hosoya (Mikawa); Sikok: Mt. Tsurugisan (Iyo).

Muehlenbergia Huegelii, Trin.; Hack. B. H. B. (1899) 647.

syn. Muehlenbergia viridissima, Nees; Steud. Syn. I. 178.

Nom. Jap. Oh-nezumigaya. オホネズミガヤ

Hab. Nippon: Aomori (Mutsu), Aidsu (Iwasiro), Taga (Hitatsi), Tokio (Musasi), Torii-tooge (Sinano); Sikok: Oegoori (Awa), Mt. Tebako (Tosa).

Muehlenbergia japonica, Steud. Syn. I. 422; Miq. P. 165; F. S. II. 165; Hack. B. H. B. (1899) 647.

Nom. Jap. *Nezumi-gaya.* ネズミガヤ
Ushi-gaya. ウシガヤ

Hab. Yezo: Mombetz (Kitami), Otaru (Siribesi), Hakodate (Osima); Nippon: Aomori, Sambongi (Mutsu), Mt. Takao, Tokio (Musasi), Yokoska, Hakone (Sagami); Tsusima.

var. **hakonensis,** Hack. B. H. B. (1899) 647.

Nom. Jap. *Tachi-nezumigaya.* タチネズミガヤ

Hab. Yezo: Zenibako (Isikari); Nippon: Ohhara-Katta (Rikzen), Komakae (Kai), Hakone (Sagami).

var. **ramosa,** Hack.

Nom. Jap. *Kidachi-no-nezumigaya.* キダチノネズミガヤ

Hab. Nippon: Tokio (Musasi).

Ophiurus monostachyus, Presl; Rendl. J. L. S. XXXVI. 362.

Nom. Jap.

Hab. Formosa: Takow.

Oplismenus Burmanni, Beauv.; Miq. P. 162; Owat. T. B. M. (1897) 211; Mak. T. B. M. (1898) 15.

syn. *Panicum Burmanni,* Retz.; F. S. II. 160.
P. japonicum, Steud.

Nom. Jap. *Chijimi-zasa.* チヾミザヽ

Hab. Nippon: Yokoska (Sagami); Sikok: Asidsuri-tooge (Tosa); Kiusiu: Nagasaki (Hizen); Tsusima; Formosa: Ulai-Laga, Sintek.

Oplismenus compositus, Beauv.; Hack. B. H. B. (1899) 721, 723; (1604) 528; Rendl. J. L. S. XXXVI. 337.

Nom. Jap. *Edauchi-chijimizasa.* エダウチチヾミザヽ

Hab. Bonin; Liukiu: ins. Yaeyama, Ohsima; Formosa: Kelung, Taipeh, Pikoh, Pachina, Kusseki, Suiteilioo, Niki, Sutsioo-liu, Kootoosjoo, Bankinsing, S. Cape, Hokuto.

Oplismenus loliaceus, Beauv.; Hack. B. H. B. (1899) 721.

Nom. Jap. *Liukiu-chijimizasa.* リウキウチヾミザヽ

Hab. Liukiu: Okinawa, ins. Iheya.

Oplismenus undulatifolius, Beauv.; F. S. II. 654; Mak. T. B. M. (1898) 15; Hack. B. H. B. (1899) 645; Rendl. J. L. S. XXXVI. 338.

syn. *Panicum undulatifolium,* Ard.
Oplismenus Burmanni, v. pilosus, Owat. T. B. M. (1897) 212.

Nom. Jap. *Ke-chijimi-zasa.* ケチヾミザヽ

Hab. Yezo: Sapporo (Isikari); Nippon: Aomori (Mutsu), Aidsu (Iwasiro), Nikko (Simotsuke), Mt. Tsukba (Hitatsi), Tokio, Yokohama (Musasi), Yokoska, Hakone (Sagami), Yada (Suwoo); Sikok: Ko-koosaka (Tosa); Formosa: Suiteilioo.

Oryza sativa, L.; Th. F. J. 147; Miq. P. 160; F. S. II. 155; Hack. B. H. B. (1899) 645.

Nom. Jap. *Ine.* イネ
Kome. コメ
Okabo. ヲカボ
Mochi-gome. モチゴメ

Hab. Yezo: Hakodate (Osima); Nippon; Sikok; Kiusiu; Liukiu; Formosa, cult.

Panicum acroanthum, Steud. Syn. I. 87; Miq. P. 163; F. S. II. 162; Hack. Engl. Jahrb. VI. 49; B. H. B. (1899) 644; Rendl. J. L. S. XXXVI. 327.

Nom. Jap. *Nuka-kibi.* ヌカキビ

Hab. Yezo: Sapporo (Isikari), Sibetsja (Tokatsi); Nippon: Aomori (Mutsu), Kitakamigawa (Riktsiu), Tokio (Musasi), Nagaoka (Yetsigo), Yada (Suwoo), Kioto (Yamasiro); Mayebara ( ); Kiusiu; Tsusima; Liukiu: Ohsima, Formosa: Kelung.

Panicum ambiguum, Trin.; Rendl. J. L. S. XXXVI. 327.

Nom. Jap.

Hab. Liukiu.

Panicum brevifolium, L.; Rendl. J. L. S. XXXVI. 328.

Nom. Jap.

Hab. Formosa.

Panicum coccospermum, Steud.; Mak. T. B. M. (1890) 230.

Nom. Jap. *Birōdo-kibi.* ビロウドキビ

Hab. Sikok: Kamo (Tosa).

Panicum colonum, L.; Miq. Cat. 111; F. S. II. 160; Hack. B. H. B. (1899) 644.

syn. *Oplismenus colonus*, Coss. et Dur.
O. Crus galli, v. colonus, Coss. et Dur.

Nom. Jap.

Hab. Nippon: Yokoska (Sagami).

Panicum Crus Galli, L.; F. S. II. 160, **genuinum**, Hack. B. H. B. (1899) 643.

syn. *Oplismenus Crus Galli*, Kunth.; Miq. P. 162.

Nom. Jap. *Mizu-bie.* ミズビエ

Hab. Yezo: Sapporo (Isikari); Nippon: Kuroisi, Aomori (Mutsu), Akita (Ugo), Hagrosan (Sado), Tokio (Musasi), Yokoska (Sagami), Mt. Kongoosan (Kawatsi), Harakosai (Bittsiu); Kiusiu: Hooman-dake (Tsikzen).

var. **submuticum**, Mey.; Hack. B. H. B. (1899) 644.

Nom. Jap. *No-bie.* ノビエ

Hab. Yezo: Sapporo (Isikari), Mombetz (Kitami); Nippon: Tokio (Musasi), Nissaka (Tootoomi), Muro (Yamato), Mt. Kongoosan (Kawatsi), Oh-utsi (Suwoo); Kiusiu: Tokitsu (Hizen); Tsusima; Liukiu; Formosa: Taipeh, Pachina, Kelung.

var. **muticum**, Hack. B. H. B. (1899) 644.

Nom. Jap.

Hab. Yezo: Sapporo (Isikari); Nippon: Morioka (Riktsiu), Sioonai (Uzen).

var. **frumentaceum**, Hook. f.; Hack. B. H. B. (1899) 644.

syn. *Panicum frumentaceum*, Roxb.; F. S. II. 161.

Oplismenus frumentaceus, Kunth; Miq. P. 162.

Hab. Nippon: Aidsu (Iwasiro), Matsuoka (Hitatsi), Yokoska, Hakone (Sagami), Oharagoye (Yetsizen), cult.

var. **hispidulum**, Hack. B. H. B. (1899) 644.

syn. *Panicum hispidulum*, Retz.; F. S. II. 160.

Oplismenus hispidulus, Kunth; Miq. P. 162.

Nom. Jap. *Ta-bie.* タビエ

Hab. Nippon: Nikko (Simotsuke), Yokoska (Sagami); Sikok: Tosa; Liukiu: Naha; Formosa: Takow, Bankinsing.

Panicum decompositum, R. Br.; Rendl. J. L. S. XXXVI. 330.

Nom. Jap.

Hab. Formosa: Ape's Hill, Takow.

Panicum distachyum, L.; Hack. B. H. B. (1899) 723.

Nom. Jap. *Niku-kibi.* ニクキビ

Hab. Formosa: Taipeh, Kelung.

Panicum excurrens, Trin.; F. S. II. 161; Hack. B. H. B. (1899) 644.

syn. *Panicum paucisetum*, Steud. Syn. 52.

P. plicatum, Lam.

Setaria mauritiana, Spreng.; Rendl. J. L. S. XXXVI. 336.
Nom. Jap.
Hab. Japonia; Formosa: Bankinsing, S. Cape, Siko Hill.

Panicum glabrum, Gaud.; Hack. B. H. B. (1899) 643.
syn. *Digitaria humifusa*, Pers.; Rendl. J. L. S. XXXVI. 324.
Nom. Jap.
Hab. Yezo: Sapporo (Isikari); Nippon: Sambongi, Kuroisi (Mutsu), Simonoseki (Nagato), Onomitsi (Bingo).

Panicum heteranthum, Nees. et Mey.; Hack. B. H. B. (1899) 723.
syn. *Digitaria barbata*, Willd.; Rendl. J. L. S. XXXVI. 322.
Nom. Jap. *Futamata-mehishiba.* フタマタメヒシバ
Hab. Formosa: Sintek, Takow.

Panicum indicum, L.; Hack. B. H. B. (1899) 644; (1904) 528; Rendl. J. L. S. XXXVI. 330.
syn. *Panicum indicum, v. contractum*, Miq. P. 163; F. S. II. 163; Hack. Engl. Jahrb. VI. 49; Rendl. J. L. S. XXXVI. 330.
P. contractum, Nees.
P. interruptum, Steud.
Nom. Jap. *Nebari-gaya.* ネバリガヤ
Numeri-gusa. ヌメリグサ
Hai-numeri. ハヒヌメリ
Hab. Nippon: Aomori (Mutsu), Mt. Gassan (Uzen), Itsinomiya (Kadsusa), Tokio (Musasi), Mt. Fudsi (Suruga), Yokoska (Sagami), Yada (Suwoo); Kiusiu: Nagasaki (Hizen), Ohkawa (Tsikzen); Sikok: Matsuyama (Iyo); Liukiu: Ohsima; Formosa: Mt. Bankinsing.

Panicum Matsumurae, Hack. B. H. B. (1899) 644.
syn. *Panicum excurrens*, F. S. II. 161, non Trin.
Setaria excurrens, Miq. P. 163.
Nom. Jap. *Inu-awa.* イヌアハ
Hab. Nippon: Tokio (Musasi); Koofu (Kai); Tsusima.

Panicum miliaceum, L.; Miq. P. 163; F. S. II. 163; Hack. B. H. B. (1899) 644.
syn. *Panicum densepilosum*, Steud.
Nom. Jap. *Kibi.* キビ
Hab. Japonia, cult.

Panicum Myurus, H. B. et. K.; Hack. B. H. B. (1899) 723.
syn. *Panicum amplexicaule*, Rudge; Rendl. J. L. S. XXXVI. 327.

Nom. Jap. *Mizu-enokoro.* ミヅエノコロ
Hab. Formosa : Taipeh, Takow.

Panicum neurodes, Schult.; Hack. B. H. B. (1899) 644; (1904) 528.
syn. *Panicum plicatum,* Lam.; Mak. T. B. M. (1896) 67; Henry, L. 106.
Nom. Jap. *Sasa-kibi.* サヽキビ
Hab. Kiusiu : Kagosima (Satsuma); Liukiu : Nago-dake (Okinawa); Formosa : Kuseki, Sintenkui, Taipeh, Pachina, Kelung.

Panicum paludosum, Roxb.; Hack. B. H. B. (1899) 723; (1904) 525, 528.
syn. *Panicum proliferum,* Lam; Rendl. J. L. S. XXXVI. 332.
Nom. Jap. *Oh-nukakibi.* オホヌカキビ
Hab. Liukiu : Ohsima; Formosa : Taipeh, Taitoo, Kilai, Takow.

Panicum parvulum, Trin.; Hack. B. H. B. (1899) 643; (1904) 528.
syn. *Digitaria longiflora,* Pers.; Rendl. J. L. S. XXXVI. 324.
Paspalum longiflorum, Retz.
P. brevifolium, Fluegg.; Miq. P. 162; F. S. II. 159.
P. filiculme, Nees. non F. S.
Nom. Jap.
Hab. Nippon : Yokoska (Sagami); Formosa : Takow, Kushak.

Panicum patens, L.; Hack. B. H. B. (1899) 721, 723; (1904) 528; Rendl. J. L. S. XXXVI. 332.
syn. *Panicum radicans,* Retz.
Nom. Jap. *Hime-chigozasa.* ヒメチゴザヽ
Hab. Liukiu : Onnah (Okinawa); Formosa : Kelung, Sintek, Bioolitz, Pachina, Taipeh, Kushak, Hokuto.

Panicum prostratum, Lam.; Rendl. J. L. S. XXXVI. 332.
Nom. Jap.
Hab. Formosa : Takow, Ape's Hill.

Panicum repens, L.; Mak. T. B. M. (1896) 65; Hack. B. H. B. (1899) 644; Rendl. J. L. S. XXXVI. 333.
Nom. Jap. *Hai-kibi.* ハヒキビ
No-kibi. ノキビ
Hab. Kiusiu : Mimidsu, Tomitaka (Hiuga), Kagosima (Satsuma); Liukiu : Kuntsian (Okinawa); Formosa : Kelung, Pachina, Takow, Ape's Hill.

Panicum sanguinale, L.; F. S. II. 163; Hack. B. H. B. (1899) 643, 723.

syn. *Digitaria sanguinalis*, Scop.; Rendl. J. L. S. XXXVI. 325.
Paspalum sanguinale, Lam.

Nom. Jap. *Me-hijiwa.* メヒヂワ
Me-hishiba. メヒシバ
Sumotorigusa. スモトリグサ

Hab. Yezo; Morolan (Iburi); Nippon: Aomori (Mutsu), Mt. Tsukba (Hitatsi), Tokio (Musasi), Hakone (Sagami), Mt. Kongoosan (Kawatsi), Oh-utsi (Suwoo), Onomitsi (Bingo); Kiusiu: Kirisima (Hiuga): Tsusima; Liukiu; Ohsima; Formosa: Kelung, Kusseki, Sintenkui, Sintek, Pachina.

var. **ciliare,** Dœll.; Mak. T. B. M. (1896) 66; Hack. B. H. B. (1899) 643; 723; Rendl. J. L. S. XXXVI. 326.

syn. *Panicum ciliare*, Auct. non Retz.
P. commutatum, Nees; Miq. P. 164; F. S. II. 163.

Nom. Jap. *Ke-mehishiba.* ケメヒシバ
Ke-mehijiua. ケメヒヂワ

Hab. Yezo: Kosima (Osima); Aidsu (Iwasiro), Tokio, Yokohama (Musasi), Hiratsuka (Sagami); Sikok: Sakawa (Tosa); Kiusiu: Sonoki (Hizen): Liukiu; Formosa: Taipeh, Takow.

var. **extensa,** Hk. f.; Rendl. J. L. S. XXXVI. 326.

Nom. Jap.

Hab. Formosa: Ape's Hill, Takow; Liukiu.

var. **pruriens,** Hk. f.; Rendl. J. L. S. XXXVI. 326.

Nom. Jap.

Hab. Liukiu.

var. **timorense,** Hack. B. H. B. (1904) 528.

syn. *Panicum timorense*, Kunth.
Digitaria propinqua, Gaudich.

Nom. Jap.

Hab. Formosa: Taipeh.

Panicum tristachyum, Hack. B. H. B. (1904) 525.

Nam. Jap. *Shima-gyōgishiba.* シマギヤウギシバ

Hab. Bonin.

Panicum villosum, Lam.; Hack. B. H. B. (1899) 644; Rendl. J. L. S. XXXVI. 333.

Nom. Jap.

Hab. Nippon: Samboagi (Mutsu); Sikok: Tosa; Formosa.

Panicum violascens, Kunth; Hack. B. H. B. (1899) 721, 723, 643; (1904) 523.

syn. *Digitaria violascens,* Link.

Paspalum multiflorum, Steud.; F. S. II. 159.

Panicum filiforme, Th. F. J. 48; Sieb. non Sw.

Nom. Jap.

Hab. Nippon: Niigata; Liukiu: Okinawa; Formosa: Taipeh.

Paspalum distichum, L.; Matsum. T. B. M. (1897) 77; Hack. B. H. B. (1899) 721; (1904) 528.

Nom. Jap. *Sawa-suzumebie.* サハスヾメビエ

Hab. Liukiu: Fenoko, Simasiri (Okinawa), Ohsima; Formosa: Kelung.

Paspalum scrobiculatum, L.; Hack. B. H. B. (1899) 721, 723; (1904) 528.

syn. *Paspalum scrobiculatum, v. orbiculare,* Mak. T. B. M. (1896) 60.

P. Thunbergii, v. minor, Mak. T. B. M. (1892) 48, 128.

Nom. Jap. *Suzume-no-kobie.* スヾメノコビエ

Hab. Sikok: Misaki, Yooroo, Hirayama (Tosa); Liukiu: Siuri (Okinawa); Formosa: Kelung, Taipeh, Tookoo, Pachina, Sintenkui.

Paspalum Thunbergii, Kunth; Steud. Syn. 28; Miq. P. 161; F. S. II. 159; Hack. B. H. B. (1899) 643.

syn. *Paspalum dissectum,* Th. F. J. 45.

P. mollipilum, Steud. Syn. 20.

Nom. Jap. *Suzume-no-hie.* スヾメノヒエ

Hab. Yezo: Yesansaki, Hakodate (Osima), Ohtsu (Tokatsi), Kusiro; Nippon: Aomori (Mutsu), Mt. Gandju (Riktsiu), Sendai (Rikzen), Mt. Tsukba (Hitatsi), Tokio (Musasi), Yokoska (Sagami), Nagaoka (Yetsigo), Koosi, Hosoya (Mikawa), Tomioka, Harada (Tootoomi), Yada (Suwoo); Kiusiu: Kokra (Buzen), Tokitsu (Hizen); Tsusima; Formosa: Kootoosjoo.

Pennisetum japonicum, Trin.; Hack. B. H. B. (1899) 645.

syn. *Pennisetum compressum,* R. Br.; Rendl. J. L. S. XXXVI. 338.

Gymnothrix japonica, Kunth.; Miq. P. 164; F. S. II. 164.

Panicum hordeiforme, Th. F. J. 48.
Pennisetum hordeiforme, Steud.
Cenchrus purpurascens, Th. Tr. Linn. Soc. II. 329.

Nom. Jap. Chikara-shiba. チカラシバ

Hab. Yezo: Hakodate (Osima); Nippon: Aomori (Mutsu), Sioonai (Uzen), Tokio (Musasi), Harada (Tootoomi), Mitsu-isi (Bizen), Oh-utsi (Suwoo), Simoda (Idsu), Suzugatooge (Ise), Yokoska (Sagami); Tsusima; Formosa: Kaikoosan, Sintenkui.

var. **viridescens,** Miq. P. 164; F. S. II. 165.

Nom. Jap. Ao-chikara-shiba. アヲチカラシバ

Hab. Nippon: Tokio (Musasi), Yokoska (Sagami), Hibata (Bittsiu); Kiusiu: Yuhu (Bungo); Formosa: Kelung; Liukiu: Ohsima.

Pennisetum latifolium, Spr.

Nom. Jap. Tsuri-enokoro. ツリエノコロ

Hab. Tokio, H. B. cult.

Pennisetum typhoideum, Rich.; Hack. B. H. B. (1899) 645.

Nom. Jap. Tōjin-kibi. タウジンキビ

Hab. Nippon; Kiusiu, cult.

Perotis latifolia, Ait.; Miq. P. 175; F. S. II. 186; Mak. T. B. M. (1897) 283; Rendl. J. L. S. XXXVI. 343.

Nom. Jap. Ko-sasagaya. コサヽガヤ

Hab. Formosa: Takow.

Phaenosperma globosum, Munro; Mak. T. B. M. (1903) 209.

Nom. Jap. Taki-kibi. タキキビ
Kashima-gaya. カシマガヤ
Oh-tatsuno-hige. オホタツノヒゲ

Hab. Nippon: Kaikuk (Mikawa), Kawanose (Bittsiu); Sikok: Doogo, Fudsino-isi, Uwasima (Iyo); Tsusima.

Phalaris arundinacea, L.; F. S. II. 157; **genuina,** Hack. B. H. B. (1899) 646.

syn. Digraphis arundinacea, Trin.; Th. F. J. 44; Miq. P. 161.

Nom. Jap. Kusa-yoshi. クサヨシ

Hab. Yezo: Sjari (Kitami); Tokio (Musasi), Yugasima, Simoda (Idsu), Yokoska, Hakone (Sagami), Oh-utsi (Suwoo); Sikok: Tosa; Kiusiu: Nagasaki (Hizen); Tsusima.

var. **japonica,** Hack. B. H. B. (1899) 646.

syn. *Phalaris japonica*, Steud.

Nom. Jap. *Hosobo-kusayoshi.* ホソボクサヨシ

Hab. Yezo: Abasiri (Kitami), Kiritap (Kusiro); Nippon: Matsusima (Rikzen), Simidsu (Suruga), Atsuta (Owari), Sikok: Tosa.

var. **picta**, L.; Hack. B. H. B. (1904) 523.

Nom. Jap. *Shima-gaya.* シマガヤ

Hab. Sikok.

Phleum alpinum, L.; Hack. B. H. B. (1899) 647; (1904) 523.

Nom. Jap. *Miyama-awagaeri.* ミヤマアハガヘリ

Hab. Kurile; Nippon: Mt. Haksan (Kaga).

Phleum asperum, Vill. *var.* **annuum**, Gris.; Hack. B. H. B. (1899) 647.

syn. *Phleum annuum*, M. B.

Nom. Jap. *Awagaeri.* アハガヘリ

Hab. Nippon: Mt. Togaksi (Sinano), Mt. Ibuki (Ohmi), Tomioka (Tootoomi); Kiusiu: Nasima (Tsikzen).

var. **japonicum**, Hack. B. H. B. (1899) 647.

syn. *Phleum japonicum*, F. S. II. 593.

Nom. Jap. *Ko-awagaeri.* コアハガヘリ

Hab. Nippon: Ikao (Kootsuke), Tsitsibu (Musasi); Tsusima.

Phleum pratense, L.; Hack. B. H. B. (1899) 647.

Nom. Jap. *Oh-awagaeri.* オホアハガヘリ

Hab. Yezo: Djoosankei, Sapporo (Isikari), Hakodate (Osima); Tokotan (Nemuro); Nippon: Tokio, efferata.

Phragmites communis, Trin.; Miq. P. 166; F. S. II. 170; Mak. T. B. M. (1894) 381; Hack. B. H. B. (1899) 704; Rendl. J. L. S. XXXVI. 409.

syn. *Arundo Phragmites*, L.; Th. F. J. 55.

Phragmites longivalvis, Steud.

P. communis, v. longivalvis, Miq. P. 166; F. S. II. 170, Mak. T. B. M. (1894) 381.

P. japonica, Steud.; Miq. P. 166; F. S. II. 170.

Nom. Jap. *Yoshi.* ヨシ

Ashi. アシ

Jishibari. ヂシバリ

Hab. Yezo: Sapporo (Isikari), Morolan (Iburi); Nippon: Morioka (Riktsiu), Nikko (Simotsuke), Tokio, Tsitsibu (Musasi),

Yanagisima (Sagami), Itoo (Idsu), Sakai (Idsumi), Inari (Bittsiu), Hikami (Suwoo); Sikok: Kootsi (Tosa); Kiusiu: Nagasaki (Hizen); Asosan (Higo); Formosa: Tamsui, Takow.

Phragmites Karka, Trin.; Mak. T. B. M. (1896) 59, 322; Hack. B. H. B. (1899) 704.

syn. *Phragmites Roxburghii,* Steud.; Miq. P. 166; F. S. II. 170.
Oxyanthe japonica, Steud.
Arundo Karka, Retz.
A. Roxburghii, Kunth; Henry, L. 109.
Sericura japonica, Steud.

Nom. Jap. *Udono-no-yoshi.* ウドノノヨシ
Seiko-no-ashi. セイコノアシ

Hab. Nippon: Yokoska (Sagami), Sakai (Idsumi); Sikok: Kootsi (Tosa); Kiusiu: Hooman-dake; Liukiu; Ohsima; Formosa: Tamsui, Kelung, Sintek, Pikoh, Takow.

Phragmites macer, Munro J. B. (1877) 350; F. S. II. 654; Hack. B. H. B. (1899) 704.

Nom. Jap. *Yoshi-kusa.* ヨシクサ

Hab. Nippon: Tsitsibu (Musasi), Mt. Ohyama, Hakone (Sagami).

Poa acroleuca, Steud.; A. Gr. Pl. Jap. 328; Miq. P. 168; F. S. II. 175; Hack. B. H. B. (1899) 710; Rendl. J. L. S. XXXVI. 422.

syn. *Poa psilocaulis,* Steud.
P. acroleuca. v. psilocaulis, Munro; Miq. P. 168; F. S. II. 175.
P. familiaris, Steud.; Miq. P. 168; F. S. II. 175.

Nom. Jap. *Mizo-ichigotsunagi.* ミゾイチゴツナギ
Tama-ichigotsunagi. タマイチゴツナギ

Hab. Yezo: Yesan (Osima), Tarumai (Iburi); Nippon: Sitsinohe (Mutsu), Yokohama, Tokio (Musasi), Yokoska (Sagami), ins. Koodsusima (Idsu), Asama (Sinano); Kiusiu: Fuk-oka (Tsikzen); Tsusima, Liukiu.

Poa annua, L.; A. Gr. Pl. Jap. 328; Miq. P. 167; F. S. II. 174; Hack. B. H. B. (1899) 708; Rendl. J. L. S. XXXVI. 422.

Nom. Jap. *Suzume-no-katabira.* スヽメノタカビラ

Hab. Yezo: Sibetz (Nemuro), Iwanai (Siribesi), Sapporo (Isikari), Hakodate (Osima); Nippon: Hirosaki, Sannohe (Mu-

tsu), Tokio (Musasi), Yenosima, Yokoska (Sagami), ins. Ohsima, ins. Koodsusima, Simoda, Kawatsu (Idsu), Toyooka (Tootoomi), Kurama-yama (Yamasiro), Sinano, Suwoo; Tsusima; Formosa.

Poa Fauriei, Hack. B. H. B. (1899) 711.

Nom. Jap.

Hab. Yezo: Sjakotan (Isikari), Karibasan (Siribesi).

Poa glumaris, Trin.; Hack. B. H. B. (1899) 711.

syn. *Glyceria glumaris,* Gris.

Nom. Jap. *Oni-ichigotsunagi.* オニイチゴツナギ
Oh-somosomo. オホソモソモ

Hab. Kurile: Siumsiu, ins. Kunasiri; Yezo: Tobuto (Nemuro), Kusiro.

Poa hakusanensis, Hack. B. H. B. (1899) 709.

Nom. .Jap *Hakusan-ichigotsunagi.* ハクサンイチゴツナキ

Hab. Nippon: Mt. Haksan (Kaga), Mt. Zoowoosan (Uzen), Mt. Hiutsigatake (Iwasiro).

Poa kurilensis, Hack. B. H. B. (1904) 524.

Nom. Jap. *Chishima-gaya.* チシマガヤ

Hab. Kurile.

Poa Matsumurae, Hack. B. H. B. (1899) 709.

Nom. Jap. *Ito-ichigotsunagi.* イトイチゴツナギ

Hab. Nippon: Mt. Ohmine-Zenkoodji, Mt. Togaksi (Sinano).

Poa nemoralis, L.; Miq. P. 168; F. S. II. 174; Mak. T. B. M. (1895) 73; Hack. B. H. B. (1899) 710.

Nom. Jap. *Tachi-ichigotsunagi.* タチイチゴツナギ

Hab. Yezo: ins. Riisiri (Kitami).

Poa palustris, L.; Hack. B. H. B. (1899) 710.

syn. *Poa fertilis,* Host.; F. S. II. 175.
P. serotina, Ehr.; Miq. P. 168.

Nom. Jap. *Ichigotsunagi.* イチゴツナギ
Niramigusa. ニラミグサ

Hab. Yezo: Mombetz (Kitami), Sapporo (Isikari), Iwanai (Siribesi), Morolan, Tomakomai (Iburi), Hakodate (Osima); Nippon: Tsuitate-tooge (Koodsuke), Mt. Asama (Sinano), Tokio (Musasi), Yokoska (Sagami); Tsusima.

var. **strictula,** Hack. B. H. B. (1899) 710; (1904) 529.

syn. *Poa strictula,* Steud.

P. sphondylodes, Trin.; Miq. P. 168; F. S. II. 175.
P. sphondylodes, v. diantha, Munro; Miq. P. 168; F. S. II. 175.
P. linearis, Trin.
P. diantha, Steud.
Festuca misera, Th. F. J. 52.
Nom. Jap. Yama-ichigotsunagi. ヤマイチゴツナギ
Kawara-ichigotsunagi. カハライチゴツナギ
Hab. Yezo: Siribesi; Nippon: Sendai, Matsusima (Rikzen), Tokio, Kawasaki, Tamagawa (Musasi), Koonodai (Simoosa), Yokoska (Sagami), Simo-taga (Idsu), Hikami (Suwoo); Kiusiu: Nagasaki (Hizen); Tsusima; Formosa: Kelung, Bioolitz, Kushaku.

Poa pratensis, L.; Miq. P. 168; F. S. II. 174; Hack. B. H. B. (1899) 708.
Nom. Jap. Nagaha-gusa. ナガハグサ
Hab. Yezo: Yubutz (Iburi); Hakodate (Osima); Nippon: Mt. Iwakisan (Mutsu), Nikko-Yumoto, Mt. Siranesan (Simotsuke), Mt. Adsuma, Wakamatsu (Iwasiro), Nandjoo, Kawanakasima (Sinano), Itsikawa (Simoosa), Tokio, Yokohama (Musasi), Ins. Hatsidjoo (Idsu).
var. **angustifolia,** Sm.: Hack. B. H. B. (1899) 708.
syn. Poa angustifolia, L.
form. **strigosa,** Hack. B. H. B. (1899) 708.
syn. Poa strigosa, Hoffm.
Nom. Jap. Hosoba-no-nagahagusa. ホソバノナガハグサ
Hab. Yezo.
var. **anceps,** Gaud.; Hack. B. H. B. (1899) 708.
Nom. Jap. Hiroba-no-nagahagusa. ヒロバノナガハグサ
Hab. Yezo; Nippon: Tokio (Musasi).

Poa radula, F. S. II. 174, 602; Hack. B. H. B. (1899) 711.
Nom. Jap.
Hab. Yezo: Rebunsiri (Kitami), Iwanai (Siribesi), Sjakotan (Isikari), Yesan (Osima), Morolan (Iburi).

Poa stenantha, Trin. *var.* **japonica,** Hack. B. H. B. (1899) 708.
Nom. Jap.
Hab. Kurile: Etorof; Yezo: Kusiro, Nemuro; Siretoko, Riisiri (Kitami), Wasibetz, Tomakomai (Iburi).

var. **fallax,** Hack. B. H. B. (1899) 708.

Nom. Jap.

Hab. Yezo: Rebunsiri (Kitami).

Poa trivialis, L.; Th. F. J. 50; Miq. P. 167; F. S. II. 174; Hack. B. H. B. (1899) 711.

Nom. Jap.

Hab. Nippon: Yokoska.

Poa tuberifera, Faurie; Hack. Oesterr. Bot. Zeitschr. (1902) 451.

Nom. Jap.

Hab. Sikok: Mt. Tsurugi (Iyo).

Pogonatherum saccharoideum, Beauv.; Steud. Syn. 412, *var.* **monandrum,** Hack. Monogr. 193; B. H. B. (1899) 641; (1904) 527; Rendl. J. L. S. XXXVI. 357.

syn. *Pogonatheram crinitum,* Trin.; Miq. P. 177; F. S. II. 189.

Andropogon crinitus, Th. F. J. 40, t. 412.

Nom. Jap. *Itachi-gaya.* イタチガヤ

Hab. Nippon: Naka-misu (Kii), Tsioofu-mura (Nagato); Sikok: Uwasima (Iyo); Kiusiu: Toyooka (Bungo), Nagasaki (Hizen), Kumamoto (Higo), Mimidsu (Hiuga), Kogosima (Satsuma): Liukiu: Okinawa, Yaeyama; Ohsima; Formosa: Sintek, Taipeh.

Pollinia ciliata, Trin.; Rendl. J. L. S. XXXVI. 354, *var.* **Wallichiana,** Hack. Monogr. 177; B. H. B. (1899) 723.

Nom. Jap. *Oh-sasagaya.* オホサヽガヤ

Hab. Liukiu; Formosa: Pachina, Kelung, Sizangan.

Pollinia glabrata, Trin.; Henry L. 108; Rendl. J. L. S. XXXVI. 355.

Nom. Jap.

Hab. Formosa: Takow.

Pollinia imberbis, Nees; **genuina,** Hack. Monogr. 178; B. H. B. (1899) 640.

syn. *Pollinia japonica,* Miq. P. 178; F. S. II. 608.

P. japonica, v. polystachya, F. S. II. 190.

P. japonica, v. monostachya, F. S. II. 190.

Nom. Jap. *Ashiboso.* アシボソ

Hab. Nippon: Aomori (Mutsu), Sjoonai (Uzen), Tokio (Musasi), Hakone (Sagami), Yada (Suwoo); Tsusima.

var. **Willdenowiana,** Hack. Monogr. 178; B. H. B. (1899) 640; (1904) 527; Rendl. J. L. S. XXXVI. 355.

Nom. Jap. *Hime-ashiboso.* ヒメアシボソ

Hab. Nippon: Tokio (Musasi); Formosa: Tamsui.

Pollinia monantha, Nees. *var.* **formosana,** Hack. B. H. B. (1904) 527.

Nom. Jap. *Fusa-sasagaya.* フササヽガヤ

Hab. Formosa: ins. Kootoosjoo; Liukiu: Ohsima.

Pollinia nuda, Trin.; Hack. Monogr. 178; B. H. B. 641; Rendl. J. L. S. XXXVI. 356.

syn. *Leptatherum japonicum,* F. S. II. 190, 609.

Nom. Jap. *Sasa-gaya.* サヽガヤ

Hab. Yezo: Hakodate (Osima); Nippon: Tokio, Yokohama (Musasi), Hakone (Sagami); Kiusiu: Kirisima (Hiuga); Tsusima; Liukiu.

Pollinia quadrinervis, Hack. Monogr. 158; B. H. B. (1899) 640, 721; Rendl. J. L. S. XXXVI. 356.

syn. *Miscanthus Tanakæ,* Mak.

Pollinia Tanakæ, Mak. T. B. M. (1898) 165.

P. affinis, Mak.

Nom. Jap *Unnuke.* ウンヌケ

Hab. Nippon: Koosi, Futagawa (Mikawa); Sikok: Tosa; Liukiu.

Polypogon Higegaweri, Steud. Syn. I. 422; Hack. B. H. B. (1899) 648; (1904) 528.

syn. *Polypogon littorale,* A. Gr. Pl. Jap. 328; Miq. P. 166; F. S. II. 167; Rendl. J. L. S. XXXVI. 386, non Sm.

P. demissus, Steud.

Nom. Jap. *Hiegaeri.* ヒエガヘリ

Hab. Nippon: Gongensaki (Mutsu), Matsusima (Rikzen), Sado; Tokio (Musasi), Amatsu, Mela-no-Misaki (Boosiu), Miyanosita, Yokoska, Misaki (Sagami), Simoda (Idsu), Nandjoo (Sinano), Mt. Kongoosan (Kawatsi), Hirosima (Aki), Yada, Mitasiri (Suwoo); Sikok: Tosa; Kiusiu: Tsikgo-gawa; Tsusima; Formosa: Tamsui.

Polypogon monspeliensis, Desf.; A. Gr. Pl. Jap. 328; Miq. P. 166; F. S. II. 167; Hack. B. H. B. (1899) 648; Rendl. J. L. S. XXXVI. 386.

Nom. Jap. *Hama-hiegaeri.* ハマヒエガヘリ

Hab. Nippon: Kawasaki (Musasi), Itsinomiya (Kadsusa), ins. Hatsidjoo, Simoda (Idsu), ins. Perry; Yada (Suwoo); Sikok: Godai-yama (Tosa); Kiusiu: Nagasaki (Hizen); Liukiu: ins. Iheya; Formosa: Tamsui.

Rottbœllia compressa, L. f.; Hack. B. H. B. (1899) 723.

syn. *Hemarthria compressa,* R. Br.; Miq. P. 175; F. S. II. 186.

Nom. Jap. *Koba-no-ushino-shippei.* コバノウシノシツペイ

Hab. Formosa: Taitsiu, Taipeh.

var. **fasciculata,** Hack. Monogr. 288; B. H. B. (1899) 642.

Nom. Jap.

Hab. Nippon: Sakata (Ugo).

var. **japonica,** Hack. Monogr. 288; B. H. B. (1899) 642.

Nom. Jap. *Ushi-no-shippei.* ウシノシツペイ

Hab. Nippon: Aomori, Hirosaki (Mutsu), Nikko (Simotsuke), Akita (Ugo), Tokio (Musasi).

Rottbœllia exaltata, L. f.; Rendl. J. L. S. XXXVI. 362; *var.* **appendiculata,** Hack. B. H. B. (1904) 527.

Nom. Jap. *Tsuno-aiashi.* ツノアイアシ

Hab. Formosa: Pachina, Takow.

Rottbœllia latifolia, Steud. Syn. 361; Hack. Monogr. 281; B. H. B. (1899) 641.

syn. *Ischœmum latifolium,* Miq. P. 179; F. S. II. 193.
Rottbœllia foliosa, Steud.

Nom. Jap. *Koki.* コキ
Ai-ashi. アイアシ

Hab. Yezo: Morolan (Iburi); Nippon: Yakesima (Rikzen), Tokio, Kanazawa (Musasi), Isitsu (Idsumi), Tsioofu-hama (Nagato); Kiusiu: Toyooka (Bungo); Tsusima.

Saccharum Narenga, Ham.; Rendl. J. L. S. XXXVI. 349.

Nom. Jap.

Hab. Formosa: Takow.

Saccharum officinarum, L.; Th. F. J. 42; Miq. P. 177; Rendl. J. L. S. XXXVI. 349.

Nom. Jap. *Satō-kibi.* サトウキビ

Hab. Liukiu; Ohsima; Formosa, cult.

Saccharum spontaneum, L.; Mak. T. B. M. (1894) 222; Hack. B. H. B. (1899) 723; (1904) 526; Rendl. J. L. S. XXXVI. 349.

Nom. Jap. *Wase-obana.* ワセヲバナ
Hama-susuki. ハマスヽキ

Hab. Nippon: Itsinomiya (Kadsusa), Boosiu; Yanagisima (Sagami), Suruga; Formosa: Pikoh, Takow, Tamsui.

Secale cereale, L.; Hack. B. H. B. (1899) 715.

Nom. Jap. *Natsu-komugi.* ナツコムギ
Rai-mugi. ライムギ

Hab. Nippon: Tokio (Musasi), cult.

Setaria glauca, Beauv.; Miq. P. 163; Kurit. T. B. M. (1889) 95; Mak. T. B. M. (1896) 66; Hack. B. H. B. (1899) 645; Rendl. J. L. S. XXXVI. 335.

syn. *Panicum glaucum,* L.; F. S. II. 161.

Nom. Jap. *Kin-enokoro.* キンヱノコロ

Hab. Nippon: Kuroisi (Aomori), Sjoonai (Uzen), Tsukba (Hitatsi), San-ya Tooge (Sinano), Yokohama, Tokio (Musasi), Yokoska, Hakone (Sagami), Ohsaka (Settsu), Hikami (Suwoo); Kiusiu: Todoroki (Hizen); Tsusima; Liukiu; Formosa: Taipeh, Pachina, Kusseki, Sintenkui, Kizan, Takow, Ape's Hill.

Setaria italica, Beauv.; Miq. P. 163; Hack. B. H. B. (1899) 645.

syn. *Panicum italicum,* L.; F. S. II. 162.

Nom. Jap. *Oh-awa.* オホアハ

Hab. Japonia; Formosa, cult.

var. **germanicum,** Trin.; F. S. II. 162.

Nom. Jap. *Ko-awa.* コアハ

Hab. Japonia, cult.

Setaria pachystachys, F. S. II. 162, 594; Hack. B. H. B. (1899) 645; (1904) 528.

Nom. Jap. *Hama-enokoro.* ハマヱノコロ

Hab. Yezo: Hakodate (Osima); Nippon: Sjoonai (Uzen), Nikko (Simotsuke), Mela-no-Misaki (Boosiu), Kamakra (Sagami), Onomitsi (Bingo); Formosa: Tamsui.

var. **lanceolata,** Hack.

Nom. Jap. *Hiroha-no-hama-enokoro.* ヒロハノハマヱノコロ

Hab. Nippon: Taitoo (Kadsusa), Misaki (Sagami); Sikok: Katsura-hama (Tosa); Tsusima; Liukiu: Okinawa.

Setaria setosa, Rœm. et Sch.; F. S. II. 161.

syn. *Panicum setosum,* Sw.

Setaria macrostachya, Humb. et Bonpl.; Miq. P. 162.
Panicum chondrachne, Steud.
Nom. Jap.
Hab. Nippon.

Setaria viridis, Beauv.; Hack. B. H. B. (1899) 645; Rendl. J. L. S. XXXVI. 336.
syn. *Panicum viride*, L.; F. S. II. 162.
P. viride, v. gigantea, F. S. II. 162.
Nom. Jap. *Enokoro-gusa.* エノコログサ
Hab. Kurile: Kunasiri; Yezo: Sapporo (Isikari); Nippon: Aomori (Mutsu), Aidsu (Iwasiro), Hagrosan (Sado), Nandjoo, Kawanakasima (Sinano), Tokio, Takaosan (Musasi), Koonodai (Simoosa), Yokoska (Sagami), Fudsikawa (Suruga), Yada (Suwoo), Tatsuta (Bittsiu), Yuasa (Kii); Kiusiu: Fusagahata (Buzen), Sonoki (Hizen); Tsusima; Liukiu: Naha; Formosa: Tamsui, Takow, Ape's Hill, S. Cape, Pescadores.

Spinifex squarrosus, L.; Hack. Engl. Jahrb. VI. 50; Mak. T. B. M. (1896) 56; Matsum. T. B. M. (1897) 77; Rendl. J. L. S. XXXVI. 340; Hack. B. H. B. (1904) 528.
Nom. Jap. *Tsukiige.* ツキイゲ
Harihamamugi. ハリハマムギ
Hab. Kiusiu: Kagosima; Liukiu: Okinawa, Yaeyama; Formosa: Tamsui, Tsuikoo.

Spodiopogon cotulifer, Hack. Monogr. 187; B. H. B. (1899) 641; Rendl. J. L. S. XXXVI. 351.
syn. *Eulalia cotulifera*, Munro; Miq. P. 177; F. S. II. 189.
Andropogon cotuliferum, Th. F. J. 41.
Eccoilopus andropogonoides, Steud.
Nom. Jap. *Joro-gaya.* ヂョロガヤ
Abura-susuki. アブラスヽキ
Hab. Yezo; Nippon: Mt. Tsukba (Hitatsi), Tokio (Musasi), Koonodai (Simoosa), Kamakra, Yokoska, Hakone (Sagami), Oh-utsi (Suwoo), Itakra (Bittsiu), Kiusiu: Nagasaki (Hizen); Tsusima; Liukiu; Ohsima; Formosa: Takow, Ape's Hill.

Spodiopogon depauperatus, Hack. B. H. B. (1899) 641.
syn. *Spodiopogon sibiricus, v. minor*, Max. Mss.
Nom. Jap. *Miyama-abura-susuki.* ミヤマアブラスヽキ

Hab. Nippon : Hondoodji (Uzen), Kimpoksan (Sado), Mt. Hakkaisan (Yetsigo), Mt. Haksan (Kaga), Mt. Tateyama (Yettsiu).

Spodiopogon formosanus, Rendl. J. L. S. XXXVI. 351.

Nom. Jap.

Hab. Formosa.

Spodiopogon sibiricus, Trin.; F. S. II. 610; Hack. Monogr. 183; B. H. B. (1899) 641; Rendl. J. L. S. XXXVI. 353.

Nom. Jap. Oh-abura-susuki. オホアブラスヽキ

Hab. Yezo : Samani (Hidaka); Nippon : Aone (Rikzen), Hayatsinesan (Riktsiu), Aidsu (Iwasiro), Matsuoka (Hitatsi), Sado; Tamagawa, Takaosan (Musasi), Niigata (Yetsigo), Ibukiyama (Oomi); Kiusiu : Asosan (Higo); Tsusima; Formosa : Taiwan.

Sporobolus ciliatus, Presl. *var.* **japonicus,** Hack. B. H. B. (1899) 648.

syn. S. japonicus, Max.; Rendl. J. L. S. XXXVI. 388.

Agrostis japonicus, Steud. Syn. I. 171; Miq. P. 165; F. S. II. 167.

Nom. Jap. Hige-shiba. ヒゲシバ

Hab. Nippon : Katayama, Horinoutsi (Musasi); Sikok : Tosa.

Sporobolus diandrus, Beauv.; Rendl. J. L. S. XXXVI. 387.

Nom. Jap.

Hab. Formosa : Ape's Hill, Takow, S. Cape.

Sporobolus elongatus, R. Br.; Miq. P. 166; F. S. II. 166; Henry, L. 108; Hack. B. H. B. (1899) 648; (1904) 528.

syn. S. indicus, R. Br.; Rendl. J. L. S. XXXVI. 388.

Cinna japonica, Steud.

Nom. Jap. Nezumi-no-wo. ネズミノヲ

Hab. Nippon : Tsukbasan (Hitatsi), Tokio (Musasi), Yokoska, Hakone (Sagami), Sidsuoka (Suruga), Hikami (Suwoo), Onomitsi (Bingo); Sikok : Uwasima (Iyo); Kiusiu : Hooman-dake (Tsikzen); Tsusima; Liukiu : Ins. Miyako; Formosa : Kelung, Taipeh, Pachina.

Sporobolus virginicus, Kunth; Henry, L. 108; Mak. T. B. M. (1896) 64; Hack. B. H. B. (1899) 721; Rendl. J. L. S. XXXVI. 389.

Nom. Jap. *Sonare-shiba.* ソナレシバ

Hab. Liukiu: Okinawa; Formosa: Takow, Ape's Hill.

Stipa sibirica, Lam.

Nom. Jap. *Hane-gaya.* ハネガヤ

Hab. Yezo: Hakodate (Osima), Djoosankei, Moiwa (Isikari); Nippon: Iwasiro; Fuksima, Semba (Sinano), Akabane, Itabasi, Sirasawa, Takaido (Musasi).

var. **japonica,** Hack. B. H. B. (1899) 647.

Nom. Jap. *Hiroha-no-hanegaya.* ヒロハノハネガヤ

Hab. Yezo: Sapporo (Isikari); Nippon: Hayatsinesan (Riktsiu), Aomori (Mutsu), Nikko (Simotsuke), Tsitsibu (Musasi), Sagami.

Themeda Forskali, Hack. *var.* **japonica,** Hack. Monogr. 660; B. H. B. (1899) 642.

syn. *Th. triandra,* Forsk. *v. major, subv. japonica,* Hack. Monogr. 662; Rendl. J. L. S. XXXVI. 377.

Anthistiria arguens, Willd. *v. japonica,* Anders.; Miq. P. 178; F. S. II. 191.

A. japonica, Willd.

A. barbata, Desf.

Andropogon ciliatum, Th. Fl. Jap. 40.

Nom. Jap. *Karu-kaya.* カルカヤ

Me-garukaya. メガルカヤ

Hab. Nippon: Mt. Tsukba (Hitatsi), Hanzawa (Musasi), Koonodai (Simoosa), Uruido (Kadsusa), Kamakra, Yokoska (Sagami), Tootoomi; Hikami (Suwoo); Sikok: Matsuyama (Iyo); Tsusima.

var **vulgaris,** Hack. Monogr. 660; B. H. B. (1899) 642.

Nom. Jap.

Hab. Nippon: Tokio (Musasi).

Themeda gigantea, Hack. subsp. **caudata,** Hack.; Rendl. J. L. S. XXXVI. 377.

syn. *Anthistiria ciliata,* Henry, L. 108.

Nom. Jap.

Hab. Formosa: Bankinsing.

Thuarea sarmentosa, Pers.; Mak. T. B. M. (1893) 313; (1895) 256; (1896) 58; Hack. B. H. B. (1899) 722.

Nom. Jap. *Suna-zasa.* スナザヽ

Hab. Bonin; Liukiu: ins. Isigaki, Yaeyama, Ohsima.

Thysanolæna acalifera, Arn. et Nees; Hack. B. H. B. (1899) 723.

syn. *Thysanolæa Agrostis,* Nees; Rendl. J. L. S. XXXVI. 340.

Nom. Jap. *Yadake-gaya.* ヤダケカヤ

Hab. Formosa: Polisja, Bankinsing.

Tripogon chinensis, Hack. B. H. B. (1903) 503; Rendl. J. L. S. XXXVI. 404.

Nom. Jap.

Hab. Formosa: Ape's Hill, Takow.

Trisetum flavescens, Beauv. **genuina,** Hack. B. H. B. (1899) 702.

Nom. Jap.

Hab. Yezo: Rebunsiri, Saruru, Yesasi (Kitami), Iwanai (Siribesi); Nippon: Hirosaki (Mutsu).

var. **papillosum,** Hack. B. H. B. (1899) 702.

syn. *Bromus bifidus,* Th.

B. aveniformis, Steud.

Trisetum flavescens, Miq. P. 167.

T. cernuum, A. Gr. Pl. Jap. 328; F. S. II. 173, non Trin.

Nom. Jap. *Kanitsuri-gusa.* カニツリグサ

Hab. Nippon: Aomori (Mutsu), Adsuma (Iwasiro), Niigata (Yetsigo), Kadsusa; Yokohama, Tokio (Musasi), Ins. Hatsidjoo, Yugasima, Simoda (Idsu), Hikami (Suwoo); Kiusiu: Nagasaki (Hizen), Nasima (Tsikzen); Tsusima.

var. **macranthum,** Hack. B. H. B. (1899) 703; (1904) 523.

Nom. Jap.

Hab. Yezo: Sapporo (Isikari); Sikok: Toksima (Awa).

var. **purpurascens,** Arcang.; Hack. B. H. B. (1904) 523.

syn. *Avena purpurascens,* D.C.

Trisetum purpurascens, Trauttv.

Nom. Jap. *Murasaki-kanitsuri.* ムラサキカニツリ

Hab. Kurile.

Trisetum subspicatum, Beauv.; Kawak. T. B. M. (1900) 112; Rendl. J. L. S. XXXVI. 400.

Nom. Jap. *Rishiri-kanitsuri.* リシリカニツリ

Hab. Yezo: Risiri (Kitami).

Triticum vulgare, Vill.; A. Gr. Perr. Exped. 328; Miq. P. 175; Hack. B. H. B. (1899) 715.

syn. *Triticum aestivum,* L.; Th. F. J. 56.

T. hybernum, L.; Th. F. J. 56.

Nom. Jap. Ko-mugi. コムギ

Hab. Japonia; Formosa, cult.

Zea Mays, L.; Miq. P. 161; F. S. II. 156; Hack. B. H. B. (1899) 638.

Nom. Jap. Tō-morokoshi. タウモロコシ
Namban-kibi. ナンバンキビ

Hab. Japonia; Formosa, cult.

Zizania aquatica, L.; Hack. B. H. B. (1899) 646.

syn. Hydropyrum latifolium, Griseb.; Miq. P. 160; F. S. II. 156.
Zizania palustris, Sieb.

Nom. Jap. Makomo. マコモ

Hab. Yezo: Kusiro; Hakodate (Osima); Aomori (Mutsu), Aidsu (Iwasiro), Tokio (Musasi), Hikami (Suwoo); Kiusiu; Formosa: Taipeh.

Zoysia macrostachya, F. S. II. 187, 608; Hack. B. H. B. (1904) 523.

Nom. Jap.

Hab. Liukiu: Yakuno-sima.

Zoysia pungens, Willd. *var.* **japonica**, Hack. B. H. B. (1899) 642; (1904) 527, Rendl. J. L. S. XXXVI. 344.

syn. Zoysia japonica, Steud. Syn. 414.

Nom. Jap. Shiba. シバ

Hab. Yezo; Nippon: Minato (Musasi), Sendai (Rikzen), Mt. Gassan (Ugo), Ibaraki (Hitatsi), Togaksi (Sinano), Tokio (Musasi), Yokoska (Sagami), Simoda, ins. Hatsidjoo (Idsu), Asakra (Suwoo); Sikok: Tosa; Kiusiu: Mt. Iwatake (Buzen); Liukiu; Formosa: Taipeh, Takow, ins. Kootoosjoo.

Zoysia tenuifolia, Willd.; F. S. II. 187; Hack. B. H. B. (1899) 642.

syn. Zoysia pungens, v. tenuifolia, Mak. Mss.

Nom. Jap. Ito-shiba. イトシバ

Hab. Nippon: Oginohama (Rikzen), Yokoska (Sagami), Mt. Fudsi (Suruga), Sikok: Tosa, cult.; Liukiu.

Gramineæ-Bambuseæ.

(*Take no tagui.*)

Arundinaria Hindsii, Munro, Monogr. Bamb. 31; Mak. T. B. M. (1900) 63; (1895) 73.

syn. *Bambusa erecta,* Hort.

Nom. Jap. *Kanzan-chiku.* カンザンチク

Hab. Nippon: Tokio (Musasi), Ohmi, cult.

var. **graminea,** Bean; Mak. T. B. M. (1900) 63; (1895) 73.

syn. *Bambusa graminea,* Hort.

Nom. Jap. *Taimin-chiku.* タイミンチク

Hab. Nippon: Tokio (Musasi), cult.

Arundinaria japonica, S. Z.; Steud. Glum. 334; Miq. P. 172; A. Gr. Pl. Jap. 328; Riv. Bamb. 16, 297; Hack. B. H. B. (1899) 716; Mak. T. B. M. (1900) 62, 80.

syn. *Bambusa Metake,* Sieb.

Arundinaria Metake, Nichols.

Bambusa mitis, Hort.

Phyllostachys bambusoides, Matsum. S. M. 213; Satow, Trans. Asiat. Soc. Jap. XXVII. (1899) part. III. 46.

Nom. Jap. *Ya-dake.* ヤダケ

Hab. Nippon: Rikzen, Hitatsi, Musasi, Sagami, Ins. Koodsusima, Hatsidjoo (Idsu), Yamasiro, Ise; Misumi (Nagato); Sikok: Tosa; Kiusiu: Mt. Kirisima (Hiuga).

Arundinaria linearis, Hack. B. H. B. (1899) 721.

Nom. Jap. *Ryukyu-chikū.* リウキウチク

Hab. Liukiu: Kuntsian.

Arundinaria marmorea, Mak. T. B. M. (1900) 63.

syn. *Bambusa marmorea,* Mitf.; Satow, Trans. Asiat. Soc. Jap. XXVII. part. III. 54.

Arundinaria Matsumuræ, Hack. B. H. B. (1899) 716; (1904) 525.

Nom. Jap. *Kan-chiku.* カンチク

Hab. Nippon: Hitatsi, Musasi, Suruga, Oomi; Sikok: Tok-sima (Awa), Tosa; Kiusiu: Hitoyosi (Higo).

var. **variegata,** Mak. T. B. M. (1900) 63.
Nom. Jap. *Chigo-kanchiku.* チゴカンチク
Hab. Nippon ; Tsusima.

Arundinaria Narihira, Mak. T. B. M. (1900) 63.
Nom. Jap. *Narihira-dake.* ナリヒラダケ
Hab. Nippon : Musasi, Oomi ; Sikok : Tosa.
form. **Yashadake,** Mak. T. B. M. (1900) 63.
Nom. Jap. *Yasha-dake.* ヤシヤダケ
Hab. Nippon : Musasi, Mino.

Arundinaria quadrangularis, Mak. T. B. M. (1895) 71 ; (1900) 63.
syn. *Bambusa quadrangularis,* Fenz.
Nom. Jap. *Shihō-chiku.* シハウチク
Shikaku-dake. シカクダケ
Hab. Nippon : Tokio (Musasi), cult.; Sikok : Tosa.

Arundinaria Simoni, Riv. Bamb. 286 ; Bean, Gard. Chron. XV. 301 ; Bot. Mag. (1890) t. 7146 ; Mitf. Bamb. Gard. 59 ; Mak. T. B. M. (1900) 62, 95.
syn. *Bambusa Simoni,* Carr.; Nichols.
Arundinaria Fortunei, Fenz. Gard. Chron. (1876) 773.
A. vaginata, Hack. B. H. B. (1899) 717.
A. brachyclada, Hack.
A. japonica, Matsum. S. M. 32 ; Satow, Trans. Asiat. Soc. Jap. XXVII. (1899) part III. 43, non S. Z.
Bambusa Metake, Zoll. Syst. Verz. I. (1854) 57.
Nom. Jap. *Me-dake.* メダケ
Onago-dake. ヲナゴダケ
Nayo-dake. ナヨダケ
Nayu-dake. ナユダケ
Mikawa-dake. ミカハダケ
Hikkan-chiku. ヒツカンチク
Aki-dake. アキダケ
Kawa-take. カハタケ
Niga-dake. ニガダケ
Hab. Nippon : Hitatsi, Sagami, Awa, Musasi ; Sikok : Tosa ; Tsusima.
var. **argenteo-striata,** Mak. T. B. M. (1900) 62, 100.
Nom. Jap. *Shima-medake.* シマメダケ
Hab. Nippon : Owari, Mino ; Sikok : Tosa.
var. **Chino,** Mak. T. B. M. (1900) 62, 98.

syn. *Bambusa Chino*, F. S. II. 183, 607.

B. Laydekeri, Hort.; Satow, Trans. Asiat. Soc. XXVII. 47.

Arundinaria Laydekeri, Bean, Gard. Chron. XV. 368.

Nom. Jap. *Hakone-dake.* ハコ子ダケ

Hab. Nippon: Hitatsi, Iwasiro, Musasi, Sagami, Idsu, Suruga.

var. **variegata**, Hk. f. Bot. Mag. t. 7146; Mak. T. B. M. (1900) 97.

syn. *Arundinaria Simoni*, *v. albo-striata*, Bean, Gard. Chron. XV. 301.

A. Simoni, *v. striata*, Mitf.

Bambusa plicata, Hort.

B. Maximowiczii, Hort.

Arundinaria Simonii, Hack. B. H. B. (1899) 716, non. Riv.

Nom. Jap. *Tsuushi-chiku.* ツウシチク

Hab. Nippon: Tokio (Musasi), cult.; Sikok: Tosa.

Arundinaria Tootsik, Mak. T. B. M. (1900) 63.

Nom. Jap. *Tō-chiku.* タウチク

Hab. Nippon: Tokio (Musasi), Oomi, Yamasiro; Sikok: Tosa, cult.

Arundinaria variabilis, Mak. *var.* **Akebono**, Mak. T. B. M. (1900) 63.

Nom. Jap. *Akebono-zasa.* アケボノザサ

Hab. Nippon: Mino.

form. **foliis glabris**, Mak. T. B. M. (1900) 62.

Nom. Jap. *Ne-zasa.* 子ザサ

Hab. Nippon: Mikawa, Tootoomi, Yamasiro.

form. **foliis pubescentibus** (sphalmate pubescentis), Mak. T. B. M. (1900) 62.

Nom. Jap. *Ke-nezasa.* ケ子ザサ

Hab. Nippon: Mikawa, Tootoomi, Yamasiro.

var. **pygmæa**, Mak. T. B. M. (1900) 63.

syn. *Bambusa pygmæa*, Miq. P. 174; F. S. II. 183; Riv. Bamb. 31.

Nom. Jap. *Oroshima-chiku.* オロシマチク

Hab. Tokio (Musasi), Yokoska (Sagami), cult.

var. **Tanakæ**, Mak. T. B. M. (1900) 63.

Nom. Jap. *Sudare-yoshi.* スダレヨシ

Hab. Sikok: Iyo; Kiusiu: Bungo.

var. **variegata**, Mak. T. B. M. (1900) 63.

syn. *Bambusa variegata,* Sieb.; Miq. P. 173; F. S. II. 183.

Nom. Jap. *Chigo-zasa.* チゴザサ

Hab. Nippon: Iwasiro, Tokio (Musasi), Yokoska (Sagami), cult., Mino, Yamasiro; Sikok: Tosa; Kiusiu: Nomonosaki (Hizen).

var. **viridi-striata,** Mak. T. B. M. (1900) 63.

Nom. Jap. *Kamuro-zasa.* カムロザサ

Hab. Nippon: Tokio (Musasi), cult., Mino.

Bambusa angulata, Munro, Monogr. 94; Riv. Bamb. 28: Henry, L. 109; Rendl. J. L. S. XXXVI. 445.

Nom. Jap.

Hab. Formosa.

Bambusa breviflora, Munro, Monogr. 96; Riv. Bamb. 28; Henry, L. 109; Rendl. J. L. S. XXXVI. 445.

Nom. Jap.

Hab. Formosa: Tamsui.

Bambusa Fauriei, Hack. B. H. B. (1904) 529.

Nom. Jap.

Hab. Formosa: Taipeh.

Bambusa nana, Roxb. Fl. Ind. II. 199; Munro, Monogr. 89; F. S. II. 606; Riv. Bamb. 27; Mak. T. B. M. (1900) 62; Rendl. J. L. S. XXXVI. 445.

syn. *Bambusa aurea,* Miq. P. 173; F. S. II. 183.

B. glauca, Lodd.

B. floribunda, Zoll. et Mor.; Steud. Glum. 330; Miq. Ann. II. 285; P. 173; F. S. II. 183.

B. cæsia, S. Z.

B. glaucescens, Sieb.

B. sterilis, Kurz.

Ischurochlaa floribunda, Büsc.

Arundinaria glaucescens, Beauv.

Nom. Jap. *Hōō-chiku.* ホウヲウチク

Hab. Nippon: Tootoomi, Yamasiro; Sikok: Tosa.

var. **normalis,** Mak. T. B. M. (1900) 62.

Nom. Jap. *Hōrai-chiku.* ホウライチク

Hab. Nippon: Suruga, Tootoomi; Sikok: Tosa.

form. **Alphonso Karri,** Mak. T. B. M. (1900) 62.

syn. *Bambusa Alphonso Karri,* F. M.; Satow, Trans. Asiat. Soc. XXVII. part III. 91.

Nom. Jap. *Suō-chiku.* スソウチク
Hab. Nippon: Mino, cult.; Sikok: Tosa.
form. **vittato-argentea,** Mak. T. B. M. (1900) 62.
Nom. Jap. *Hōshiō-chiku.* ホウシヨウチク
Hab. Nippon: Mino, Ise.

Bambusa Oldhami, Munro, Monogr. 109; Riv. Bamb. 29; Henry. L. 109; Hack. B. H. B. (1899) 725; (1904) 530; Rendl, J. L. S. XXXVI. 446.
Nom. Jap. 烏藥竹 (Nom. Formos.)
Hab. Formosa: Tamsui, Takow.

Bambusa Ridleyi, Gamble; Hack. B. H. B. (1904) 530.
Nom. Jap.
Hab. Formosa: Pachina.

Bambusa stenostachya, Hack. B. H. B. (1899) 725; (1904) 529.
Nom. Jap.
Hab. Formosa: Sintec, Taipeh.

Bambusa Tuldoides, Munro, Monogr. 93; Riv. Bamb. 28; Henry, L. 109; Rendl. J. L. S. XXXVI. 447.
syn. *B. Blumeana,* Hk. et Arn.
B. Tulda, Benth.
Nom. Jap.
Hab. Formosa: Tamsui.

Bambusa vulgaris, Schrad. *var.* **striata,** Gambl.; Rendl. J. L. S. XXXVI. 447; Mak. T. B. M. (1900) 62.
syn. *Bambusa striata,* Load.; Bot. Mag. t. 6079.
Nom. Jap. *Daisan-chiku.* ダイサンチク
Maateko-dake. マーテコダケ 綠竹 (Nom. Formos.)
Hab. Sikok: Tosa, cult.; Kiusiu: Tsikzen, Hizen; Liukiu: Okinawa, Yaeyama.

Dendrocalamus latiflorus, Munro, Monogr. 152; Riv. Bamb. 39; Henry, L. 109; Hack. B. H. B. (1904) 531; Rendl. J. L. S. XXXVI. 448.
syn. *Bambusa verticillata,* Benth.
Nom. Jap. *Ma-chiku.* マチク 麻竹 (Nom. Formos.)
Hab. Formosa: Takow, Bankinsing, Tooseikak, Sintek, Seitsilioo, Sappankioo.

Phyllostachys bambusoides, S. Z., Abh. Acad. Munch. (1843) III. 745; Miq. P. 172; F. S. II. 182, 605; Riv. Bamb. 19;

Hack. B. H. B. (1899) 718; Mak. T. B. M. (1900) 63; Hack. B. H. B. (1904) 529.

syn. *Bambusa reticulata,* Rupr. Bamb. (1839) 58.

B. bifolia, Sieb.

Phyllostachys megastachya, Steud. Bot. Zeit. (1846) 21; Glum. 339.

Ph. macrantha, S. Z. Flora, 34.

Ph. Quilioi, Riv. Bamb. 241; Mak. T. B. M. (1895) 73; Matsum. S. M. 214; Satow, Trans. Asiat. Soc. Jap. XXVII. Part III. 22.

Nom. Jap. *Ma-dake.* マダケ

Hab. Nippon; Sikok; Kiusiu; Tsusima; Formosa: Kelung.

var. **aurea,** Mak. T. B. M. (1900) 64.

syn. *Phyllostachys aurea,* Riv. Bamb. 262; Satow, Trans. Asiat. Soc. Jap. XXVII. Part III. 57.

Bambusa aurea, Hort.

Nom. Jap. *Hotei-chiku.* ホテイチク

Gozan-chiku. ゴザンチク

Hab. Nippon; Sikok; Kiusiu.

var. **Castillonis,** Mak. T. B. M. (1900) 63.

syn. *Bambusa Castillonis.*

Phyllostachys Castillonis, Mitf.; Satow, Trans. Asiat. Soc. Jap. XXVII. Part III. 87.

Bambusa striata, Lodd.

Nom. Jap. *Kimmei-chiku.* キンメイチク

Shima-dake. シマダケ

Hyon-chiku. ヒヨンチク

Hab. Nippon: Tokio (Musasi), Ise, Mino, cult.

form. **Kashirodake,** Mak. T. B. M. (1900) 63.

Nom. Jap. *Kashiro-dake.* カシロダケ

Hab. Kiusiu: Tsikgo.

var. **Marliacea,** Mak. T. B. M. (1900) 64.

syn. *Phyllostachys Marliacea,* Mitf.; Satow, Trans. Asiat. Soc. Jap. XXVII. Part III. 85.

Nom. Jap. *Shibo-chiku.* シボチク

Hab. Sikok: Awa; ins. Awadsi.

form. **Zitchiku,** Mak. T. B. M. (1900) 63.

Nom. Jap. *Jitchiku.* ジツチク

Hab. Nippon: Rikzen.

Phyllostachys Kumasaca, Munro, Monogr. 39; Matsum. S. M. 213; Riv. Bamb. 19; Mak. T. B. M. (1900) 63.

syn. *Bambusa Kumasasa,* Zoll.; Steud. Glum. 331; Miq. P. 174; F. S. II. 184.

B. ruscifolia, Sieb.; Satow, Trans. Asiat. Soc. Jap. XXVII. Part. III. 70.

B. viminalis, Hort.

Nom. Jap. *Bungo-zasa.* ブンゴザサ
Gomai-zasa. ゴマイザサ
Okame-zasa. オカメザサ
Kagura-zasa. カグラザサ

Hab. Nippon: Tokio (Musasi), Yokoska (Sagami), Kioto (Yamasiro), Miyano (Suwoo); Sikok: Tosa; Kiusiu; Tsusima.

Phyllostachys mitis, Riv. Bamb. 231; Matsum. S. M. 214; Mak. T. B. M. (1895) 73; (1900) 64; Satow, Trans. Asiat. Soc. Jap. XXVII. Part III. 35.

syn. *Bambusa mitis,* Poir.

B. edulis, Sieb.

Nom. Jap. *Mōsō-chiku.* マウサウチク

Hab. Nippon; Sikok; Kiusiu.

var. **heterocycla,** Mak. T. B. M. (1900) 64.

syn. *Phyllostachys heterocycla,* Matsum. S. M. 213: Satow, Trans. Asiat. Soc. Jap. XXVII. Part III. 59.

Bambusa heterocycla, Carr.

Nom. Jap. *Kikkō-chiku.* キツカウチク

Hab. Nippon.

Phyllostachys nidularia, Munro; Rendl. J. L. S. XXXVI. 442.

syn. *Ph. nigra,* Pilg. non Munro.

Nom. Jap.

Hab. Japonia.

Phyllostachys puberula, Munro; Mak. T. B. M. (1900) 64.

syn. *Ph. Henonis,* Mitf.; Satow, Trans. Asiat. Soc. Jap. XXVII. Part III. 40; Fairch. Jap. Bamb. (1903) 28.

Ph. Fauriei, Hack. B. H. B. (1899) 718; (1904) 525.

Ph. nigra, v. Henonis, Stapf.; Rendl. J. L. S. XXXVI. 443.

Nom. Jap.. *Ha-chiku.* ハチク
Chin-chiku チンチク

Hab. Nippon: Mt. Sjakaga-dake (Yamato), Iwakuni (Suwoo); Sikok; Kiusiu: Fukoka (Tsikzen).

form. **albo-variegata**, Mak. T. B. M. (1900) 64.

Nom. Jap. *Shima-hachiku.* シマハチク

Hab. Nippon: Mino.

var. **Boryana**, Mak. T. B. M. (1900) 64.

Nom. Jap. *Ummon-chiku.* ウンモンチク

Hab. Nippon: Oomi, Tamba.

var. **nigra**, Mak. T. B. M. (1900) 64.

syn. *Phyllostachys nigra*, Munro, Monogr. 38; F. S. II. 607; Riv. Bamb. 19, 255; Mak. T. B. M. (1895) 73; Satow, Trans. Asiat. Soc. Jap. XXVII. Part III. 52.

Arundarbor nigra, Rumph.

Bambusa nigra, Lodd.

B. puberula, Miq. P. 173; F. S. II. 184.

Arundinaria stolonifera, Kurz.

A. diversifolia, Kurz.

Bambusa nigricans, Hort.

Nom. Jap. *Kuro-chiku.* クロチク

Hab. Nippon: Sagami, Yamasiro, Settsu, Oomi, Mino.

form. **nigro-punctata**, Mak. T. B. M. (1900) 64.

syn. *Phyllostachys nigra, v. punctata*, Mak. T. B. M. (1895) 73.

Nom. Jap. *Goma-dake.* ゴマダケ

Hab. Nippon: Tokio (Musasi).

Sasa albo-marginata, Mak. et Shib. T. B. M. (1901) 25.

syn. *Arundinaria albo-marginata*, Mak. T. B. M. (1903) 30.

Phyllostachys bambusoides, v. albo-marginata, Miq. P. 172; Miq. Cat. 114.

Bambusa senanensis, v. albomarginata, F. S. II. 606; Hack. B. H. B. VII. (1899) 720.

B. albomarginata, Mak. T. B. M. (1900) 62.

B. Veitchii, Carr.; Wats. Gard. Chron. (1888) 332; Kew Bull. (1889) 79: Wien. Ill. Gart. Zeit. (1888) 161; Satow, Trans. Asiat. Soc. Jap. XXVII. Part III. 63.

Arundinaria Veitchii, B. Br. Gard. Chron. (1889) 521; Bean, Gard. Chron. (1894) 209, 301; Mitf. Bamb. Gard. 77.

Nom. Jap. *Kuma-zasa.* クマザサ

Yakiba-zasa. ヤキバザサ

Hab. Nippon : Musasi, Ooomi ; Sikok ; Tsusima.

form. **minor,** Mak. T. B. M. (1900) 32.

syn. *Bambusa albomarginata, f. minor,* Mak.

Nom. Jap. *Ko-kumazasa.* コクマザサ

Hab. Nippon : Musasi, Mino, Hitatsi.

Sasa borealis, Mak. et Shib. T. B. M. (1901) 24.

syn. *Bambusa borealis,* Hack. B. H. B. (1899) 720.
Arundinaria purpurascens, Hack. B. H. B. (1899) 716.
A. borealis, Mak. T. B. M. (1900) 20.
Bambusa purpurascens, Mak. T. B. M. (1900) 62.
B. senanensis, Hort.

Nom. Jap. *Suzu-dake.* スズダケ

Hab. Yezo ; Nippon : Riktsiu, Hitatsi, Musasi, Mikawa ; Sikok : Tosa ; Kiusiu : Higo.

Sasa chartacea, Mak. et Shib. T. B. M. (1901) 27.

syn. *Arundinacea chartacea,* Mak. T. B. M. (1900) 55.

Nom. Jap. *Oh-kumazasa.* オホクマザサ

Hab. Nippon.

Sasa kurilensis, Mak. et Shib. T. B. M. (1901) 27.

syn. *Arundinaria kurilensis,* Rupr.; Mak. T. B. M. (1900) 65.
Bambusa kurilensis, Miyab. Fl. Kuril. 271 ; Mak. T. B. M. (1900) 64.

Nom. Jap. *Chishima-zasa.* チシマザサ

Hab. Kurile : Urup ; Nippon : Mutsu, Hida.

Sasa paniculata, Mak. et Shib. T. B. M. (1901) 25.

syn. *Arundinaria kurilensis, v. paniculata,* Fr. Schm. Fl. Sachal. 198.
Bambusa paniculata, Mak. T. B. M. (1900) 51, 62.
B. senanensis, F. S. II. 182, 606 ; Hack. B. H. B. (1899) 719.
B. palmata, Marl.; Mak. T. B. M. (1900) 61.
Arundinaria palmata, Bean.
Bambusa tessellata, Mak. T. B. M. (1895) 73, non Munro.

Nom. Jap. *Nemagari-dake.* ネマガリダケ
Chimaki-zasa. チマキザサ

Hab. Yezo : Siribesi, Kitami, Isikari ; Nippon : Riktsiu, Uzen, Iwasiro, Yetsigo, Simotsuke, Mt. Ontake (Sinano), Kaga, Oomi ; Sikok : Tosa.

form. **nebulosa,** Mak. T. B. M. (1900) 52.
syn. *Bambusa palmata, f. nebulosa,* Mak. T. B. M. (1900) 61.
Nom. Jap. *Shakotan-chiku.* シャコタンチク
Shakohan-chiku. シャコハンチク
Hab. Yezo.
var. **stenantha,** Mak. T. B. M. (1900) 52.
syn. *Bambusa stenantha,* Mak. T. B. M. (1900) 62.
Nom. Jap. *Me-kumazasa.* メクマザサ
Hab. Nippon: Iwasiro.
var. **nana,** Mak. T. B. M. (1900) 53.
syn. *Arundinara nana,* Hack.
Nom. Jap. *Miyama-zasa.* ミヤマザサ
Hab. Nippon: Yettsiu, Sinano, Simotsuke.

Sasa nipponica, Mak. et Shib. T. B. M. (1901) 24.
syn. *Bambusa nipponica,* Mak. T. B. M. (1895) 72; (1900) 23, 62.
Arundinaria dimorpha, Hack.
Nom. Jap. *Miyako-zasa.* ミヤコザサ
Hab. Nippon: Hitatsi, Awa, Oomi, Yamasiro; Sikok: Iyo; Kiusiu: Higo.

Sasa ramosa, Mak. et Shib. T. B. M. (1900) 24.
syn. *Bambusa ramosa,* Mak. T. B. M. (1900) 62.
Arundinaria ramosa, Mak. T. B. M. (1900) 22.
Nom. Jap. *Azuma-zasa.* アヅマザサ
Hab. Nippon: Iwasiro, Hitatsi, Musasi.

Sasa tessellata, Mak. et Shib. T. B. M. (1901) 27.
syn. *Bambusa tessellata,* Munro, Monogr. 110.
B. reticulata, v. macrophylla, Rupr.
Arundinaria tessellata, Bean.
A. Maximowiczii, Hort.
Nom. Jap.
Hab.

Cyperaceæ.

(*Kayatsuri-gusa no tagui.*)

Bulbostylis barbata, Kunth; Mak. T. B. M. (1895) 390; H. L. 105; Clk. J. L. S. XXXVI. 247; Clk. Bull. Acad. Intern. Geogr. B. (1904) 199.

syn. *Scirpus barbatus,* Rottb.; Boeck. Linn. XXXVI. 751.
S. capillaris, L.
Isolepis barbata, R. Br.; Miq. P. 75; F. S. II. 115.
I. capillaris, Deb. non Roem. et Sch.
Fimbristylis barbata, Benth.; Henry, L. 105.

Nom. Jap. *Hata-gaya.* ハタガヤ

Hab. Nippon: Itsinomiya (Kadsusa), Hiratsuka (Sagami), Sidsuoka (Suruga), Iwasa (Yettsiu), Atawa (Kii); Sikok: Kootsi, Sakawa (Tosa); Kiusiu: Tsikzen; Kagosima, Liukiu: Hanedsi; Formosa: Takow, Tamsui.

Bulbostylis capillaris, Kunth. *var.* **capitata,** Mak. T. B. M. (1895) 390; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 199; Mak. T. B. M. (1904) 54.

syn. *Isolepis capillaris, v. capitata,* Miq. P. 75; F. S. II. 116.

Nom. Jap. *Ito-tentsuki.* イトテンツキ

Hab. Nippon: Hakone (Suruga), Uyeno (Oomi), Togaksi (Sinano); Sikok: Iburi (Tosa); Kiusiu: Iwawayama (Hizen).

var. **trifida,** Clark.; Mak. T. B. M. (1895) 390.

syn. *Isolepis trifida,* Nees.
I. capillaris, Roem. et Sch., *v. trifida,* Miq. P. 75; F. S. II. 116.
Fimbristylis capillacea, Hochst. *v. japonica,* Miq. Ann. II. 45; Miq. P. 120; F. S. II. 120.
Isolepis capillaris, v. trifida, Miq. Ann. II. 143,

Nom. Jap. *Ito-hanabi-tentsuki.* イトハナビテンツキ

Hab. Nippon: Nikko (Simotsuke), Hakone (Sagami); Kiusiu: Iwayayama (Hizen); Sikok: Simonokae (Tosa); Tsusima.

Bulbostylis japonica, Clk.

Nom. Jap. *Kuro-hatagaya.* クロハタガヤ

Hab. Liukiu: ins. Yaeyama.

Carex acrogyna, Lev. et Vnt. Bull. Acad. Intern. Geogr. Bot. X. (1901) 201.

Nom. Jap.

Hab. Yezo: ins. Riisiri; Nippon: Tsu; Nara.

Carex acuta, L.; Fr. Carex As. Or. 127.

Nom. Jap.

Hab. Yezo: Yesan (Osima).

Carex akanensis, Fr. Bull. Soc. phil. VII. 51; Carex As. Or. 83.

Nom. Jap.

Hab. Yezo: Akan (Kusiro).

Carex alta, Boot. Carex I. 59, t. 153; *var.* **Rochebruni,** Clk. J. L. S. XXXVI. 272; Fr. Carex As. Or. 236; Lev. et Vnt. Bull. Acad. Intern. Geogr. Bot. X. (1901) 125; (1903) 504.

syn. *C. Rochebruni,* F. S. II. 126, 555.

Nom. Jap.

Hab. Nippon: Matsusima (Mutsu); Tokio; Fudsisan; Tsitsibu; Tsusima.

var. **brevior,** Lev. et Vnt. l.c. 126.

Hab. Nippon: Yokoska.

Carex angustisquama, Fr. Bull. Soc. phil. VII. 39; Carex As. Or. 152; Lev. et Vnt. Bull. Acad. Intern. Geogr. Bot. X. (1901) 225.

Nom. Jap. *Yama-tanukilan.* ヤマタヌキラン

Hab. Yezo; Nippon: Osoresan (Mutsu), Gandjusan (Riktsiu), Bandaisan, Aidsu (Iwasiro), Tsurugisan.

Carex aomorensis, Fr. Carex As. Or. 198.

syn. *C. capillacea, v. macrocephala,* Fr.

Nom. Jap. *Michinoku-harisuge.* ミチノクハリスゲ

Hab. Yezo: Kunasiri; Tarumae (Iburi), Kusiro, Yesan, Fukyama (Osima), Sibetsja; Nippon: Aomori.

Carex aperta, Boot. Carex IV. 132, t. 426; Fr. Carex As. Or. 125.

syn. *C. vulgaris,* Max. Fl. Amur. 314.

C. Maximowiczii, Fr. Schm. Reis. Amur. 71, non Boeck. *var.* *β.* Boot.

Nom. Jap.

Hab. Yezo: Mombetz (Kitami), Nemuro.

Carex aphyllos, Kuek.

Nom. Jap. *Tateyama-suge.* タテヤマスゲ

Hab. Nippon: Tateyama (Yettsiu), Simidzu-tooge (Yetsigo).

Carex arenicola, Fr. Schm. Reis. Amur. 191, t. 6, f. 18-24; Fr. Carex As. Or. 221; Lev. et Vnt. Bull. Geogr. Bot. X. (1901) 107; Clk. J. L. S. XXXVI. 272.

syn. *C. curaica,* F. S. II. 124, non Kunth.

C. chætorhiza, F. S. II. 552, (excl. *C. chordorrhiza, v. major,* Boeck. Linn. XXXIX. 54.)

C. muricata, Boott.

Nom. Jap. *Kuro-kawazu-suge.* クロカハズスゲ

Hab. Yezo: Toobuto (Nemuro), Erimo-saki (Hidaka), Tomakomai (Iburi), Hakodate, (Osima); Nippon: Aomori, Akita (Ugo), Sendai (Riktsiu), Tsutsiura (Hitatsi), Itsinomiya (Kadsusa), Tokio, Todanohara (Musasi), Yokoska, Kamakra, Hamadera (Idzumi), Nara (Yamato).

Carex argyrostachys, Lev. et Vnt Bull. Geogr. Bot. X. (1902) 27.

Nom. Jap.

Hab. Japonia.

Carex aristata, R. Br.; Boot. Carex I. 22, 58, t. 59; Fr. Carex As. Or. 82; *var.* **orthostachys,** Clk. J. L. S. XXXVI. 272.

syn. *C. trichocarpa, v. orthostachys,* Kuek.

C. orthostachys, Mey.

C. amurensis, Koek.

C. drymophila, Turcz.

C. aristata, Boott. exp.

Hab. Yezo: Noboribetz (Iburi).

Carex Arnelli, Christ.

Nom. Jap. *Aizu-suge.* アヒヅスゲ

Hab. Nippon: Aidsu (Iwasiro).

Carex arrhyncha, Fr. Bull. Soc. phil. VII. 30; Carex As. Or. 228.

Nom. Jap. *Hari-tamasuge.* ハリタマスゲ

Hab. Yezo: Akkesi (Kusiro).

Carex Augustinowiczii, Meinsh.

Nom. Jap. *Hiragishi-suge.* ヒラギシスゲ

Hab. Yezo: Hiragisi prope Sapporo.

Carex auriculata, Fr. Bull. Soc. phil. X. 106; Carex As. Or. 199; Lev. et Vnt. Bull. Soc. Geogr. Bot. (1903) 505.

Nom. Jap.

Hab. Yezo: lacu Tooya (Iburi).

Carex baccans, Nees; Clark. Fl. Br. Ind. VI. 722; Henry, L. 106; Clk. J. L. S. XXXVI. 274.

syn. *C. curvirostris,* Kze.

C. recurvirostris, Steud. Cyp. 207.

Nom. Jap. *Hiebo-suge.* ヒエボスゲ

Hab. Formosa: Tamsui, Suiteilioo.

Carex bidentula, Fr. Bull. Soc. phil. VII. 41; Carex As. Or. 132; Clk. J. L. S. XXXVI. 275.

Nom. Jap. *Ezo-azesuge.* エゾアゼスゲ
Hab. Yezo: Mombetz, Sjari (Kitami), lacu Tooya, Soobetz, Tarumai (Iburi), Otaru, Sjakotan (Siribesi), Mori (Osima), Sapporo (Isikari).

Carex blepharicarpa, Fr. Bull. Soc. phil. VII. 46; Carex As. Or. 171; Lev. et Vnt. Bull. Geogr. Bot. X. (1901) 272.
syn. *C. polyrrhiza,* Ring. et Rodg. non Wall.
Nom. Jap. *Shojō-suge.* シヤウジヤウスゲ
Hab. Yezo: Mombetz, Sjari, ins. Rebunsiri (Kitami), Sjakotan, Otaru (Siribesi), Morolan (Iburi), Sapporo (Isikari), Fukyama, Hakodate (Osima), Iwanobori ( ); Nippon: Hakkoodasan, Kanita, Kuroisi, Mt. Iwagisan (Mutsu), Akita, Mt. Tsiookaisan (Ugo), Hirosaki (Rikzen), Mt. Tsukba (Hitatsi), Mt. Tateyama (Yettsiu), Mt. Yudonosan, Mt. Gassan (Uzen), Mt. Komagatake (Yetsigo), Mt. Haksan (Kaga), Mt. Togaksi (Sinano), Mt. Ibuki (Oomi), Tsutsimaru (Idzumi).

Carex Boottiana, Hook.; Clk. J. L. S. XXXVI. 275.
syn. *C. Bongardi,* Boott. Carex IV. 160, t. 531.
C. wahuensis, Boott. Carex, t. 351.
C. wahuensis, v. Bongardi, F. S. II. 563; Mak. T. B. M. (1896) 320.
C. wahuensis, v. Meyeri, F. S. II. 563; Mak. T. B. M. (1896) 320.
Nom. Jap. *Iso-suge.* イソスゲ
Hab. Nippon: Misaki, Yokoska (Sagami), Sigedera, Takasima, Okinosima, Sisisima, Simoda (Idsu), Boosiu; Kiusiu: Nagasaki (Hizen); Bonin; Liukiu.
var. **bracteosa,** Clk. J. L. S. XXXVI. 275.
syn. *C. wahuensis, v. angustior,* Kuek.
Hab. Liukiu: Onnah (Okinawa).

Carex bostrychostigma, Max. M. B. XII. 568; Fr. Carex As. Or. 58; Lev. et Vnt. Bull. Geogr. Bot. XI. (1902) 107.
Nom. Jap.
Hab. Kiusiu: Mt. Asosan (Higo), Mt. Sobosan (Bungo).

Carex brachysandra, Fr. Bull. Soc. phil. VII. 40; Carex As. Or. 130, t. 9. f. 1.
Nom. Jap.

Hab. Yezo : Tomakomai (Iburi).

Carex breviculmis, R. Br.; Kunth, Enum. II. 522; Miq. P. 357; Boot. Carex IV. 181; F. S. II. 136, 138; Boeck. Linn. XLI. 209; Fr. Carex As. Or. 192; Clk. J. L. S. XXXIV. 136; Mak. T. B. M. (1896) 319; Lev. et Vnt. Bull. Geogr. Bot. (1902) 28; (1903) 505.

syn. *C. Royleana,* Nees; Kunth, Enum. II. 441; A. Gr. Bot. Jap. 417; Boot. Carex, I. 6, t. 19; F. S. II. 138.

C. leucochlora, Bunge Enum. 142; Miq. P. 81, 357.

C. Langsdorfii, Boot.

C. puberula, Boot. Perr. Exped. 234; Miq. P. 80, 143.

C. eggytera, Steud. Cyp. 220.

C. breviculmis, v. leucochlora, Mak. T. B. M. (1896) 320.

C. breviculmis, v. puberula, Mak. T. B. M. (1896) 320.

C. discoidea, Boot.; A. Gr. Bot. Jap. 419.

C. filiculmis, F. S. II. 137.

C. aphanandra, F. S. II. 137, 564.

var. **Royleana,** Kuek.

Nom. Jap. Aosuge. アヲスゲ

Hab. Yezo : Sapporo; Nippon : Nikko (Simotsuke), Tsitsibu, Tokio (Musasi), ins. Hatsidjioo (Idzu), Usuitooge (Koodsuke), Niigata (Yetsigo), Tsu (Ise), Nunobikiyama (Settsu), Hamadera (Idzumi), Suwoo, Kooyasan (Kii); Sikok : Kamomioo (Awa), Kiusiu : Mt. Inugatake (Buzen); Tsusima.

form. **Wardiana,** Lev. et Vnt.

syn. *Carex breviculmis, v. discoidea,* Boot. Carex, IV. 181; Mak. T. B. M. (1896) 320.

Nom. Jap. Hime-aosuge. ヒメアヲスゲ

Hab. Liukiu.

form. **aphanandra,** Kuek.

Nom. Jap.

Hab. Yakunosima.

form. **fibrillosa,** Kuek.

syn. *Carex fibrillosa,* F. S. II. 137, 139, 564.

Nom. Jap. Suna-suge. スナスゲ

Hab. Nippon : Itsinomiya (Kadsusa), Kamakra (Sagami); Liukiu.

Carex Brownii, Tuck.; Boot. Carex, IV. 161, t. 532; F. S. II. 578; Fr. Carex, As. Or. 49; Clk. J. L. S. XXXVI. 277.

syn. *C. striata*, R. Br. non Michx.
C. rigens, Boot.; A. Gr. Bot. Jap. 419; Miq. P. 357; F. S. II. 149.
C. bulbosa, Boot.
C. transversa, Boot.; A. Gr. Bot. Jap. 324, non Miq.; F. S. II. 149; Fr. Carex, As. Or. 48, Vol. X. t. 3. f. 149; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 104; (1903) 505; Clk. J. L. S. XXXVI. 314.

var. **transversa,** Kuek.

Nom. Jap. *Awabo-suge.* アハボスゲ
Yawara-suge. ヤハラスゲ

Hab. Yezo: Hakodate (Osima); Nippon: Aomori, Gongensaki (Mutsu), Tsutsiura (Hitatsi), Tokio, Yokohama (Musasi), Sidzuoka (Suruga), Yokoska (Sagami); Sikok: Toksima (Awa); Kiusiu: Wakasugiyama (Tsikzen), Nagasaki (Hizen); Tsusima; Liukiu, Ohsima.

Carex brunnea, Th. Fl. Jap. 38; Miq. P. 79, 143; F. S. II. 125; Clk. Fl. Br. Ind. VI. 705; Clk. J. L. S. XXXIV. 109; Henry, L. 106; Fr. Carex, As. Or. 241; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 186; (1903) 504; Clk. J. L. S. XXXVI. 278.

syn. *C. ischnantha*, Steud. Cyp. 204.
C. gracilis, Br.; Boot. Carex, I. 59, t. 154, 155, 156.
C. flexilis, Don, non Rudge.
C. lenta, Don.; Kunth, Enum. II. 418.
C. nepalensis, Clark. non Spr.
C. lachnosperma, Wall.
C. Commersoniana, Kunth.
C. Fabri, Hance.

Nom. Jap. *Nakiri-suge.* ナキリスゲ

Hab. Nippon: Tokio, Yokohama, Mt. Takaosan (Musasi), Sendai (Rikzen), Tsutsiura (Hitatsi), Kadsusa, Simoosa, Boosiu, Suwoo; Mayasan (Settsu); Sikok: Matsuyama (Iyo); Kiusiu: Tsikzen, Kirisima (Hiuga), Nagasaki (Hizen); Tsusima; Bonin; Liukiu: Yakunosima; Formosa: Kelung, Takow, Tamsui, Ape's Hill, Pachina.

Carex brunnescens, Poir. Lam. Encycl. Suppl. III. 286; *var.* **gracilis,** Kuek.

syn. *C. curta, v. brunnescens*, Pers.
C. canescens, v. alpicola, Wahl.
Nom. Jap. *Hime-kawazusuge.* ヒメカハズスゲ
Hab. Nippon: Nikko-Yumoto (Simotsuke).

Carex Candolleana, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 373.
Nom. Jap.
Hab. Nippon: Nara (Yamato).
var. **pubescens**, Lev. l.c.
Hab. Kiusiu: Itsibusa (Hiuga).
var. **longebracteata**, Lev. l.c.
Hab. Sikok: Mt. Tsurugisan (Iyo).

Carex canescens, L.; Boot. Carex, IV. 134, t. 496; Fr. Bull. Soc. phil. VII. 30; Fr. Carex, As. Or. 226.
Nom. Jap. *Hakusan-suge.* ハクサンスゲ
Hab. Yezo: Yurap, Iwanobori, Kusiro, Tsitose, Tomakomai, lacu Tooya (Iburi), Erimo-saki (Hidaka); Nippon: Mt. Haksan (Kaga).

Carex capricornis, Meinsh.; Max. M. B. XII. 569; Fr. Carex, As. Or. 79.
Nom. Jap.
Hab. Yezo: Kusiro, Abasiri (Kitami).
var. **capitata**, Max. M. B. XII. 571; Mak. T. B. M. (1898) 14.
Nom. Jap. *Jōrō-suge.* ヂヤウラウスゲ
Hab. Nippon: Tsutsiura (Hitatsi), Mama (Simoosa), Kai.

Carex cardioglochis, Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 31.
Nom. Jap.
Hab. Kiusiu: Kudjiusan (Bungo).

Carex caryophyllea, Latour, *subsp.* **nervata**, Kuek.
syn. *C. nervata*, F. S. II. 141, 566.
Nom. Jap. *Shiba-suge.* シバスゲ
Hab. Nippon: Tokio, Katayama (Musasi), Hakone (Sagami).

Carex caulorrhiza, Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 179.
Nom. Jap.
Hab. Yezo: ins. Riisiri (Kitami).

Carex cernua, Boot. Carex, IV. 171, t. 578; Clk. Fl. Br. Ind. VI. 708; Clk. J. L. S. XXXIV. 111; XXXVI. 279.

Nom. Jap. *Aze-naruko-suge.* アゼナルコスゲ

Hab. Yezo: Iwanai, Otaru (Siribesi), Soobetz, lacu Tooya (Iburi), Yesasi (Kitami), Sooyamisaki (Kitami), Fukyama (Osima), Sapporo (Isikari); Nippon: Mt. Osoresan (Mutsu), Aomori, Sitsinohe, Sioonai (Uzen), Hitatsi, Tokio, Todanohara (Musasi), Simidsu-tooge (Yetsigo), Bittsiu; Sikok; Goto; Tsusima.

var. **oligostachys,** Lev. et Vnt. l.c.

var. **lasiorrhiza,** Lev. et Vnt. l.c.

Carex cespitosa, L.; Boot. Carex, I. 23, t. 62; Fr. Carex, As. Or. 172; Clk. J. L. S. XXXVI. 278.

Nom. Jap.

Hab. Yezo: Kusiro, Tomakomai (Iburi), Sooya-misaki (Kitami), Nemuro; Nippon: Sendai (Rikzen).

Carex chrysolepis, F. S. II. 144; Fr. Carex, As. Or. 184; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 278.

Nom. Jap.

Hab. Sikok: Mt. Tsurugisan (Iyo); Kiusiu: Mt. Kirisima(Hiuga).

Carex ciliolata, Fr. Bull. Soc. phil. VII. 38; Fr. Carex, As. Or. 145.

Nom. Jap.

Hab. Yezo: Asariyama (Siribesi).

Carex cincta, Franch.

Nom. Jap. *Hime-gōso.* ヒメガウソ

Hab. Nippon: Tokio (Musasi), Suwoo; Nikko (Simotsuke).

Carex cinerascens, Kuek. B. H. B. (1902) 1017.

Nom. Jap.

Hab. Nippon: Sendai (Rikzen).

Carex conica, Boot.; A. Gr. Pl. Jap. 325; Boeck. Linn. XL. 451; F. S. II. 143; Fr. Carex, As. Or. 169; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 269; Clk. J. L. S. XXXVI. 280.

Nom. Jap. *Hime-kansuge.* ヒメカンスゲ

Hab. Yezo: lacu Tooya, Morolan (Iburi), Iwanai (Siribesi), Hakodate, Mori, Todohakke (Osima), Sapporo (Isikari); Nippon: Kominato, Aomori, Sitsinohe, Sannohe (Mutsu), Gan-

djusan (Riktsiu), Hirosaki (Rikzen), Sirake, Mizonokutsi, Ikegami, Kokbundji (Musasi), Yokoska (Sagami), ins. Ohsima, Mt. Amagi, Siuzendji (Idzu), Tabi, Awasima, Sidzuoka (Suruga), Mt. Togaksi (Sinano), Nunobiki (Settsu), Tsuruga (Yetsizen); Tsusima.

var. **rubens,** Kuek.

Nom. Jap. Beni-kansuge. ベニカンスゲ

Hab. Nippon: Mt. Tsukba (Hitatsi).

Carex cruciata, Wahlenb.; Clk. J. L. S. XXXVI. 281.

syn. *C. benghalensis,* Roxb.

C. valida, Nees.

C. indica, Munro.

C. stramentitia, Franch, non Boott.

Hab. Formosa: Kelung, Bankinsing.

Carex cryptocarpa, Mey.; Boot. Carex, I. 64, t. 171; Fr. Carex, As. Or. 126; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 217; (1903) 504.

syn. *C. latiscuspis,* Fr. Bull. Soc. phil. VII. 38.

Nom. Jap. Yarame-suge. ヤラメスゲ

Hab. Kurlie: Etorf; Yezo: Kunasiri, ins. Rebunsiri, Mombetz, Sjari, Abasiri-gawa, Sooya-misaki (Kitami), Tomakomai, Tsitose, Morolan, Wasibetz (Iburi), Nemuro, Kusiro, Sapporo (Isikari); Nippon: Mt. Gassan (Uzen), Mt. Tateyama (Yettsiu); Tsusima.

Carex curaica, Kunth.

Nom. Jap. Hosoba-no-kurokawazusuge. ホソバノクロカハズスゲ

Hab. Nippon: Todanohara (Musasi).

Carex curvicollis, F. S. II. 580; Fr. Carex, As. Or. 72, X. t. 8. f. 1; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1902) 175.

Nom. Jap. Yama-naruko. ヤマナルコ

Hab. Yezo: Yesasi (Kitami), Iwanai, Sjakotan-dake (Siribesi), Morolan, lacu Tooya (Iburi), Hakodate, Mori, Yesan-saki (Osima), Sapporo (Isikari); Nippon: Aomori, Sitsinohe, Hirosaki, Sambongi (Rikzen), Akita (Ugo), Rokdjiurigoye (Uzen), Mt. Adsuma (Iwasiro), Nikko (Simotsuke), Tsitsibu, Aume, Mitake (Musasi), Togaksi (Sinano), Siuzendji (Idzu).

Carex diandra, Schrank; Fr. Carex, As. Or. 217.
syn. *C. teretiuscula,* Good.; Boot. Carex, IV. 145, t. 446.
Nom. Jap.
Hab. Kurile: Kunasiri; Yezo: Kiritap (Kusiro), Mori (Osima), Morolan (Iburi).

Carex Dickinsii, F. S. II. 153, 581; Fr. Carex, As. Or. 80; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 177; Clk. J. L. S. XXXVI. 282.
syn. *C. retrorsa,* Max. non Schw.
C. retrorsa, v. minor, Boot.
Nom. Jap. *Oni-suge.* オニスゲ
Mikuri-suge. ミクリスゲ
Hab. Nippon: ad pedem montis Gandjusan (Riktsiu), Sirakawa (Iwaki), Nikko (Simotsuke), Wada, Tokio, Yokohama (Musasi), Mama (Simoosa), Hakone (Sagami); Kiusiu: Nisidake (Hiuga).

Carex dicuspis, Fr. Bull. Soc. phil. VII. 42; Fr. Carex, As. Or. 140; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 222.
Nom. Jap.
Hab. Yezo: ins. Rebunsiri (Kitami), Nippon: Mt. Tsiookaisan (Ugo), Sioonai (Uzen).

Carex discolor, Boeck. Engl. Jahrb. V. (1884) 519.
Nom. Jap.
Hab. Japonia.

Carex dispalata, Boot.; A. Gr. Pl. Jap. 325; Fr. Schm. Reis. Amur. 196, t. 7, f. 6-10; F. S. II. 151; Fr. Carex, As. Or. 74; Clk. J. L. S. XXXVI. 283.
syn. *C. marginaria,* Franch. Bull. Soc. phil. VII. 40; Carex, As. Or. 133.
Hab. Yezo: ins. Rebunsiri, Sooya-misaki (Kitami), Akan (Kusiro), Yubetz, Noboribetz, lacu Tooya, Tomakomai (Iburi), Soratsi, Sapporo (Isikari), Otaru, Iwoozan (Siribesi), Hakodate (Osima); Nippon: Aomori, Sitsinohe (Mutsu), Sendai, Matsusima (Rikzen), Hayatsinesan (Riktsiu), Tokio (Musasi), Kami-kanuki (Suruga), Tootoomi, Tottori (Inaba); Sikok.

Carex disticha, Huds.
Nom. Jap. *Asama-suge.* アサマスゲ

Hab. Nippon: Mt. Asama (Sinano).

Carex distichoidea, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 108.

Nom. Jap.

Hab. Yezo: Asariyama (Siribesi).

Carex Doenitzii, Boeck.

syn. *C. plocamostyla*, Max. M. B. XII. 565; Fr. Carex, As. Or. 140; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 220.

Nom. Jap. *Ko-tanukilan.* コタヌキラン

Hab. Nippon: Mt. Hakkoodasan (Mutsu), Mt. Hayatsinesan (Riktsiu), Mt. Gassan (Uzen), Mt. Tsiookaisan (Ugo), Nikko (Simotsuke), Hakone (Sagami), Miookoosan (Yetsigo), Fudsisan (Suruga); Sikok: Tsurugisan (Iyo).

var. **Okuboi**, Kuek.

syn. *C. Okuboi*, Fr. Bull. Soc. phil. VII. 43; Fr. Carex, As. Or. 141.

Nom. Jap. *Shima-tanukilan.* シマタヌキラン

Hab. Nippon: ins. Ohsima, ins. Miyake (Idzu).

Carex Duvaliana, F. S. II. 568; Fr. Carex, As. Or. 183; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 278.

syn. *C. villosa*, F. S. II. 142, 567, exp.

Nom. Jap. *Ke-suge.* ケスゲ

Hab. Nippon: Tokio, Yokohama, Mt. Takaosan (Musasi), Tabi, Sidzuoka (Suruga), Wasidzusan (Tootoomi).

var. **alterniflora**, Kuek.

syn. *Carex alterniflora*, Fr. Bull. Soc. phil. VII. 51; Carex, As. Or. 64, X. t. 6. f. 1.

Nom. Jap. *Tachi-kawasuge.* タチカハスゲ

Hab. Yezo: Tarumai (Iburi); Nippon: Sendai, Oginohama (Rikzen); Sikok: Tatsikawa (Tosa), Takigawa (Iyo).

form. **parviflora**, Kuek.

Nom. Jap. *Yama-kesuge.* ヤマケスゲ

Hab. Nippon: Mt. Sirane (Simotsuke).

Carex Engleriana, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 274.

Nom. Jap.

Hab. Yezo: Soratsi (Isikari); Nippon: Tokio (Musasi).

Carex Fauriei, Fr. Bull. Soc. phil. X. 105; Carex, As. Or. 197; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 30.

Nom. Jap. *Hiroba-suge.* ヒロバスゲ
Hab. Yezo: Iwanai, Otaru, Sjakotan (Siribesi), Sapporo (Isikari); Nippon: Aomori, Mt. Hakkoodasan, Kominato, Iwagisan (Mutsu), Sioonai (Uzen), Akita (Ugo), Tsuruga (Yetsizen), Niigata (Yetsigo).

Carex Fernaldiana, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 276.
Nom. Jap.
Hab. Nippon: Ibaraki (Hitatsi).

Carex filicina, Nees.; Hk. Fl. Br. Ind. VI. 717.
Nom. Jap. *Hanabi-suge.* ハナビスゲ
Hab. Formosa.

Carex filiformis, L.; Boot. Carex, I. 50, t. 132; F. S. II. 153; Fr. Carex, As. Or. 88.
Nom. Jap.
Hab. Kurile: ins. Kunasiri; Yezo: Tarumai, Adzuma, Tomakomai (Iburi), Kabato (Isikari), Kusiro, Nemuro; Yurap; Sibetsja (Tokatsi), Erimo-saki (Hidaka).
var. **occultans,** Fr. Carex, As. Or. 89.
Nom. Jap.
Hab. Yezo: Morolan (Iburi).

Carex filipes, F. S. II. 148, 576; Fr. Carex, As. Or. 68, X. t. 7, f. 2; Mak. T. B. M. (1891) 330; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 112; Clk. J. L. S. XXXVI. 285.
syn. *C. sparsinux,* Franch.
C. Rouyana, Fr. Bull. Soc. phil. VII. 51; Carex, As. Or. 67. X. t. 7, f. 1; Clk. J. L. S. XXXVI. 309.
Nom. Jap. *Tama-tsurisuge.* タマツリスゲ
Hab. Nippon: Tokio (Musasi), Mt. Oh-yama (Sagami), Mt. Fudsisan (Suruga); Sikok: Tosa, Mt. Tsurugisan (Iyo).

Carex flabellata, Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 111.
Nom. Jap.
Hab. Nippon: Aomori (Mutsu).

Carex flavocuspis, F. S. II. 574; Fr. Carex, As. Or. 143.
Nom. Jap. *Miyama-kurosuge.* ミヤマクロスゲ
Hab. Nippon: Mt. Tsookaisan (Ugo), Gandjusan (Riktsiu), Mt. Ontake (Sinano), Mt. Tateyama (Yettsiu).

Carex flectens, Boot. Carex, IV. 171, t. 581; Fr. Carex, As. Or. 42.
syn. *C. papulosa,* Boot.; A. Gr. Pl. Jap. 418; F. S. II. 147.

Nom. Jap.
Hab. Yezo: Hakodate (Osima).

Carex fluviatilis, Boot. Carex IV. 172, t. 582; Clk. Fl. Br. Ind. VI. 703; Clk. J. L. S. XXXIV. 108; Fr. Carex. As. Or. 213.
Nom. Jap.
Hab. Japonia.

Carex foliosissima, Fr. Carex, As. Or. 60, non Fr. Schm.; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 109.
Nom. Jap. *Miyama-kansuge.* ミヤマカンスゲ
Hab. Yezo: Yesasi (Kitami), Otaru (Siribesi), Hakodate, Mori, Nanaii, Mohidji (Osima); Nippon: Aomori, Mt. Hakkooda, Kominato (Mutsu), Mt. Gassan, Yamagata (Uzen), Akita (Ugo), Hirosaki (Rikzen), Siobara, Nikko (Simotsuke), Simidzu-tooge (Yetsigo), ins. Sado, Mt. Haksan (Kaga).

Carex forficula, F. S. II. 556; Fr. Carex, As. Or. 135; Mak. T. B. M. (1890) 229; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 218; Clk. J. L. S. XXXVI. 286.
syn. *C. notha*, Baker.
Nom. Jap. *Tanigawa-suge.* タニガハスゲ
Hab. Yezo: Kusiro, Tsitose, lacu Tooya, Wasibetz, Noboribetz (Iburi), Saruru, Yesasi (Kitami), Raidensan, Iwanai (Siribesi), Yesan, Hakodate (Osima); Nippon: Oginohama (Rikzen), Nikko, Siobara (Simotsuke), Siuzendji (Idzu), Suwoo, Kobe (Settsu); Sikok: Tosa; Kiusiu: Nagasaki (Hizen).
var. **espinulosa**, Kuek.
Nom. Jap. *Yama-azesuge.* ヤマアゼスゲ
Hab. Nippon: Hakone (Sagami).

Carex Franchetiana, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 268.
Nom. Jap.
Hab. Japonia austr.

Carex fulta, Fr. Carex, As. Or. 202, t. 3, f. 1.
Nom. Jap. *Nikkō-harisuge.* ニツクワウハリスゲ
Hab. Nippon: Nambu (Riktsiu), Siobara, Nikko (Simotsuke), Mt. Togaksi (Sinano).

Carex funicularis, Fr. Bull. Soc. phil. VII. 37; Carex, As. Or. 153; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 226.

syn. *C. crassinervia,* Fr. Bull. Soc. phil. VII. 38.

Nom. Jap. *Oh-miyamasuge.* オホミヤマスゲ
Shirakawa-suge. シラカハスゲ

Hab. Nippon: Aomori (Mutsu), Sambongi (Rikzen), cult., Sirakawa (Iwaki).

Carex fuscens, Boeck. Engl. Jahrb. V. 518.

Nom. Jap.

Hab. Nippon: Nikko-Yumoto (Simotsuke).

Carex gansuensis, Fr. Bull. Soc. phil. VII. 39; Carex, As. Or. 152; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 225.

Nom. Jap.

Hab. Nippon: Gandjusan (Riktsiu).

Carex Gaudichaudiana, Kunth; A. Gr. Bot. Jap. 417; F. S. II. 128; *var.* **Thunbergii,** Kuek.

syn. *C. Thunbergii,* Steud. Cyp. 221; Miq. P. 81; F. S. II. 129.
C. cæspitosa, Th. Fl. Jap. 39.
C. Thunbergii, v. quinquenervis, F. S. l.c.
C. Thunbergii, v. platycarpa, F. S. l.c.

Nom. Jap. *Aze-suge.* アゼスゲ

Hab. Yezo; Nippon: Aomori (Mutsu), Mt. Gassan, Rokdjiuri-goye (Uzen), Akita (Ugo), Mt. Asama, Mt. Togaksi (Sinano), Osenuma (Iwasiro), Nikko (Simotsuke), Mt. Tateyama (Yettsiu), Mt. Haksan (Kaga), Tokio, Tsitsibu (Musasi), Idzu, lacu Biwa (Oomi); Daisen; Kiusiu: Buzen; Sikok: Kamomioo (Awa); Tsusima.

Carex Gentiliana, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 221.

Nom. Jap.

Hab. Nippon: Miookoosan (Yetsigo).

var. **oshimensis,** Kuek.

Nom. Jap. *Kogome-suge.* コゴメスゲ

Hab. Liukiu: Ohsima.

Carex gibba, Wahl.; Boot. Carex, IV. 187; F. S. II. 132; Fr. Carex, As. Or. 236; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 126; Clk. J. L. S. XXXVI. 287.

syn. *C. remota,* Th. Fl. Jap. 37, non L.

C. anomala, Boot.; A. Gr. Pl. Jap. 327.
C. pteroloma, Kze.
Nom. Jap. Masu-kusa. マスクサ
Hab. Nippon: Oginohama, Sendai (Rikzen), Tokio, Yokohama (Musasi), Yokoska (Sagami), ins. Hatsidjoo et Miyake (Idzu), Tsutsiura (Hitatsi), Niigata (Yetsigo), Sidzuoka (Suruga), Sin-guh, Siomi-tooge (Kii), Kiusiu: Simabara (Hizen), Sikok: Kamomioo (Awa); Tsusima.

Carex gifuensis, Fr. Bull. Soc. phil. VII. 47; Fr. Carex, As. Or. 189.
Nom. Jap. Kuro-hinasuge. クロヒナスゲ
Hab. Nippon: Gifu (Mino), Nikko (Simotsuke) Utsunoyama, (Suruga).

Carex Gmelini, Hk. et Arn. Bot. Beech. Voy. 118, t. 27; Boot. Carex, IV. t. 440; Gmel. Fl. Sib. I. 139, t. 30, f. 1; Fr. Carex, As. Or. 151; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 224.
Nom. Jap. Nemuro-suge. ネムロスゲ
Hab. Yezo: Nemuro, Kusiro, Akkesi (Kusiro), Ohtsu (Tokatsi), Iburi, Tomakomai, Morolan (Iburi), ins. Riisiri et Rebunsiri, Abasiri (Kitami), Tomari (Osima).

Carex Goodenovii, Gay.; Clk. J. L. S. XXXVI. 287.
syn. *C. caespitosa,* L. exp.
C. vulgaris, Fries; F. S. II. 128; Boott. Carex, IV. 166, t. 557-567; Fr. Carex, As. Or. 124; Lev. et Vnt. Bull. Soc. Geogr. Bot. (1901) 204; (1903) 504.
C. decidua, Boott.
Nom. Jap.
Hab. Japonia.

Carex gracilipes, Miq. P. 83; F. S. II. 127.
Nom. Jap. Kasuga-suge. カスガスゲ
Hab. Nippon: Sinano, Mt. Kasuga (Yamato), Mt. Kooyasan (Kii).

Carex grallatoria, Max. M. B. XII. 560; Fr. Carex, As. Or. 194; Mak. T. B. M. (1890) 229; (1895) 389; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 51; XI. (1902) 185.
Nom. Jap. Hina-suge. ヒナスゲ
Sanagi-suge. サナギスゲ

Hab. Nippon : Tsitsibu (Musasi), Mt. Tsukba (Hitafsi), Nikko (Simotsuke), Mt. Asama (Sinano) ; Sikok : Mt. Sasagamine (Tosa) ; Mt. Tsurugisan (Iyo) ; Kiusiu : Kudjiusan (Bungo).

var. **heteroclita,** Kuek.

syn. *C. heteroclita,* Fr. Bull. Soc. phil. VII. 28 ; Carex, As. Or. 195, t. 3. f. 4 ; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 52 ; (1903) 504.

Nom. Jap. Sanagi-suge. サナギスゲ

Hab. Nippon : Nikko (Simotsuke), Mt. Asama (Sinano) ; Tsusima.

Carex grandisquama, Fr. Bull. Soc. phil. VII. 51 ; Carex, As. Or. 41 ; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 31.

Nom. Jap. Ezo-tsurisuge. エゾツリスゲ

Hab. Yezo : Kusiro ; Wasibetz, Adzuma, Tsitose, Morolan (Iburi), Hakodate, Nanaii (Osima), Noribetz ; Nippon : Sirakawa (Iwaki).

Carex Guffroyana, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 203.

Nom. Jap.

Hab. Nippon : Mt. Asama (Sinano).

Carex hakkodensis, Fr. Carex, As. Or. 204, t. 3. f. 2 ; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 55.

Nom. Jap. Ito-kinsuge. イトキンスゲ

Hab. Yezo : Masike (Tesio) ; Nippon : Mt. Hakkooda, Iwakisan (Mutsu), Mt. Haksan (Kaga), Mt. Tateyama (Yettsiu), Mt. Kattasan (Rikzen), Mt. Sirouma (Sinano).

Carex hakonensis, F. S. II. 555 ; Fr. Carex, As. Or. 199, t. 2. f. 3.

Nom. Jap. Kokesuge. コケスゲ

Hab. Nippon : Mt. Hakkooda (Mutsu), Mt. Hayatsine (Riktsiu), Hakone (Sagami).

Carex Heribaudiana, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 275.

Nom. Jap.

Hab. Nippon : Mt. Miookoosan (Yetsigo), Kamitsuge (?) ; Kiusiu : Yamakita (Higo).

Carex hebecarpa, Mey.; Kunth, Enum. II. 471 ; Clk. Fl. Br. Ind. VI. 747 ; Boeck. Linn. XLI. 301.

syn. *C. ligulata,* Nees ; Kunth, Enum. II. 516 ; Boot. Carex I.

45, t. 113; Boeck. Linn. XLI. 305; Clk. J. L. S. XXXIV. 137; Fr. Carex, As. Or. 69; Clk. J. L. S. XXXVI. 294.

C. Matsumurae, Fr. Bull. Soc. phil. VII. 50; Carex, As. Or. 62.

C. Wallichiana, Clark.; Boeck. non Presc.

C. lachnosperma, Wall.

C. breviculmis, Thw. non R. Br.

C. Thwaitesii, Hance.

C. brunnea, v. pallidior, Miq.

Nom. Jap. Satsuma-suge. サツマスゲ

Hab. Sikok: Tosa; Kiusiu: Nagasaki (Hizen), Kagosima (Satsuma); Tsusima.

Carex Hilgendorfiana, Boeck. Engl. Jahrb. V. (1884) 518.

Nom. Jap.

Hab. Nippon: Kamakra, Fudsisawa (Sagami).

Carex hirta, L.; Fr. Carex, As. Or. 86.

Nom. Jap.

Hab. Yezo: Nemuro.

Carex hololasius, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 280.

Nom. Jap.

Hab. Nippon: Ibaraki (Hitatsi).

Carex Idzuroei, F. S. II. 155, 583; Fr. Carex, As. Or. 80; Mak. T. B. M. (1890) 21.

Nom. Jap. Uma-suge. ウマスゲ

Hab. Yezo; Nippon: Tsutsiura (Hitatsi), Tokio, Todanohara (Musasi).

Carex incisa, Boot.; A. Gr. Pl. Jap. 327; Miq. P. 357; F. S. II. 128; Fr. Carex, As. Or. 120; Lev. et Vnt. Boeck. Bull. Soc. Geogr. Bot. X. (1901) 202.

Nom. Jap. Tani-suge. タニスゲ

Hab. Yezo: Nemuro, Yesasi (Kitami), Wasibetz (Iburi), Hakodate (Osima), Otsunai; Nippon: Aomori, Sannohe, Sitsinohe, Kominato (Mutsu), Nambu (Riktsiu), Sambongi, Onikoobe (Rikzen), Nikko, Siobara (Simotsuke), Mt. Ontake (Sinano), Simidzu-tooge, Deyu, Mt. Miookoosan (Yetsigo), Totsinoki-tooge (Yetsizen), Mt. Amagisan (Idzu), Yokoska (Sagami), Tokio (Musasi), Muro (Yamato).

Carex ischnostachya, Steud. Cyp. 222; Fr. Carex, As. Or. 47;

Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 103; (1903) 505. Clk. J. L. S. XXXVI. 292.

syn. *C. Ringoldiana*, Boot.; A. Gr. Bot. Jap. 419; Miq. P. 81; F. S. II. 148.

Nom. Jap. *Juju-suge.* ジユズスゲ

Hab. Yezo: Hakodate (Osima); Nippon: Aomori (Mutsu), Matsusima, Oginohama (Rikzen), Uzen; Nikko, Siobara (Simotsuke), Mt. Kiyosumi (Boosiu), Tokio (Musasi), Sagami; Mt. Tateyama (Yettsiu), Simidzu-tooge (Yetsigo), Mt. Kooyasan (Kii), ins. Sado; ins. Ohsima, ins. Hatsidjoo, ins. Miyake (Idzu); Sikok; Kiusiu: Nagasaki (Hizen), Mt. Inugatake (Buzen); Tsusima; Liukiu: Okinawa.

Carex Jackiana, Boot. Carex I. t. 25; Clk. Fl. Br. Ind. VI. 735; Clk. J. L. S. XXXIV. 130.

var. **macroglossa,** Kuek.

syn. *C. macroglossa,* F. S. II. 148, 576; Fr. As. Or. 45; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 103; (1903) 505.

C. cryptandra, Franch. Mss.

C. instabilis, Boot.

C. papulosa, Boot.

Nom. Jap. *Ko-juzusuge.* コジユズスゲ

Hab. Yezo: Sapporo (Isikari), Hakodate, Fukyama (Osima); Nippon: Matsusima (Mutsu), Tokio (Musasi), Yokoska (Sagami), Mt. Fudsisan (Suruga) Tsusima.

var. **parviflora,** Kuek.

Nom. Jap.

Hab. Nippon: Mt. Togaksi (Sinano).

Carex japonica, Th. Fl. Jap. 38; Kunth, Enum. II. 517, Clk. Fl. Br. Ind. VI. 737; J. L. S. XXXIV. 131; Fr. Carex, As. Or. 77; Mak. T. B. M. (1896) 109; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 176; Clk. J. L. S. XXXVI. 292.

syn. *C. trichostyles,* F. S. II. 152, 581; Lev. et Vnt. Bull. Soc. Geogr. Bot. 177.

C. japonica, v. minor, Boot. Carex II. 88.

C. Motoskei, Miq. P. 80; F. S. II. 140, 584.

C. japonica, f. gracilis, Fr. l.c. 77.

Nom. Jap. *Higokusa.* ヒゴクサ

Hab. Nippon: Sendai (Rikzen), Kamitsuge (?), Nikko, Siobara (Simotsuke), Tokio, Tsitsibu (Musasi), Mt. Amagi, ins. Ohsima (Idzu), Usui-tooge (Yetsigo), Mt. Komagatake (Sinano), Mt. Kiyosumi (Boosiu), Hakone (Sagami); Tsusima.

var. **aphanolepis,** Kuek.

syn. *C. aphanolepis,* F. S. II. 152, 580; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 177.

C. japonica, f. humilis, Fr. Carex, As. Or. 77.

Nom. Jap. *Sawa-suge.* サハスゲ

Hab. Yezo: Sapporo (Isikari); Nippon: Nikko (Simotsuke), Tokio (Musasi), Mt. Kiyosumi (Boosiu), Hakone (Sagami), Mt. Asama (Sinano), Honguu (Kii).

var. **chlorostachys,** Kuek.

syn. *C. chlorostachys,* Don.

C. Zollingeri, Steud. Cyp. 221.

C. consocialis, Steud.

C. alopecuroides, Don.

C. Doniana, Spr.; Kunth, Enum. II. 503; Boot. Perr. Exped. 327; Miq. P. 82, 143, 357; F. S. II. 152.

C. patens, Franch.

C. japonica, v. alpecuroides, Clk. Fl. Br. Ind. VI. 737; J. L. S. XXXIV. 131; Mak. T. B. M. (1896) 109.

C. japonica, f. alpecuroidea, Franch. Carex, As. Or. 77; Lev. et Vnt. Bull. Soc. Geogr. Bot. (1903) 505.

Nom. Jap. *Shira-suge.* シラスゲ

Hab. Yezo: ins. Riisiri (Kitami); Nippon: Nikko (Simotsuke), Tsutsiura (Hitatsi), Aume (Musasi), ins. Miyake (Idzu), Ikta (Settsu); Kiusiu: Nagasaki (Hizen); Tsusima.

Carex kamikawensis, Fr. Bull. Soc. phil. VII. 48; Carex, As. Or. 188.

Nom. Jap. *Kamikawa-suge.* カミカハスゲ

Hab. Yezo: Kamikawa (Isikari), Hakodate (Osima).

Carex Kingiana, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 272.

Nom. Jap. *Kusa-suge.* クサスゲ

Hab. Nippon: Gassan (Uzen), Tsiookaisan (Ugo), Ibaraki (Hitatsi), Tokio (Musasi); Sikok: Mt. Tsurugisan; Kiusiu: Nagasaki.

Carex Krebsiana, Boeck.; Fr. Carex, As. Or. 202.

syn. *C. rhizopoda, v. longior,* Max. M. B. XII. 562; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 54.

Nom. Jap. *Shirako-suge.* シラコスゲ

Hab. Nippon: Nikko (Simotsuke), Oginohama (Rikzen), Matsusima (Mutsu), Sirako (Musasi).

Carex laevirostris, Blytt et Fries.

syn. *C. rhynchophysa,* Mey.; Fr. Carex, As. Or. 85; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 180.

C. robusta, Nyl.

Nom. Jap. *Oh-kasasuge.* オホカサスゲ

Hab. Kurile: Kunasiri; Yezo: Sooya-misaki (Kitami), lacu Tooya (Iburi), Saru (Hitaka), Asariyama, Iwanai, Otaru (Siribesi), Fuk-yama, Yesan, Mori, Hakodate (Osima), Sapporo, Djoosankei (Isikari), Sibetsja, Nippon: Gassan, Hondoodji (Uzen), Hayatsinesan (Riktsiu).

Carex lagopina, Wahl.; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 186.

Nom. Jap.

Hab. Nippon: Mt. Asamayama (Sinano).

Carex lagopodioides, Schk.; Boot. Carex III. 116, t. 370; F. S. II. 125; Fr. Carex, As. Or. 230.

Nom. Jap. *Yagami-suge.* カガミスゲ

Hab. Nippon: Siobara (Simotsuke), Niigata (Yetsigo), Tokio, Todanohara (Musasi).

Carex lasiolepis, Fr. Bull. Soc. phil. VII. 46; Carex, As. Or. 173; Lev. et Vnt. Bull. Soc. Geogr. Bot. (1903) 504.

syn. *C. adumana,* Mak. T. B. M. (1895) 258.

Nom. Jap. *Azuma-suge.* アヅマスゲ

Hab. Nippon: Oginohama (Rikzen), Mt. Asama (Sinano), Mt. Tsukba (Hitatsi).

Carex latinervia, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 219.

Nom. Jap.

Hab. Nippon: Tottori (Inaba).

Carex laxa, Wahlenb.

Nom. Jap. *Ito-naruko.* イトナルコ

Hab. Nippon: Nikko (Simotsuke).

Carex leiogona, Fr. Bull. Soc. phil. VII. 88; Carex, As. Or. 129.

Nom. Jap.
Hab. Sikok: Tsurugisan (Iyo).

Carex lepidopristis, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 198.
Nom. Jap.
Hab. Nippon: Kasimadai (Rikzen); Kiusiu: Kudjiusan (Bungo).

Carex leucocarpa, Boeck. Engl. Jahrb. V. 515.
Nom. Jap.
Hab. Japonia.

Carex lepicaulis, Fr. Bull. Soc. phil. VII. 11; Carex, As. Or. 157, t. 13, f. 2; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 227.
Nom. Jap. Tomari-suge. トマリスゲ
Hab. Kurile: Etorof, Kunasiri; Yezo: Nemuro; Sapporo (Isikari), Tomari, Hakodate (Osima), Sikok: Tsurugisan (Iyo).

Carex ligata, Boott. *var.* **cucullata,** Kuek.
Nom. Jap. Nago-suge. ナゴスゲ
Hab. Liukiu: Nago (Okinawa).

Carex limosa, L.; Boot. Carex II. 78, t. 276; Fr. Bull. Soc. phil. VII. 36; Lev. et Vnt. Bull. Soc. Geogr. Bot. (1903) 504.
var. **fusco-cuprea,** Kuek.
Nom. Jap. Yachi-suge. ヤチスゲ
Hab. Kurile: Etorof, Kunasiri; Yezo: Akkesi (Kusiro), Iwanobori, Tomakomai (Iburi), Hakodate (Osima), Nippon: Osenuma (Iwasiro), Nikko (Simotsuke), Mt. Ontake (Sinano), Mt. Gassan (Uzen); Sikok: Tsurugisan (Iyo).

Carex loliacea, L.; Boot. Carex I. 48, t. 127; Fr. Carex, As. Or. 225; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 121.
Nom. Jap.
Hab. Yezo: Akan (Kusiro); Nippon: Miookoosan (Yetsigo).

Carex longerostrata, Mey.; F. S. II. 144, 571; Fr. Bull. Soc. Bot. Fr. (1879) 89; Carex, As. Or. 53; Mak. T. B. M. (1890) 229.
syn. *C. Michelii, v. longerostrata,* Boot. Carex, IV. 191.
C. camtschatensis, Kunth.
C. bispicata, Hk. et Arn. Bot. Beech. Voy. 118, t. 28.
Nom. Jap. Hie-suge. ヒエスゲ
Hab. Yezo: Abasiri, ins. Rebunsiri, ins. Riisiri (Kitami), Toma-

komai, Morolan (Iburi), Sjakotan (Isikari), Iwanai (Siribesi), Hakodate (Osima), Sibetsja (Tokatsi), Iwanobori; Nippon: Aomori, Sitsinohe (Mutsu), Nikko (Simotsuke), Niigata (Yetsigo); Sikok: Sakawa (Tosa).

Carex Maackii, Max.

Nom. Jap.

Hab. Japonia.

Carex macrocephala, Willd.; Boot. Carex I. 27, t. 69; Rgl. Tent. Ussur. 164, t. 12, f. 8-12; F. S. II. 132; Fr. Carex, As. Or. 237; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 127; (1903) 504; Clk. J. L. S. XXXVI. 296.

syn. *C. anthericoides,* Presl.

Nom. Jap. Kōbō-mugi. コウバフムギ

Hab. Kurile: Kunasiri; Yezo: ins. Rebunsiri (Kitami), Iburi; Hakodate (Osima); Nippon: Aomori (Mutsu), Yokoska, Kamakra (Sagami), Kadsusa, Miho, Mt. Fudsisan (Suruga), ins. Ohsima (Idzu), Niigata (Yetsigo), Iwase (Yettsiu), Obama (Wakasa), Nagato; Kiusiu: Satsuma; Tsusima.

Carex macrostachys, Fr. Bull. Soc. phil. VII. 49; Carex, As. Or. 42, X. t. 1. f. 2.

Nom. Jap.

Hab. Yezo: Tomakomai (Iburi).

Carex maculata, Boot. Carex I. 9, t. 20; F. S. II. 572; Carex, As. Or. 44; Clk. J. L. S. XXXIV. 130; Lev. et Vnt. (1903) 505; Clk. J. L. S. XXXVI. 297.

syn. *C. micans,* Boot. A. Gr. Pl. Jap. 419.

Nom. Jap. Tachi-suge. タチスゲ

Hab. Nippon: Tokio (Musasi), Simoda (Idzu), Takasima (Kii), Itsinomiya (Kadsusa); Liukiu: Misato (Okinawa).

Carex magellanica, Lam.

syn. *C. irrigua,* Sm.

Nom. Jap. Dake-suge. ダケスゲ

Hab. Nippon: Mt. Ontake (Sinano).

Carex Makinoensis, Fr. Bull. Soc. phil. VII. 47; Carex, As. Or. 58; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 107.

syn. *C. shikokiana,* Mak. T. B. M. (1892) 47, non Franch.

Nom. Jap. Iwa-kansuge. イハカンスゲ

Hab. Sikok: Mt. Tsurugisan (Iyo), Yokokra-yama (Tosa).

Carex malacocarpa, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 200; (1903) 504.

Nom. Jap.

Hab. Nippon: Tottori (Inaba); Sikok: Toksima (Awa); Kiusiu: Gotoo; Tsusima.

Carex Mertensii, Presc. Boot. Carex IV. 212; Fr. Carex, As. Or. 150; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 223.

syn. *C. urostachys,* Fr. Bull. Soc. phil. VII. 35.

Nom. Jap.

Hab. Nippon: Mt. Iwagisan, Mt. Hakkoodasan (Mutsu).

Carex Michauxiana, Boeck. Linn. XLI. 336; Fr. Carex, As. Or. 81; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 178; (1903) 505; Clk. J. L. S. XXXVI. 298.

syn. *C. rostrata,* Michx. non With.

C. xanthophysa, Desv. *v. nana,* Dew.

C. folliculata, Rudge, non L.

C. abacta, Bail.

C. multinervia, Kuek.

Nom. Jap. *Mitake-suge.* ミタケスゲ

Hab. Yezo: Wasibetz (Iburi), Kabato, Sapporo (Isikari), Hakodate (Osima), Yebetz, Yurap; Nippon: Aomori, Kanagi (Mutsu), Mt. Tateyama (Yettsiu), Mt. Ontake (Sinano), Mt. Gassan (Uzen).

Carex microglochin, Wahl.; Boot. Carex IV. 174, t. 589; Fr. Carex, As. Or. 207.

Nom. Jap.

Hab. Kurile.

Carex microtricha, Fr. Carex, As. Or. 189; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 279.

Nom. Jap.

Hab. Yezo: ins. Rebunsiri (Kitami); Nippon: Niigata (Yetsigo).

Carex Middendorfii, Fr. Schm. Reis. Amur. 70, 197, t. 7, f. 1-5; Fr. Carex, As. Or. 157.

Nom. Jap. *Kuro-suge.* クロスゲ

Hab. Yezo: Kabato (Isikari); Nippon: Nikko (Simotsuke).

Carex minuta, Fr. Bull. Soc. phil. VII. 41; Fr. Carex, As. Or. 125.

Nom. Jap.

Hab. Yezo: Saru (Hidaka), Tarumai (Iburi).

Carex mitrata, Fr. Bull. Soc. phil. VII. 88; Fr. Carex, As. Or. 173; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 277; (1903) 504.

Nom. Jap. *Nuka-suge.* ヌカスゲ

Hab. Nippon: Sidsuoka, Numadsu (Suruga).

Carex mollicula, Boot. Carex IV. 192; Fr. Carex, As. Or. 73; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 178; Clk. J. L. S. XXXVI. 299.

Nom. Jap. *Hime-shirasuge.* ヒメシラスゲ

Hab. Yezo: Yesasi, Mombetz, ins. Rebunsiri (Kitami), Sjari (Iburi), Otaru, Iwanai, Iwoosan (Siribesi), Mori (Osima), Yurap-gawa; Nippon: Mt. Osoresan, Nohetsi, Kuroisi, Sambongi (Mutsu), Nikko, Siobara (Simotsuke), Mt. Tateyama (Yettsiu), Mt. Haksan (Kaga), Agematsu (Sinano), Mt. Amagisan (Idzu), Hakone (Sagami), Mt. Kooyasan (Kii), Sikok: Mt. Isidsutsi (Iyo), Mt. Yahadsu (Tosa), Kiusiu: Mt. Inugatake (Buzen); Tsusima.

Carex Morrowii, Boot. A. Gr. Pl. Jap. 326; Miq. P. 79; Boeck. Linn. XL. 450; F. S. II. 145; Fr. Carex, As. Or. 40; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 30; (1903) 505.

Nom. Jap. *Kan-suge.* カンスゲ

Hab. Yezo: Yesasi, Sjari, Sooya-misaki, ins. Rebunsiri (Kitami), Masike (Tesio), Sapporo, Djoosankei (Isikari), Otaru (Siribesi), Hakodate, Nanaii, Fuk-yama; Nippon: Hirosaki, Aomori, Sitsinohe, Kuroisi (Mutsu), Nambu (Riktsiu), Mt. Gassan, Yamagata, Rokdjuri-goye (Uzen), Sendai (Rikzen), Niigata, Simidsu-tooge (Yetsigo), ins. Sado; Tsuruga (Yetsizen), Mt. Amagisan, Simoda, ins. Ohsima (Idsu), Tootoomi, Mt. Mitake (Musasi), Kadsusa; Togaksi (Sinano), Mt. Ibuki (Oomi), Kongoosan (Kawatsi).

var. **longesquamata,** Fr. Bull. Soc. Bot. Fr.

Hab. Japonia.

Carex multipes, Lev. et Vnt. Bull. Soc. Geogr. Bot. X (1901) 271; (1903) 505.

Nom. Jap.

Hab. Nippon: Ibaraki (Hitatsi); Kiusiu: Nagasaki (Hizen).

Carex nambuensis, Fr. Bull. Soc. phil. VII. 44; Fr. Carex, As. Or.

115. t. 9. f. 2; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 196; (1903) 504

Nom. Jap. *Ko-kansuge.* コカンスゲ

Hab. Nippon: Nambu (Riktsiu), Akita (Ugo), Siobara (Simotsuke), Mt. Bukoosan, Mitsuminesan (Musasi); Sikok; Kiusiu: Itsibusa (Higo).

Carex Naumanniana, Boeck. Engl. Jahrb. V. 518.

Nom. Jap.

Hab. Nippon: Yokohama (Musasi).

Carex nemostachys, Steud., Fl. XXIX. 23; Miq. P. 144; F. S. II. 144, 572, 584; Fr. Carex, As. Or. 76; Mak. T. B. M. (1890) 229; Clk. J. L. S. XXXVI. 300.

syn. *C. excurva,* Boot. Carex I. 57, t. 150; Boeck. Linn. XLI. 245.

C. Zollingeri, Boeck. Linn. XLI. 242.

Nom. Jap. *Aki-kasasuge.* アキカサスゲ

Hab. Sikok: Tosa; Kiusiu: Nagasaki (Hizen).

Carex nemurensis, Fr. Bull. Soc. phil. VII. 30; Fr. Carex, As. Or. 229; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 122.

Nom. Jap.

Hab. Yezo: Kusiro, Nemuro, Isikari; Tomakomai, Adzuma (Iburi), Erimosaki (Hidaka), Sibetsja.

Carex nervulosa, Fr. Carex, As. Or. 120.

Nom. Jap.

Hab. Yezo: Mombetz (Kitami).

Carex neurocarpa, Max. Fl. Amur. 306; Fr. Carex, As. Or. 215; F. S. II. 125; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 105; Clk. J. L. S. XXXVI. 300.

Nom. Jap. *Mikoshi-gaya.* ミコシガヤ

Hab. Nippon: Kasimadai (Rikzen), Tokio (Musasi), Tsutsiura (Hitatsi).

Carex nexa, Boott. *var.* **strictior,** Kuek.

Nom. Jap. *Tashiro-suge.* タシロスゲ

Hab. Liukiu: Okinawa.

Carex nipponica, Fr. Bull. Soc. Bot. Fr. XXVI. (1879) 89; Fr. Carex, As. Or. 218.

Nom. Jap.

Hab. Nippon: Niigata (Yetsigo).

Carex nubigena, Don; Kunth, Enum. II. 385; Boot. Carex I. t. 2; Boeck. Linn. XXXIV. 90; Clk. Fl. Br. Ind. VI. 702; J. L. S. XXXVI. 300.

var. **albata,** Kuek.

syn. *C. albata,* Boot.; Miq. P. 357; F. S. II. 563; Fr. Carex, As. Or. 216; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 106.

C. argyrolepis, Max.; F. S. II. 126.

C. yedoensis, Boeck. Engl. Jahrb. V. 515.

C. fallax, Steud.

Nom. Jap. *Chabo-minoborosuge.* チヤボミノボロスゲ

Hab. Yezo: Yesan, Mori, Hakodate (Osima); Nippon: Mt. Hokkoodasan, Aomori, Kominato, Mt. Iwagisan, Sannohe (Mutsu), Nambu (Riktsiu), Sambongi (Rikzen), Tsiookaisan, Akita (Ugo), Yamagata, Mt. Yudonosan (Uzen), Mt. Kattasan (Rikzen), Mt. Fudsisan (Suruga), Nikko (Simotsuke), Mt. Togaksi (Sinano); Kiusiu: Buzen; Nagasaki (Hizen).

var. **planiuscula,** Kuek.

Nom. Jap. *Minoboro-suge.* ミノボロスゲ

Hab. Yezo: Hakodate (Osima); Nippon: Mt. Yudonosan (Uzen), Nikko (Simotsuke), Hakone (Sagami), Mt. Haksan (Kaga), Mt. Tateyama (Yettsiu), Osaka (Settsu); Kiusiu: Mt. Inugatake (Buzen).

Carex ochrolepis, Fr. Carex, As. Or. 48, X. t. 2. f. 2.

Nom. Jap.

Hab. Yezo: Kamikawa (Isikari).

Carex odontostoma, Kuek. *var.* **sejuncta,** Kuek.

Nom. Jap. *Tsukuba-suge.* ツクバスゲ

Hab. Nippon: Mt. Tsukba (Hitatsi),

Carex Oederi, Ehrh.; Fr. Carex, As. Or. 56.

syn. *C. flava,* L. *v. Oederi,* Ehrh.; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 106.

Nom. Jap. *Ezo-sawasuge.* エゾサハスゲ

Hab. Yezo: Nemuro; Wasibetz; Tomakomai (Iburi), Yesan (Osima).

Carex oligostachys, Meinsch. *var.* **subsessilis,** Kuek.

Nom. Jap. *Mugi-suge* ムギスゲ

Hab. Nippon: Tokio (Musasi).

Carex olivacea, Boot. Carex I. 56, t. 149; Clk. Fl. Br. Ind. VI. 741; J. L. S. XXXIV. 133.

syn. *C. confertiflora,* Boot. Carex IV. 184; A. Gr. Bot. Jap. 418; F. S. II. 151, 578; Mak. T. B. M. (1895) 73.

Nom. Jap. *Miyama-shirasuge.* ミヤマシラスゲ

Hab. Yezo: Otaru (Siribesi), Yesasi (Kitami), Wasibetz, lacu Tooya (Iburi), Djoosankei (Isikari), Mori, Hakodate (Osima); Nippon: Mt. Osoreyama (Mutsu), Mt. Yudonosan, Rokdjuri-goye, Yamagata (Uzen), Mt. Hayatsinesan (Riktsiu), Hakone (Sagami), Tootoomi, Mt. Kasuga (Yamato), Suwoo.

Carex Onoei, F. S. II. 551; Fr. Carex, As. Or. 200, t. 2, f. 5.

syn. *C. capituliformis,* Max. M. B. XII. 563.

Nom. Jap. *Hari-suge.* ハリスゲ

Hab. Yezo: Kusiro, Nemuro; Tsitose (Iburi), Mori (Osima); Nippon: Tsiookaisan (Ugo), Sannohe (Mutsu), Nikko (Simotsuke), Simidsu-tooge (Yetsigo), Mt. Tateyama (Yettsiu), Sado.

var. **Krameri,** Kuek.

syn. *C. Krameri,* F. S. II. 550; Fr. Carex, As. Or. 200, t. 2, f. 4; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 53.

Nom. Jap. *Ko-harisuge.* コハリスゲ

Hab. Nippon: Yamagata (Uzen), Mt. Tsiookaisan (Ugo), Sendai (Rikzen), Mt. Iwate (Riktsiu), Nikko-Yumoto (Simotsuke), Mt. Komagatake (Sinano), Mt. Haksan (Kaga), Miookoosan (Yetsigo), Hakone (Sagami), Mt. Kooyasan (Kii); Kiusiu: Sobosan (Bungo).

Carex parciflora, Boot.; A. Gr. Bot. Jap. 418; Miq. P. 357; F. S. II. 147, 275; Fr. Carex, As. Or. 46.

Nom. Jap.

Hab. Yezo: Yesasi, Sjari (Kitami), lacu Tooya (Iburi), Hakodate (Osima); Nippon: Sitsinohe, Nohetsi (Mutsu), Nambu, Mt. Hayatsinesan (Riktsiu), Siobara (Simotsuke).

Carex pediformis, C. A. Mey.; Clk. J. L. S. XXXVI. 303.

syn. *C. lanceolata,* Boott. Perr. Exped. 326; Miq. P. 357; F. S. II. 134; Fr. Carex, As. Or. 167; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 269.

Nom. Jap. *Hikage-suge.* ヒカゲスゲ

Hab. Yezo: Otaru (Siribesi), Tomari, Hakodate, Fuk-yama, Mori

(Osima), Tsitose (Iburi), Sapporo, Sjakotan (Isikari), Sibetsja (Tokatsi); Nippon: Aomori, Sannohe, Gonohe, Kuroisi, Kominato, Iwagisan (Mutsu), Tokio (Musasi), Yokoska, Hakone (Sagami), Narita (Simoosa), Tabi (Suruga), Simoda (Idsu), Ibuki (Oomi).

Carex peniculacea, Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 110.

Nom. Jap.

Hab. Nippon: Koodsuke.

Carex phacodes, Spr.; Clk. J. L S. XXXVI. 303.

syn. *C. lenticularis,* Don, non Mich.

C. platycarpa, Steud.

C. rubro-brunnea, Franch. Carex, As. Or. 123, 159, non Clk.

Nom. Jap.

Hab. Yezo: Soratsi (Isikari); Nippon: Nikko (Simotsuke).

Carex picea, Fr. Bull. Soc. phil. VII. 39; Fr. Carex, As. Or. 151; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 224.

Nom. Jap.

Hab. Yezo: Tarumai (Iburi).

var. **asensis,** Lev. Bull. Soc. Geogr. Bot. X. (1901) 224.

Nom. Jap.

Hab. Japonia.

Carex Pierotii, Miq. P. 80; Fr. Carex, As. Or. 90; Clk. J. L. S. XXXVI. 304.

syn. *C. suberea,* Boot. Carex, IV. 165.

Nom. Jap. Shio-kugu. シホクグ

Hab. Yezo: Nemuro; Nippon: Oginohama (Rikzen), Simoosa: Tokio (Musasi), Yokoska (Sagami), Hirosima; Sikok: Maekawa (Awa), Kiusiu: Nasima (Tsikzen), Nagasaki (Hizen), Tsusima; Liukiu: Simasiri.

Carex pilosa, Scop.; Fr. Bull. Soc. phil. VII. 50; Fr. Carex, As. Or. 198; Lev. et Vnt. Bull. Soc. Geogr. Bot. (1903) 505.

Nom. Jap.

Hab. Yezo: Abasiri, Saruru, Mombetz (Kitami), Akan (Kusiro), Otaru, Iwanai (Siribesi), Mt. Sjakotan-dake, Sapporo (Isikari), Nemuro; Hakodate, Nanaii (Osima); Nippon: Morioka (Riktsiu).

Carex pisiformis, Boot. A. Gr. Pl. Jap. 324; Miq. P. 357; F. S.

II. 142; Fr. Carex, As. Or. 185; Clk. J. L. S. XXXVI. 304.

Nom. Jap. *Hommonji-suge.* ホンモンジスゲ

Hab. Yezo: Kusiro, Saruru (Kitami), Otaru (Siribesi); Nippon: Aomori (Mutsu), Yamagata (Uzen), Akita (Ugo), ins. Sado; Ikegami (Musasi), Awasima (Suruga), Gifu (Mino).

var. **amphora,** Kuek.

syn. *C. amphora,* F. S. 142, 566.

Nom. Jap.

Hab. Nippon: Hakone-Miyanosita (Sagami), Tabi, Mt. Fudsisan, Numadsu (Suruga), Hida.

var. **sachalinensis,** Kuek.

syn. *C. sachalinensis,* Fr. Schm.

Nom. Jap. *Gongen-suge.* ゴンゲンスゲ

Hab. Nippon: Nikko (Simotsuke).

Carex planata, F. S. II. 126, 555; Fr. Carex, As. Or. 233; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 124.

Nom. Jap. *Takane-masukusa.* タカネマスクサ

Hab. Yezo: Horonai; Mombetz (Kitami), Yubari (Isikari), Nippon: Oginohama (Rikzen), Yokoska (Sagami).

Carex platyrhyncha, F. S. II. 154; Fr. Carex, As. Or. 90.

syn. *C. nutans,* F. S. non Host. *v. japonica,* F. S. II. 151.

Nom. Jap.

Hab. Nippon: Yokoska, Kamakra (Sagami).

Carex pocilliformis, Boot. Carex IV. 175, t. 593; Boeck. Linn. XLI. 195; Fr. Carex, As. Or. 163; Lev. et Vnt. Bull. Soc. Geogr. Bot. (1903) 504.

Nom. Jap.

Hab. Nippon: Sidsuoka (Suruga), Tsuruga (Yetsizen) Sikok; Kiusiu: Goto, Tsusima.

Carex podogyna, F. S. II. 557; Fr. Bull. Soc. Bot. Fr. (1879) 88; Fr. Carex, As. Or. 134; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 218.

Nom. Jap. *Tanukilan.* タヌキラン

Hab. Yezo: Morolan (Iburi), Iwanai, Otaru (Siribesi), Fukyama, Mori (Osima), Sjakotan (Isikari), Nippon: Aomori, Kuroisi (Mutsu), Hirosaki (Rikzen), Kakdayama (Yetsigo),

Mt. Yudonosan, Rokdjiurigoe (Uzen), Aidsu (Iwasiro), Akagisan (Kootsuke); Sikok: Tsurugisan.

Carex polyantha, F. S. II. 556; Fr. Carex, As. Or. 120.

Nom. Jap. *Tekiri-kosuge.* テキリコスゲ

Hab. Nippon: Nikko (Simotsuke); Sikok: Mt. Yahadsu (Tosa).

Carex praecox, Jacq.; Boot. Carex IV. 214; Fr. Carex, As. Or. 186.

syn. *C. Vidalii,* F. S. II. 365.

C. nervata, F. S. II. 567.

C. homoiolepis, F. S. II. 567.

C. setosa, F. S. II. 142. non Boot.

Nom. Jap.

Hab. Yezo: Nemuro, Abasiri (Kitami), Mori (Osima); Nippon: Akita (Ugo), Mt. Iwakisan, Kominato (Mutsu).

Carex Prescottiana, Boot. Carex I. 115; Fr. Carex, As. Or. 122; Clk. Fl. Br. Ind. VI. 710; J. L. S. XXXIV. 112; Lev. et Vnt. Bull. Soc. Geogr. Bot. (1903) 504; Clk. J. L. S. XXXVI. 306.

syn. *C. cernua,* Franch, Carex, As. Or. 116; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 197; (1903) 504, non Boott.

C. simidzensis, Franch. exp.

C. teres, Boot. Carex I. 62, t. 167, exp.

Nom. Jap.

Hab. Kiusiu: Goto.

var. **kiotoensis,** Kuek.

syn. *C. kiotoensis,* F. S. II. 556; Fr. Carex, As. Or 121; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 203.

Nom. Jap. *Tekiri-suge.* テキリスゲ

Hab. Nippon: Bandaisan (Iwasiro), Usui-tooge (Yetsigo), Mt. Haksan (Kaga), Kioto (Yamasiro), Gogen-yama (Kii), Mt. Asama (Sinano), Koodsuke.

var. **otaruensis,** Kuek.

syn. *C. otaruensis,* Fr. Bull. Soc. phil. VII. 34; Fr. Carex, As. Or. 122; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 204.

Nom. Jap.

Hab. Yezo: Otaru (Siribesi); Nippon: Matsusima, Furumagi, Aomori, Mino.

var. **fusco-cinnamomea,** Kuek.

Nom. Jap. *Toda-suge.* トダスゲ

Hab. Nippon : Todanohara (Musasi).

Carex prinocarpa, Fr. Bull. Soc. phil. 128 ; Fr. Carex, As. Or. 128, t. 8. f. 1.

Nom. Jap.

Hab. Yezo : Nemuro.

Carex pruinosa, Boot.; Clk. J. L. S. XXXVI. 306. *var.* **picta,** Boot. IV. 198 ; Fr. As. Or. 155 ; Lev. et Vnt. Bull. Soc. Geogr. X. (1901) 226.

syn. *C. picta,* Boot. A. Gr. Bot. Jap. 418, non Steud.

C. Maximowiczii, Miq. P. 82.

C. dimorpholepis, Steud.; Miq. P. 82 ; F. S. II. 127 ; Fr. Carex, As. Or. 118 ; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 200.

Nom. Jap. *Gōso.* ガウソ

Hab. Kurile : Yurup ; Yezo : Nemuro, Tomakomai (Iburi), Fukyama, Hakodate (Osima) ; Nippon : Aomori, Sitsinohe (Mutsu), Sioonai, Hondoodji (Uzen), Sendai (Rikzen), Mt. Togaksi, Wada-tooge (Sinano), Nikko (Simotsuke), Tokio, Yokohama (Musasi), Yokoska, (Sagami), Sidsuoka (Suruga), Mt. Kooyasan (Kii), Suwoo ; Sikok ; Kiusiu : Ohkawa (Tsikzen) ;Tsusima.

Carex pseudo-conica, F. S. II. 144 ; Fr. Carex, As. Or. 170 ; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 270.

syn. *C. amorpha,* F. S. II. 142, 556.

Nom. Jap. *Oh-itosuge.* オホイトスゲ

Hab. Kurile : Kunasiri ; Yezo : Yesas (Kitami), Kudoo (Siribesi), Yesan (Osima) ; Nippon : Aomori, Mt. Hakkoodasan, Sitsinohe, Kominato (Mutsu), Nambu (Riktsiu), Akita (Ugo), Nikko, Siobara (Simotsuke), Hakone (Sagami), Ibaraki (Hitatsi), Mt. Fudsisan (Suruga), Mt. Ibukiyama (Oomi).

Carex pseudo-curaica, Fr. Schm. Reis. Amur. 67, t. 6. f. 8-14 ; Fr. Carex, As. Or. 220 ; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 107.

syn. *C. curaica,* Max. non Kunth.

Nom. Jap. *Tsuru-suge.* ツルスゲ

Hab. Kurile : Kunasiri ; Yezo : Sooya-misaki, ins. Rebunsiri

(Kitami), Nemuro, Kusiro; Tomakomai (Iburi), Sapporo (Isikari).

Carex pseudo-Cyperus, L.; Fr. As. Or. 59.

Nom. Jap.

Hab. Yezo: Mombetz (Kitami), lacu Tooya (Iburi).

Carex pseudo-strigosa, Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 109.

Nom. Jap.

Hab. Nippon: Yokoska (Sagami); Kiusiu: Hitoyosi (Higo).

Carex pseudo-vesicaria, Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 180.

Nom. Jap.

Hab. Sikok: Toksima (Awa).

Carex pterolepta, Fr. Carex, As. Or. 215; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 105.

Nom. Jap.

Hab. Kiusiu: Nagasaki (Hizen).

Carex pumila, Th. Fl. Jap. 30; Boot.; A. Gr. Pl. Jap. 322; Fr. As. Or. 89; Matsum. T. B. M. (1898) 1; Clk. J. L. S. XXXVI. 307.

syn. *C. littorea*, Labill.

C. Urvillei, Brongn.

C. nutans, v. pumila, Boeck.

Nom. Jap. *Kōbō-shiba.* コウボフシバ

Hab. Yezo: Iwanai (Siribesi), Sarubto (Hidaka), Hakodate (Osima); Nikko-Tsiuzenzi (Simotsuke), Giotok (Simoosa), Kominato (Boosiu), Kamakra (Sagami), Usami (Idsu), Niigata (Yetsigo), Nagato; Kiusiu; Liukiu: Nago (Okinawa).

Carex purpurascens, Kuek.

Nom. Jap. *Liukiu-suge.* リウキウスゲ

Hab. Liukiu.

Carex pyrenaica, Wahl.; Boot. Carex IV. t. 475, 476; Fr. Carex, As. Or. 205; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 55.

Nom. Jap. *Kin-suge.* キンスゲ

Hab. Yezo: Asariyama (Siribesi); Nippon: Mt. Gandsusan (Riktsiu), Mt. Tateyama (Yettsiu), Mt. Komagatake (Sinano).

Carex rara, Boot. Carex I. 44, t. 109; Clk. J. L. S. XXXIV. 114; Boeck. Linn. XXXIV. 36.

var. **biwensis,** Kuek.

syn. *C. biwensis,* Fr. Bull. Soc. phil. VII. 28; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 52; (1903) 504; Clk. J. L. S. XXXVI 275.

C. nana, Boot. Carex IV. 139, t. 449. f. 2; Fr. Carex, As. Or. 197, t. 2, f. 2.

Nom. Jap. *Matsuba-suge.* マツバスゲ

Hab. Nippon: Mito (Hitatsi), Tsitsibu, Mogusa, Sirako, Inokasira, Ogikbo (Musasi), Siuzendji (Idsu), Kamamuro (Idsumi), Biwako (Oomi), Yosikma (Suwoo), Koodsuke; Kiusiu: Goto.

subsp. **capillacea,** Kuek. *var.* **nana,** Kuek.

syn. *C. capillacea,* Boot. Carex I. 44. t. 110; Fr. Carex, As. Or. 197; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 53.

C. nana, Boot.; Carex IV. 139, t. 449, f. 2; Fr. Carex, As. Or. 197, t. 2. f. 2.; A. Gr. Bot. Jap. 418; F. S. II. 123.

C. ontakensis, F. S. II. 123, 550.

C. capillacea, v. nana, Fr. Carex, As. Or. 198.

Nom. Jap. *Harigane-suge.* ハリガチスゲ

Hab. Yezo: Hakodate (Osima), Sapporo (Isikari), Iwasibetz; Nippon: Sirakawa (Iwaki), Nikko (Simotsuke).

var. **macrolepis,** Fr. Carex, As. Or. 198.

Nom. Jap.

Hab. Yezo: Hakodate (Osima).

Carex rariflora, Sm.

Nom. Jap. *Chisima-suge.* チシマスゲ

Hab. Kurile.

Carex Reinii, F. S. II. 559; Fr. Carex, As. Or. 115, t. 7. f. 1.

Nom. Jap.

Hab. Nippon: Hakone (Sagami).

Carex recticulmis, Fr. Bull. Soc. phil. VII. 48; Fr. Carex, As. Or. 188.

syn. *C. lucidula,* Fr. Bull. Soc. phil. VII. 48.

Nom. Jap.

Hab. Yezo: ins. Rebunsiri (Kitami), Kusiro, Sibetsja.

Carex remota, L.; Boot. Carex IV. 198; F. S. II. 126; Fr. Carex, As. Or. 235; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 125.

Nom. Jap. *Yabu-suge.* ヤブスゲ
Shotaisō. ショタイサウ

Hab. Yezo: Sjari, Abasiri Notoro-no-saki (Kitami), Saru (Hidaka), Akan (Kusiro), Soratsi (Isikari), Menasi (Nemuro); Nippon: Tokio (Musasi), Yokoska (Sagami), Mt. Fudsi (Suruga).

Carex rhizopoda, Max. M .B. XII. 561; Fr. Carex, As. Or. 203, t. 3. f. 3.

Nom. Jap. *Mugi-suge.* ムギスゲ

Hab. Kurile: Urup; Mombetz, Yesasi, Saruru (Kitami), Otaru, Iwanai (Siribesi), Tarumai, Tsitose (Iburi), Konuma, Mori, Yesan (Osima); Nippon: Ono (Rikzen); Kiusiu: Mt. Unsen (Hizen).

Carex rishiriensis, Fr. Bull. Soc. phil. VII. 88; Fr. Carex, As. Or. 145; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 221; Kawak. T. B. M. (1900) 110.

Nom. Jap. *Risiri-suge.* リシリスゲ

Hab. Yezo: ins. Riisiri (Kitami).

Carex sadoensis, Fr. Bull. Soc. phil. VII. 42; Fr. Carex, As. Or. 136; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 220.

Nom. Jap. *Sado-suge.* サドスゲ

Hab. Yezo: Sjari, Yesasi (Kitami), Soobetz, lacu Tooya, Adsuma (Iburi), Iwanai (Siribesi), Kabato, Sapporo (Isikari), Iwanobori, Nippon: Mt. Hakkoodasan, Hirosaki, Sitsinohe (Mutsu), Mt. Yudonosan, Hondoodji (Uzen), Nambu (Riktsiu), Nikko-Akanumanohara-Yumoto (Simotsuke), Mt. Kinpoksan (ins. Sado), Mt. Togaksi (Sinano).

Carex satsumensis, F. S. II. 132, 558; Fr. Carex, As. Or. 259; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 186.

syn. *C. nikoensis,* F. S. II. 132.

Nom Jap. *Abura-shiba.* アブラシバ

Hab. Nippon: Nikko (Simotsuke), Mt. Amagisan (Idsu), Mt. Fudsisan (Suruga), Niigata (Yetsigo); Sikok: Mt. Tsurugisan (Iyo); Kiusiu: Satsuma.

Carex Savatieri, Fr. Carex, As. Or. 71.

syn. *C. viridula*, F. S. II. 151, 579, non Michx. nec Schw. et Torr.; Mak. T. B. M. (1890) 229.

Nom. Jap. *Mizu-naruko-suge.* ミヅナルコスゲ

Hab. Nippon: Hakone (Sagami); Sikok: Yamada (Tosa).

Carex scabrinervia, Fr. Bull. Soc. phil. VII. 37; Fr. As. Or. 144.

Nom. Jap.

Hab. Kurile: Sikotan; Yezo: ins. Rebunsiri (Kitami).

Carex scita, Max. M. B. XII. 564; Fr. Carex, As. Or. 143; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 222.

Nom. Jap. *Mashike-suge.* マシケスゲ

Hab. Kurile: Yetorof; Yezo: Nemuro, ins. Riisiri, ins. Rebunsiri (Kitami), Asariyama (Siribesi), Mt. Masikesan (Tesio); Nippon: Hakone (Sagami).

Carex Sedakowii, Mey.

Nom. Jap. *Miyama-aosuge.* ミヤマアヲスゲ

Hab. Nippon: Nikko-Yumoto (Simotsuke).

Carex semiplena, Kuek. B. H. B. (1902) 1018.

Nom. Jap.

Hab. Yezo: ins. Rii-iri (Kitami).

Carex sendaica, Fr. Bull. Soc. phil. VII. 42; Fr. Carex, As. Or. 137.

Nom. Jap.

Hab. Nippon: Sendai (Rikzen).

Carex sharensis, Fr. Bull. Soc. phil. VII. 90; Fr. Carex, As. Or. 72; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 175; (1903) 505.

Nom. Jap.

Hab. Yezo: Sjari, Siretoko (Kitami), lacu Tooya, Tomakomai (Iburi), Yurapgawa; Nippon: Mt. Fudsisan (Suruga).

Carex shimidzensis, Franch. Bull. Soc. phil. VII. 33.

Nom. Jap. *Azuma-naruko.* アヅマナルコ

Hab. Nippon: Mt. Adzuma (Iwasiro).

Carex siccata, Dew; Boot. Carex I. t. 52, 146; Fr. Carex, As. Or. 211.

Nom. Jap. *Ezo-kawazu-suge.* エゾカハズスゲ

Hab. Yezo: Akan (Kusiro), Sapporo, Yubari-gawa (Isikari), Tsitose, Morolan (Iburi), Sibetsja, Otsuisi (Nemuro).

subsp. **pallida,** Kuek.

syn. *C. pallida*, Mey.

Nom. Jap.

Hab.

Carex siderosticta, Hance, J. L. S. XIII. 89; Fr. Pl. David. I. 320; Fr. Carex, As. Or. 195; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 29; Clk. J. L. S. XXXVI. 310.

syn. *Pseudo-Carex plantaginea*, Miq. P. 78.

Carex pachygyna, F. S. II. 133, 560; Fr. Carex, As. Or. 194; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 29.

Nom. Jap. *Takanesō.* タカネサウ

Hab. Yezo: Yesan (Osima), Sjari (Kitami), Morolan (Iburi); Nippon: Itsinohe (Mutsu), Oginohama (Rikzen), Akita (Ugo), Nikko, Utsunomiya, Siobara (Simotsuke), Tsitsibu, Ohtakesan (Musasi), Mt. Togaksi, Ohminesan (Sinano), Kongoosan (Kawatsi), Mt. Kooyasan (Kii); Kiusiu: Mt. Kudjiusan (Bungo); Sikok.

var. **bracteosa**, Fr. Carex, As. Or. 196.

syn. *C. platyphylla*, Fr. Bull. Soc. phil. VII. 50, non Carey.

Nom. Jap.

Hab. Yezo: Saruru (Kitami).

Carex sikokiana, F. S. II. 146, 572; Fr. Carex, As. Or. 64.

Nom. Jap.

Hab. Sikok.

Carex sociata, Boot.; A. Gr. Pl. Jap. 420; Boot. Carex IV. 200; Fr. Carex, As. Or. 59; Clk. J. L. S. XXXVI. 311.

Nom. Jap.

Hab. Liukiu: Ohsima; Formosa.

Carex songarica, Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 182.

Nom. Jap.

Hab. Nippon: Iidesan (Iwasiro).

Carex stellulata, Good.; F. S. II. 126; Clk. J. L. S. XXXVI. 311.

syn. *C. echinata*, Boeck.; Fr. Carex, As. Or. 232; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 123, non Murr.

Nom. Jap. *Kawazu-suge.* カハズスゲ

Hab. Yezo: Erimosaki (Hidaka), Tomakomai (Iburi), Asariyama, Iwanobori (Siribesi), Sibetsja (Tokatsi), Nemuro, Kusiro; Nippon: Aomori, Mt. Hakkooda, Sitsinohe (Mu-

tsu), Mt. Gandju (Riktsiu), Mt. Gassan, Rokdjurigoye (Uzen), Mt. Kattasan (Rikzeu), ins. Sado, Mt. Togaksi (Sinano), Siobara (Simotsuke).

var. **omiana,** Kuek.

syn. *C. omiana,* F. S. II. 126, 554; Fr. Carex, As. Or. 232; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 124.

Nom. Jap. *Yachi-kawazusuge.* ヤチカハズスゲ

Hab. Yezo: Erimosaki (Hidaka), Wasibetz (Iburi), Kabato, Sapporo (Isikari), Hakodate (Osima), Yurap; Nippon: Aomori (Mutsu), Nikko (Simotsuke), Numayamatooge (Iwasiro), Mt. Togaksi (Sinano), Sirakawa (Iwaki), Oomi.

Carex stenantha, F. S. II. 146, 573; Fr. Carex, As. Or. 50; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 105; Clk. J. L. S. XXXVI. 311.

syn. *C. stenolepis,* Franch.

Nom. Jap. *Iwa-suge.* イハスゲ

Hab. Nippon: Mt. Gandsusan, Nambu (Riktsiu), Nikko, Mt. Siranesan (Simotsuke), Mt. Ontake, Mt. Komagatake (Sinano), Mt. Fudsisan (Suruga), Mt. Haksan (Kaga).

Carex stenostachys, F. S. II. 142; Fr. Carex, As. Or. 183.

Nom. Jap.

Hab. Nippon: Kurama-yama (Yamasiro).

Carex stipata, Muhl.; Boot. Carex III. 121, t. 390; F. S. II. 125; Fr. Carex, As. Or. 218; Lev. et Vnt Bull. Soc. Geogr. Bot. X. (1901) 106.

Nom. Jap. *Oh-kawazusuge.* オホカハズスゲ

Hab. Yezo: Yesasi (Kitami), Saru (Hidaka), Tomakomai (Iburi), Kusiro, Mori, Hakodate (Osima), Sibetsja; Nippon: Rokdjiuri-goye, Hondoodji (Uzen), Mt. Togaksi, Wada-tooge (Sinano), Nikko-Akanumanohara (Simotsuke).

Carex stolonifera, Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 27.

Nom. Jap.

Hab. Nippon: Nasudake (Simotsuke).

Carex stupenda, Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 195.

Nom. Jap.

Hab. Kiusiu: Kagosima (Satsuma).

Carex subanceps, Boeck. Engl. Jahrb. V. 520.

Nom. Jap.

Hab. Nippon : Yedo (Musasi).

Carex subdissitiflora, Kuek.

syn. *C. dissitiflora,* Fr. Bull. Soc. phil. VII. 32 ; Fr. Carex, As. Or. 250, non Clk.

Nom. Jap. Miyama-juzusuge. ミヤマジユズスゲ

Hab. Yezo : Yesasi (Kitami), Sapporo, Djoosankei, Kamikawa (Isikari), Sjari, Iwanai (Siribesi), Sjakohu (?) ; Nippon : Toowada (Riktsiu), Yudonosan (Uzen), Nikko-Yumoto (Simotsuke).

Carex tarumensis, Fr. Bull. Soc. phil. VII. 87 ; Fr. Carex, As. Or. 147.

Nom. Jap.

Hab. Yezo : Kusiro ; Tarumai (Iburi).

Carex temnolepis, Fr. Carex, As. Or. 61. X. t. 4. f. 2.

Nom. Jap.

Hab. Nippon : Mt. Tsiookaisan (Ugo).

Carex tenella, Schk. *var.* **misera,** Fr. Carex, As. Or. 224.

syn. *C. misera,* Fr. Bull. Soc. phil. VII. 31.

Nom. Jap. Hoso-suge. ホソスゲ

Hab. Yezo : Akkesi (Kusiro) ; Nippon : Yugasima (Idsu).

Carex tenuiflora, Wahl.; Boot. Carex IV. 144, t. 463 ; Fr. Bull. Soc. phil. VII. 30 ; Fr. Carex, As. Or. 224.

Nom. Jap. Shiro-harisuge. シロハリスゲ

Ippon-suge. イツポンスゲ

Hab. Yezo : Tomakomai (Iburi), Iwanobori (Siribesi) ; Nippon : Nikko-Akanumanohara (Simotsuke).

Carex tenuiformis, Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 104.

Nom. Jap.

Hab. Yezo : ins. Rebunsiri (Kitami).

Carex tenuiseta, Fr. Bull. Soc. phil. VII. 43 ; Fr. Carex, As. Or. 142.

Nom. Jap. Ashiboso-suge. アシボソスゲ

Hab. Nippon : Mt. Tsiookaisan (Ugo).

Carex tenuissima, Boot.; nec Miq. P. 81 ; F. S. II. 147 ; Fr. Carex, As. Or. 63 ; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 109.

Nom. Jap. *Ito-suge.* イトスゲ

Hab. Nippon: Nikko (Simotsuke), Oh-yama, Hakone (Sagami), Mt. Fudsisan (Suruga); Kiusiu: Itsibusa (Higo).

Carex terniflora, Max.; Mak. T. B. M. (1890) 229.

Nom. Jap. *Ko-miyama-kusasuge.* コミヤマクサスゲ

Hab. Japonia.

Carex traiziscana, Fr. Schm.

Nom. Jap. *Osenuma-suge.* オセヌマスゲ

Hab. Nippon: Osenuma (Iwasiro).

Carex trichopoda, Fr. Bull. Soc. phil. VII. 43; Fr. Carex, As. Or. 141.

Nom. Jap.

Hab. Nippon: Gonohe (Mutsu).

Carex tristachya, Th. Fl. Jap. 38; Boot. Carex, IV. 131. t. 424; F. S. II. 135; Fr. Carex, As. Or. 163; Lev. et Vnt. Bull. Soc. Geogr. Bot. (1903) 504; Clk. J. L. S. XXXVI. 315.

syn. *C. monadelpha,* Boot. A. Gr. Pl. Jap. 323.

C. pocilliformis, Boot.

Nom. Jap. *Moegi-suge.* モエギスゲ

Hab. Nippon: Yokoska (Sagami), Biwako (Oomi); Obama (Settsu), Toba (Sima), Mt. Tsukba (Hitatsi); Sikok: Tosa; Kiusiu: Nagasaki (Hizen); Tsusima.

Carex uda, Max. Fl. Amur. 309; Boot. Carex IV. 139, t. 449, f. 1; Fr. Carex, As. Or. 201. *var.* **sachalinensis,** Fr. Schm.; Mak. T. B. M. (1895) 72.

Nom. Jap. *Ezo-matsubasuge.* エゾマツバスゲ

Hab. Yezo: Tokatsi, Tomakomai, Tarumai (Iburi), Yuubari, Sapporo (Isikari), Mori, Hakodate (Osima), Kusiro, Nippon: Samboodji (Musasi), Wada-tooge (Sinano); Sikok: Tsurugisan.

Carex usta, Fr. Bull. Soc. phil. VII. 41; Fr. Carex, As. Or. 125.

Nom. Jap.

Hab. Yezo: Noboribetz (Iburi).

Carex valida, Nees; Henry, L. 106.

Nom. Jap.

Hab. Formosa: Bankinsing.

Carex Yanioti, Lev. Bull. Soc. Agric. Sc. et Arts Sarthe, XI. (1902) 108.

Nom. Jap.
Hab. Nippon: Mt. Gandsusan (Riktsiu).

Carex ventricosa, Fr. Bull. Soc. phil. VII. 91; Fr. Carex, As. Or. 85.
Nom. Jap.
Hab. Japonia.

Carex vesicaria, L.; Boot. Carex IV. 162, tt. 536, 537; Fr. Carex, As. Or. 84; Clk. J. L. S. XXXVI. 317.
Nom. Jap. *Oni-narukosuge.* オニナルコスゲ
Hab. Kurile: Kunasiri; Yezo: Mombetz, ins. Riisiri (Kitami), Wasibetz (Iburi), Akan (Kusiro), Otaru, Iwanai (Siribesi), Zenibako, Sapporo (Isikari), Yurap-gawa, Sibetsja, Nemuro, Urakawa (Hidaka); Nippon: Kanagi, Mt. Osoreyama (Mutsu), Akita (Ugo), Siobara, Nikko (Simotsuke), Tokio (Musasi).

Carex villosa, Boot. A. Gr. Pl. Jap. 327; Carex IV. 203; F. S. II. 142; Fr. Carex, As. Or. 44; Lev. et Vnt. Bull. Soc. Geogr. Bot. XI. (1902) 32; Clk. J. L. S. XXXVI. 318.
Nom. Jap.
Hab. Yezo: Yesasi (Kitami), Wasibetz, Noboribetz (Iburi), Sapporo, Kamikawa, Yuubari (Isikari), Yesan (Osima), Sibetsja; Nippon: Simoda (Idsu).

Carex vitilis, Fries.; Fr. Carex, As. Or. 227; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 121.
syn. *C. Gebhardi,* Hopp.
C. Persoonii, Lang.
Nom. Jap.
Hab. Yezo: Iwanobori (Siribesi); Nippon: Mt. Iwagisan (Mutsu).

Carex vulpinoidea, Michx.; Lev. et Vnt. Bull. Soc. Googr. Bot. X. (1901) 123.
syn. *C. calicitrapa,* Fr. Bull. Soc. phil. VII. 30; Fr. Carex, As. Or. 230.
C. Buxbaumi, Wahl.; Boot. Carex IV. 136, t. 438, 439; Fr. Carex, As. Or. 149.
Nom. Jap. *Ezo-azesuge.* エゾアゼスゲ
Hab. Yezo: Sooya-misaki (Kitami), Saru-gawa (Hidaka), Soratsi (Isikari).

Carex Wallichiana, Presc. *var.* **Myabei**, Kuek.

syn. *C. Myabei*, Fr. Bull. Soc. phil. VII. 52; Fr. As. Or. 88.

C. saruensis, Fr. Bull. Soc. phil. VII. 85.

Nom. Jap. *Birōdo-suge.* ビロウドスゲ

Hab. Yezo: Mombetz, Sooya-misaki (Kitami), Saru (Hidaka), Akan (Kusiro), Sapporo, Kamikawa (Isikari), Morolan, lacu Tooya, Wasibetz (Iburi), Fuk-yama (Osima); Nippon: Aomori, Sitsinohe (Mutsu), Sambongi (Rikzen), Akita (Ugo), Nambu (Riktsiu), Usui-tooge (Koodsuke).

Carex Wardiana, Lev. et Vnt. Bull. Geogr. Bot. X. (1901) 276.

Nom. Jap.

Hab. Yezo: ins. Rebunsiri (Kitami).

Carex Wilfordi, Clk. J. L. S. XXXVI. 318.

syn. *C. wahuensis*, Boot. exp.

C. Bongardi, *v. robusta*, F. S. II. 561, exp.

Nom. Jap.

Hab. Japonia.

Carex Wrightii, Fr. Bull. Soc. phil. VII. 47; Fr. Carex, As. Or. 190; Lev. et Vnt. Bull. Soc. Geogr. Bot. X. (1901) 279.

syn. *C. montana*, *v. oxyandra*, F. S. II. 141.

C. pilurifera, Wright, A. Gr. Pl. Jap. 417, non L.

Nom. Jap. *Hime-suge.* ヒメスゲ

Hab. Kurile: Kunasiri; Yezo: Yesasi, Mombetz, Siretoko, ins. Rebunsiri, ins. Riisiri (Kitami), Iwoozan (Siribesi), Tsitose, Tarumai, Tomakomai, Morolan (Iburi), Sapporo (Isikari), Mori (Osima); Nippon: Mt. Hakkooda, Sitsinohe, Mt. Iwagisan (Mutsu), Mt. Gandsusan (Riktsiu), Mt. Tsiookaisan (Ugo), Yamagata (Uzen), Simidsu-tooge (Yetsigo), ins. Sado; Mt. Tateyama (Yettsiu), Mt. Togaksi, Mt. Ontake, Mt. Yatsugatake (Sinano), Nikko-Yumoto (Simotsuke), Tsitsibu (Musasi), Yokoska (Sagami); Sikok: Mt. Sasagamine (Tosa).

var. **lanceolata**, Kuek.

Nom. Jap.

Hab. Nippon: Mt. Siranesan, Yumoto (Simotsuke).

Carex xanthathera, Fr. Bull. Soc. phil. VII. 88; Fr. Carex, As. Or. 144.

syn. *C. urolepis*, Fr. l.c.

Nom. Jap.

Hab. Yezo: ins. Rebunsiri (Kitami).

Carex yesanensis, Fr. Bull. Soc. phil. VII. 88; Fr. Carex, As. Or. 39.

Nom. Jap.

Hab. Yezo: Yesan (Osima).

Cladium glomeratum, R. Br.; Clk. J. L. S. XXXIV. 92: Mak. T. B. M. (1895) 72; Clk. J. L. S. XXXVI. 262; Bull. Acad. Intern. Geogr. Bot. (1904) 200.

syn. *Baumea Brownei,* Boeck. Linn. XXXVIII. 242.

B. rubiginosa, Boeck. Linn. XXXVIII. 241.

Chapelliera glomerata, Nees; F. S. II. 121.

Nom. Jap. *Wa-ampera.* ワアンペラ

Hab. Nippon: Hosoya (Mikawa), Sakai (Suwoo); Kiusiu: Gotoo, Nagasaki (Hizen); Liukiu: ins. Kumesima.

Cladium jamaicense, Crantz; Clk. J. L. S. XXXVI. 262; Bull. Acad. Intern. Geogr. Bot. (1904) 200.

syn. *C. germanicum,* Schrad.

C. Mariscus, R. Br.; F. S. II. 548.

C. leptostachyum, Nees.

C. chinense, Nees.

Schoenus Mariscus, L.

Gahnia Mariscus, T. Muell.

Nom. Jap. *Hitomoto-susuki.* ヒトモトススキ

Shishikiri-gaya. シシキリガヤ

Hab. Nippon: Ukui, Maro, Nigoo (Kii), Katsusaka (Suwoo); Kiusiu: Mimidsu (Hiuga); Sikok: Ko-Tsuksi (Tosa); Tsusima; Liukiu: Yaksima.

Cladium undulatum, R. Br.; H. L. 105.

Nom. Jap.

Hab. Formosa: Takow.

Cyperus amuricus, Max. *var.* **japonica,** Max.; Miq. P. 73; F. S. II. 105; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 202.

Nom. Jap. *Kayatsuri-gusa.* カヤツリグサ

Hab. Nippon: Hirosaki, Aomori (Mutsu), Aidsu (Iwasiro), Nikko (Simotsuke), Kihara (Hitatsi), Tokio (Musasi), Komono (Ise); Usui-tooge (Sinano); Sikok: Yamasirodani, Wakimatsi (Awa), Tosa; Kiusiu: Siita (Buzen), Sonoki, Tokitsu (Hizen); Tsusima.

Cyperus compressus, L.; F. S. II. 105.

Nom. Jap. Kugu-gayatsuri. クグガヤツリ

Hab. Nippon: Tokio (Musasi), Usui-tooge (Sinano), Hakone (Sagami), Tatsuta (Bittsiu); Sikok: Tosa; Kiusiu: Mimidsu (Hiuga); Formosa.

Cyperus difformis, L.; Miq. P. 73; F. S. II. 104; Clk. J. L. S. XXI. 133; H. L. 102.

syn. C. Goeringii, Steud.

Nom. Jap. Tama-gayatsuri. タマガヤツリ

Hab. Nippon: Aidsu (Iwasiro), Tokio (Musasi), Yokoska (Sagami), Koofu (Kai), Seilendji (Iga), Simo-no-Suwa (Sinano), Oh-utsi (Suwoo); Kiusiu: Tokitsu, Nomo-no-saki (Hizen), Ohkawa (Tsikzen); Tsusima; Formosa: Takow.

Cyperus digitatus, Roxb.; H. L. 102.

Nom. Jap.

Hab. Formosa: Takow.

Cyperus distans, L. f.; Boeck. Engl. Jahrb. VI. 51; Clk. J. L. S. XXI. 144; H. L. 102; Mak. T. B. M. (1898) 15.

Nom. Jap. Hōki-gayatsuri. ハハキガヤツリ

Hab. Liukiu: Ohsima; Formosa: Takow.

Cyperus eleusinoides, Kunth; H. L. 102.

Nom. Jap.

Hab. Formosa: Takow.

Cyperus flavidus, Retz.; Clk. J. L. S. XXXIV. 23.

syn. C. pseudo-Haspan, Mak. T. B. M. (1892) 47.

Nom. Jap. Hime-gayatsuri. ヒメガヤツリ

Ko-azegayatsuri. コアゼガヤツリ

Hab. Nippon: Aidsu (Iwasiro), Atsuhata (Hitatsi), Tokio, Yokohama (Musasi), Saside (Kai), Simoosa; Tatsuta, Harakosai (Bittsiu), Yetsizen; Sikok: Sakawa (Tosa); Tsusima; Formosa: Taipeh.

Cyperus glomeratus, L.; Boeck. Linn. XXXV. 592; Clk. J. L. S. XXI. 141; Fl. Br. Ind. VI. 607; J. L. S. XXXIV. 29.

Nom. Jap. Numa-gayatsuri. ヌマガヤツリ

Hab. Nippon: Tokio, Toda, Iyoda (Musasi), Hiratsuka (Sagami).

Cyperus hakonensis, F. S. II. 104, 538; Mak. T. B. M. (1890) 229; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 201.

Nom. Jap. Hina-gayatsuri. ヒナガヤツリ

Hab. Nippon: Tokio, Koiwa (Musasi), Totsuka, Hakone-Asi-ko (Sagami), Nisaka (Ise), Harakosai (Bittsiu); Sikok: Tosa.

var. **vulcanicus**, F. S. II. 105; Mak. T. B. M. (1890) 229.

Nom. Jap. *Ko-hinagayatsuri.* コヒナガヤツリ

Hab. Nippon: Hakone-Oh-djigok (Sagami).

Cyperus Haspan, L.; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 201.

Nom. Jap. *Mizu-hanabi.* ミヅハナビ

Hab. Atsuhata (Hitatsi), Hikami (Suwoo); Sikok; Liukiu: Ohsima.

Cyperus Hilgendorfianus, Boeck. Engl. Jahrb. V. 501.

Nom. Jap.

Hab. Japonia.

Cyperus Iria, L.; Th. Fl. Jap. 36; Miq. P. 73; F. S. II. 103; Clk. J. L. S. XXI. 137; Mak. T. B. M. (1894) 380; H. L. 102; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 201.

syn. *C. microiria*, Steud.

C. Iria, v. microiria, F. S. II. 103.

Nom. Jap. *Kogomegayatsuri.* コゴメガヤツリ

Hab. Nippon: Aidsu (Iwasiro), Tokio (Musasi), Yokoska (Sagami), Yada (Suwoo); Kiusiu: Tsukasaki, Nagasaki (Hizen), Tsusima; Liukiu: Yaksima; Formosa: Takow, Taitoo.

var. **paniciformis**, Clk. Fl. Br. Ind. VI. 607; Mak. T. B. M. (1894) 380; Clk. J. L. S. XXXIV. 29.

syn. *C. paniciformis*, F. S. II. 103, 537.

Nom. Jap. *Ko-kogomegayatsuri.* コヽゴメガヤツリ

Hab. Nippon; Tokio (Musasi), Mama (Simoosa), Yokoska (Sagami); Sikok: Yahadzu (Tosa).

form. **depauperata**, Boeck. Engl. Jahrb. VI. 51.

Nom. Jap.

Hab. Japonia.

Cyperus Iwasakii, Mak. T. B. M. (1892) 47, 120.

syn. *C. Tokiensis*, Clk.

Nom. Jap. *Kwan-en-gayatsuri.* クワンエンガヤツリ

Hab. Nippon: Tokio (Musasi).

Cyperus japonicus, Mak. T. B. M. (1904) 53.

Nom. Jap.

Hab. Japonia.

Cyperus malaccensis, Lam.; Clk. J. L. S. XXI. 147.

Nom. Jap. Shichitō. シチトウ

Hab. Japonia.

var. **brevifolia,** Boeck. Linn. I. 459; F. S. II. 539.

syn. *C. monophyllus,* Vahl.

C. spaniophyllus, Steud.

Nom. Jap.

Hab. Nippon: Kadsusa; Ohara (Yetsizen), Tokio, cult.; Sikok: Susaki (Tosa); Kiusiu: Beppu (Bungo); Liukiu: Oosima; Okinawa: Sjuri, Nago.

Cyperus nitens, Retz.; Miq. P. 72; F. S. II. 100; Matsum. T. B. M. (1889) 249.

Nom. Jap.

Hab. Japonia.

Cyperus nutans, Vahl; Kunth, Enum. II. 94; Boeck. Linn. XXXV. 597; F. S. II. 538; H. L. 102.

syn. *C. microiria, v. Steud.* Syn. II. 23.

Nom. Jap.

Hab. Nippon; Formosa: ins. Pescadores.

Cyperus pilosus, Vahl; Clk. J. L. S. XXI. 148; Mak. T. B. M. (1890) 229.

syn. *C. fimbriatus,* Nees; Kunth, Enum. II. 100; Miq. P. 74, 357; F. S. II. 107.

C. marginellus, Nees; Kunth, Enum. II. 75; Miq. P. 73; F. S. II. 107; Mak. T. B. M. (1890) 21.

C. truncatus, F. S. II. 105, non Turcz.

C. subalatus, Steud.

Nom. Jap. Ushi-gayatsuri. ウシガヤツリ

Oni-gayatsuri. オニガヤツリ

Hab. Nippon: Yokoska (Sagami), Makama (Bittsiu); Oh-utsi (Suwoo); Sikok: Saidjoo (Iyo), Asakra, Yosiwara (Tosa); Kiusiu: Nagasaki (Hizen), Tsusima; Liukiu: Simasiri; Formosa: Taitsiu.

Cyperus pterygorrachis, Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 202.

Nom. Jap.

Hab. Nippon: Niigata (Yetsigo).

Cyperus radiatus, Vahl; H. L. 102.
Nom. Jap.
Hab. Formosa: Takow.

Cyperus rotundus, L.; Miq. P. 73, 357; F. S. II. 106; Boeck. Linn. XXXVI. 283; Clk. J. L. S. XXI. 167; Kurit. T. B. M. (1889) 94: H. L. 102; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 202.
Nom. Jap. *Hama-suge.* ハマスゲ
Hab. Nippon: Tokio (Musasi), Yokoska (Sagami), Honguu (Kii), Oh-utsi (Suwoo); Liukiu: Sjuri (Okinawa), Ohsima; Formosa: Kizan, Tamsui, ins. Pescadores.

Cyperus stolonifer, Retz.; Boeck. Linn. XXXV. 489; H. L. 102; Clk. J. L. S. XXXVI. 217.
Nom. Jap.
Hab. Formosa: Takow.

Cyperus tegetiformis, Roxb.; Clk. J. L. S. XXI. 157; XXXIV. 34; H. L. 102; Mak. T. B. M. (1896) 67; Clk. J. L. S. XXXVI. 218.
syn. *C. enodis,* Boeck. Linn. XXXVI. 271; F. S. II. 540.
C. malaccensis, v. bulbifera, Boeck. Linn. XXXV. 604.
Nom. Jap.
Hab. Formosa.

Cyperus Textori, Miq. P. 73; F. S. II. 105, 539; *var.* **laxa,** F. S. II. 538, 539.
syn. *C. Krameri,* F. S. II. 104, 538.
Nom. Jap.
Hab. Nippon: Yokoska (Sagami).

Cyperus tosaensis, Mak. T. B. M. (1892) 47.
Nom. Jap. *Mugigara-gayatsuri.* ムギガラガヤツリ
Hab. Sikok: Hata-goori (Tosa).

Cyperus truncatus, Turcz.; Boeck. Linn. XXXV. 604; Clk. J. L. S. XXXVI. 218.
Nom. Jap.
Hab. Japonia.
var. **orthostachya,** Clk. J. L. S. XXXVI. 218.
syn. *C. orthostachys,* F. S. II. 106, 539.
C. fimbriatus, Miq. P. 74, 357; F. S. II. 107. non Nees.
Nom. Jap. *Ushikuga.* ウシクガ

Nagaba-gayatsuri. ナガバガヤツリ

Hab. Nippon: Tokio (Musasi), Yokoska (Sagami), Takata (Yetsigo), Takamatsu (Bittsiu), Miyadsu (Tango); Sikok: Tosa.

Cyperus tuberosus, Rottb.; Clk. J. L. S. XXXVI. 219.

syn. *C. rotundus,* Benth.

C. tenuiflorus, Roxb.; H. L. 102, non Rottb.

C. Retzii, Nees.

Nom. Jap.

Hab. Formosa: Takow.

Eleocharis acicularis, R. Br.; Clk. J. L. S. XXXVI. 225.

syn. *E. chætaria,* Hance.

Scirpus acicularis, L.

Heleocharis acicularis, Koch.

Elæocharis acicularis, Ledeb.

Chætocyperus Limnocharis, Nees.

Nom. Jap. *Matsuba-i.* マツバ井

Ko-oge. コヲゲ

Hab. Nippon: Tokio, Takatsu (Musasi), Yokoska, Hakone (Sagami), Mama (Simoosa), Oh-utsi (Suwoo); Liukiu: Sjuri, Nakagami (Okinawa).

Eleocharis afflata, Steud; Mak. T. B. M. (1890) 229; Clk. J. L. S. XXXIV. 52; XXXVI. 226; Bull. Acad. Intern. Geogr. Bot. (1904) 203.

syn. *E. pellucida,* Presl.

E. subprolifera, Steud.

Scirpus afflatus, Benth.; F. S. II. 109.

S. attenuatus, F. S. II. 110, 543.

Heleocharis ochrostachys, Boeck.

H. chlorocarpa, Boeck.

H. Kuntzei, Boeck.

H. afflata, Naves.

H. acicularis, v. japonica, Diels, Engl. Jahrb. XXIX. 228.

Nom. Jap. *Mizuhiki-i.* ミヅヒキ井

Hab. Nippon: Matsusima (Rikzen), Tokio (Musasi), Okayama (Bizen), Yokoska (Sagami); Kiusiu: Buzen.

var. **japonica,** Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 203.

Nom. Jap.

Hab. Nippon : Togaksi (Sinano).

Eleocharis capitata, R. Br.; Clk. J. L. S. XXXVI. 227.

syn. *E. setacea,* R. Br.
Scirpus capitatus, L.
Eleogenus capitatus, Nees.
Heleocharis capitata, Boeck.

Nom. Jap.

Hab. Formosa : Takow.

Eleocharis congesta, Don.; Clk. Fl. Br. Ind. VI. 630; J. L. S. XXXIV. 52; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 103.

Nom. Jap.

Hab. Nippon : Aomori (Mutsu).

Eleocharis fistulosa, Link.; Mak. T. B. M. (1904) 109.

Nom. Jap. Misumi-i. ミスミヰ

Hab. Kiusiu : Fuk-oka (Tsikzen).

Eleocharis japonica, Miq. P. 74; Mak. T. B. M. (1890) 229.

syn. *Heleocharis japonica,* Boeck. Linn. XXXIV. 422.
Scirpus japonicus, F. S. II. 109.

Nom. Jap. Hari-i. ハリヰ

Hab. Nippon : Aomori (Mutsu), Kawagutsi (Musasi), Yokoska, Hakone (Sagami), Atsuhata (Hitatsi), Nikko (Simotsuke), Kasuga (Yamato); Kiusiu : Ohkawa (Tsikzen), Tsusima.

Eleocharis liukiuensis, Mak. T. B. M. (1904) 111.

Nom. Jap.

Hab. Liukiu.

Eleocharis nipponica, Mak. T. B. M. (1904) 110.

Nom. Jap.

Hab. Nippon : Nikko (Simotsuke), Hakone (Sagami).

Eleocharis palustris, R. Br.; Clk. J. L. S. XXXIV. 50; Mak. T. B. M. (1890) 26; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 203.

syn. *Heleocharis palustris,* Roem. et Sch.
Eleocharis pileata, A. Gr. Bot. Jap. 417; Miq. P. 357.
Scirpus palustris, L.
S. pileata, F. S. II. 110.

Nom. Jap. Numa-hari-i. ヌマハリヰ

Hab. Yezo : Adsuma (Iburi), Toberi (Tokatsi), Sapporo (Isikari),

Hakodate (Osima); Nippon: Mt. Kurikoma (Riktsiu), Tamagawa (Musasi), Oh-utsi (Suwoo); Sikok: Tosa, Mt. Tsurugisan (Iyo).

Eleocharis plantaginea, R. Br.; Miq. P. 74; Clk. J. L. S. XXXVI. 228.

syn. *Scirpus plantaginoides,* Rottb.

S. plantagineus, Retz.; F. S. II. 111.

Limnochloa plantaginea, Nees.

L. tumida, Nees.

Heleocharis plantaginea, Boeck. Linn. XXXVI. 474.

Nom. Jap. Kuroguwai. クログワヰ

Hab. Nippon: Nikko (Simotsuke), Wada (Musasi), Yokoska (Sagami), Tomioka (Tootoomi), Hikami (Suwoo); Formosa: Kilai, Takow.

Eleocharis Savatieri, Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 203.

syn. *Scirpus mitratus,* F. S. II. 111.

Eleocharis mitrata, Mak. T. B. M. (1894) 380.

Nom. Jap. Kuro-hari-i. クロハリヰ

Hab. Yezo: Morolan (Iburi), Sjoonai (Uzen), Toda, Koiwa (Musasi), Yokoska (Sagami), Ohsima (Idsu).

Eleocharis tetraquetra, Nees; Clk. J. L. S. XXXIV. 52; XXXVI. 228; Bull. Acad. Intern. Geogr. Bot. (1904) 203.

syn. *E. erythrochlamys,* Miq.

Scirpus Wichurai, F. S. II. 544, non Boeck.

S. hakonensis, F. S. II. 110.

S. Onoei, F. S. II. 111, 544.

S. petasatus, Max.

Heleocharis tetraquetra, Boeck. Engl. Jahrb. VI. 51.

H. Wichurai, Boeck. Linn. XXXVI. 448; Max. Fl. As. Or. fragm. 65.

H. alta, Boeck.

Nom. Jap. Shikaku-i. シカクヰ

Hab. Yezo: Hakodate (Osima); Nippon: Aomori (Mutsu), Simura, Koiwa, Wada, Nerima (Musasi), Yokoska, Hakone (Sagami), Koosi (Mikawa), Idsu; Tango; Yada (Suwoo), Wada-tooge (Sinano), Wakamatsu (Iwasiro), Nikko(Simotsuke); Sikok: Tosa; Kiusiu: Tsuno(Hiuga); Oosumi, Tsusima.

Eleocharis variegata, Kunth. *var.* **laxiflora,** Clk.
Nom. Jap. *Tokusa-i.* トクサヰ
Shima-hari-i. シマハリヰ
Hab. Formosa: Tamsui.

Eriophorum alpinum, L.; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 203.
Nom. Jap.
Hab. Yezo: Tomakomai (Iburi).

Eriophorum gracile, Koch; F. S. II. 115.
Nom. Jap. *Sagi-suge.* サギスゲ
Mayuhaki-gusa. マユハキグサ
Hab. Yezo: Hakodate (Osima); Nippon: Nikko (Simotsuke), Wada-tooge, Simo-no-Suwa (Sinano), Mt. Tateyama (Yettsiu).

Eriophorum japonicum, Max. M. B. XII. 558.
Nom. Jap. *Takane-kurosuge.* タカネクロスゲ
Hab. Nippon: Mt. Kurikoma, Mt. Hayatsine (Riktsiu).

Eriophorum Scheuchzerii, Hoppe; Clk. J. L. S. XXXIV. 84.
Nom. Jap. *Wata-suge.* ワタスゲ
Suzume-no-keyari. スヽメノケヤリ
Hab. Kurile; Yezo: Nemuro; Nippon: Iwatesan (Uzen), Nikko (Simotsuke), Mt. Tateyama (Yettsiu), Simidsu-tooge (Yetsigo), Numayama (Koodsuke).

Eriophorum vaginatum, L.; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 203.
Nom. Jap.
Hab. Nippon: Hakkooda (Mutsu).

Fimbristylis aestivalis, Vahl; Clk. J. L. S. XXXIV. 59; Mak. T. B. M. (1890) 229; Clk. J. L. S. XXXVI. 230.
syn. *F. laxa,* Regl. non Vahl.
F. leiocarpa, Max. non Miq.
Scirpus aestivalis, Retz.
Nom. Jap. *Ko-azetentsuki.* コアゼテンツキ
Hab. Nippon: Tokio (Musasi); Formosa: Polisja.

Fimbristylis autumnalis, Roem. et Sch.; F. S. II. 119.
Nom. Jap. *Hime-tentsuki.* ヒメテンツキ
Hab. Nippon: Tokio (Musasi), Torami (Kadsusa), Yokoska (Sagami); Sikok: Tosa; Liukiu.

Fimbristylis complanata, Link; Henry, L. 105; Clk. J. L. S. XXXVI. 231; Bull. Acad. Intern. Geogr. Bot. (1904) 198.

syn. *F. autumnalis, v. Boeck.*

F. amblyphylla, Steud.

F. quinquangularis, Munro, non Kunth.

Scirpus complanatus, Retz.

S. anceps, Willd.

Trichelostylis complanatus, Nees.

Nom. Jap. *Oh-hiratentsuki.* オホヒラテンツキ

Hab. Kiusiu: Asosan (Higo); Formosa: Takow.

var. **microcarpa,** Clk. Fl. Br. Ind. VI. 46; J. L. S. XXXIV. 68; Bull. Acad. Intern. Geogr. Bot. (1904) 198.

syn. *F. microcarpa,* F. Muell.

Nom. Jap. *Hime-hiratentsuki.* ヒメヒラテンツキ

Hab. Nippon: Tokio (Musasi), Torami (Kadsusa), Miyadsu (Tango).

var. **Kraussiana,** Clk. Fl. Br. Ind. VI. 646; J. L. S. XXXIV. 68.

syn. *F. Kraussiana,* Hochst.

Nom. Jap. *No-tentsuki.* ノテンツキ

Hab. Nippon: Kadsusa, Tootoomi; Togaksi (Sinano); Suwoo, Iga; Kiusiu: Bungo.

Fimbristylis cymosa, R. Br.; Clk. J. L. S. XXXVI. 232.

syn. *F. glomerata,* Boeck.

F. multifolia, Boeck.

Scirpus cymosus, Lam.

Nom. Jap.

Hab. Liukiu.

Fimbristylis diphylla, Vahl; Henry, L. 104; Clk. J. L. S. XXXVI. 233; Bull. Intern. Geogr. Bot. (1904) 198.

syn. *F. laxa,* Vahl.

F. pilosa, Presl, non Vahl.

F. depauperata, R. Br.

F. ovalis, Nees.

F. podocarpa, Nees.

F. communis, Kunth.

F. polymorpha, Boeck. Linn. XXXVII. 14.

F. spadicea, Boeck. Fl. XLII. 70.
F. diphylla, v. tomentosa, Benth.; Miq. P. 76, 357; F. S. II. 118.
F. tomentosa, Vahl.
F. Goeringiana, Steud.
F. diphylla, v. floribunda, Miq. P. 76, 143.
Scirpus diphyllus, Retz.
S. dichotomus, L.

Nom. Jap. *Tentsuki.* テンツキ
Kuro-tentsuki. クロテンツキ
Kugu-tentsuki. クヾテンツキ

Hab. Yezo: Akan (Kusiro); Nippon: Aidsu (Iwasiro), Tokio (Musasi), Hakone (Sagami), Itsinomiya (Kadsusa), Niigata (Yetsigo), Hikami (Suwoo), Ohara (Yetsizen), Mayasan (Settsu), Nisinotani (Kii); Sikok: Kamo (Tosa); Kiusiu: Nisitake (Hiuga), Tokitsu, Takeo (Hizen), Sasagataira (Buzen), Ohkawa (Tsikzen); Liukiu: Ohsima, Iheya; Formosa: Takow, Taitsiu, Kootoosjoo.

Fimbristylis dipsacea, Benth.; Clk. Bull. Intern. Geogr. Bot. (1904) 199.

syn. *Isolepis verrucifera*, Max. Fl. Amur. 300.
Fimbristylis verrucifera, Mak. T. B. M. (1895) 259.
F. nipponensis, Mak. T. B. M. (1892) 47.

Nom. Jap. *Ao-tentsuki.* アヲテンツキ

Hab. Nippon: Uzen; Iwakiri (Rikzen), Mito (Hitatsi), Tone (Musasi), Koofu (Kai).

Fimbristylis Eragrostis, Hance; Clk. J. L. S. XXXVI. 235.

syn. *F. quinquangularis*, Munro.
Abildgaardia Eragrostis, Nees.

Nom. Jap.

Hab. Formosa.

Fimbristylis ferruginea, Vahl; Mak. T. B. M. (1896) 65; Henry, L. 105; Clk. J. L. S. XXXVI. 235.

syn. *F. arvensis*, Vahl.
F. tristachya, R. Br.
Scirpus ferrugineus, L.
S. arvensis, Retz.

Nom. Jap. *Shima-tentsuki.* シマテンツキ

Hab. Nippon : Takasinohama (Idsumi) ; Kiusiu ; Tsusima ; Liukiu : Naha (Okinawa) ; Formosa : Takow.

Fimbristylis formosensis, Clk.; Henry, L. 105.

Nom. Jap.

Hab. Formosa : Takow.

Fimbristylis fusca, Benth.

syn. *F. stenantha,* Mak.

Nom. Jap. Onoe-tentsuki. オノヘテンツキ

Hab. Kiusiu : Nisitake (Hiuga) ; Sikok : Suwoogata (Tosa).

Fimbristylis globosa, Kunth, *var.* **Torresiana,** Clk. Fl. Br. Ind. VI. 645 ; J. L. S. XXXIV. 67 ; XXXVI. 237 ; Bull. Acad. Intern. Geogr. Bot. (1904) 199.

syn. *F. Torresiana,* Gaudich.

Nom. Jap.

Hab. Nippon : ins. Sado ; Liukiu.

Fimbristylis longispica, Steud.; Clk. Fl. Br. Ind. VI. 639 ; Clk. J. L. S. XXXIV. 61 ; XXXVI. 239.

syn. *F. ferruginea,* Miq. P. 76 ; F. S. II. 119.
F. Buergeri, Miq. P. 76 ; F. S. II. 119.
F. spadicea, Boeck. Linn. XXXVII. 19.
F. Didrichsensi, Boeck.

Nom. Jap. Oh-tentsuki. オホテンツキ

Hab. Nippon : Tokio (Musasi) ; Sikok : Hirose (Tosa) ; Tsusima.

Fimbristylis miliacea, Vahl ; Miq. P. 77, 143 ; F. S. II. 119 ; Boeck. Linn. XXXVII. 43 ; Engl. Jahrb. VI. 51 ; Henry, L. 105 ; Clk. J. L. S. XXXIV. 65 ; XXXVI. 239.

syn. *Scirpus miliaceus,* Thunb.
Trichelostylis miliacea, Nees.

Nom. Jap. Hideriko. ヒデリコ

Hab. Nippon : Tokio (Musasi) ; Aidsu (Iwasiro), Yokoska (Sagami), Seilendsi (Iga) ; Ise ; Yada (Suwoo) ; Kiusiu : Nisitake, Takanabe (Hiuga), Tokitsu, Nagasaki (Hizen), Asosan (Higo), Ohkawa (Tsikzen) ; Tsusima ; Liukiu : Ohsima, Okinawa ; Formosa : Takow, Taipeh, S. Cape.

Fimbristylis monostachya, Hassk.; Henry, L. 104 ; Mak. T. B. M, (1896) 110 ; Clk. J. L. S. XXXVI. 240.

syn. *Cyperus monostachyus,* L.
Abildgaardia monostachya, Vahl.

A. compressa, Presl.

A. Rottboelliana, Nees.

Nom. Jap. *Yari-tentsuki.* ヤリテンツキ

Hab. Liukiu; Formosa: Takow.

Fimbristylis Pierotii, Miq. P. 77; F. S. II. 120; Boeck. Linn. XXXVII. 32; Clk. J. L. S. XXXIV. 64; Bull. Acad. Intern. Geogr. Bot. (1904) 198.

Nom. Jap.

Hab. Nippon: Akita (Ugo); Kiusiu: Nagasaki (Hizen).

Fimbristylis polytrichoides, Vahl; Henry, L. 105; Clk. J. L. S. XXXVI. 241; Bull. Acad. Intern. Geogr. Bot. (1904) 199.

syn. *F. juncea*, Boeck. non Roem. et Sch.

Scirpus polytrichoides, Retz.

Abildgaardia javanica, Steud.

Nom. Jap.

Hab. Liukiu: Ohsima; Formosa: Takow.

Fimbristylis schoenoides, Vahl; Henry, L. 105; Clk. J. L. S. XXXVI. 243.

syn. *F. bispicata*, Nees.

F. polymorpha, v. depauperata, Boeck.

Scirpus schoenoides, Retz.

S. bispicatus, Roxb.

Abildgaardia nervosa, Presl.

Nom. Jap.

Hab. Formosa: Takow.

Fimbristylis sericea, R. Br.; Clk. Fl. Br. Ind. VI. 641; Henry, L. 105; Clk. J. L. S. XXXIV. 63; XXXVI, 243; Bull. Acad. Intern. Geogr. Bot. (1904) 199.

syn. *F. velutina*, Fr. Bull. Soc. Bot. France (1879) 87.

Scirpus sericeus, Poir.

Nom. Jap. *Birōdo-tentsuki.* ビロウドテンツキ

Hab. Nippon: Matsuoka (Hitatsi); Yetsigo: Kudju-kuri (Kadsusa), Yanagisima (Sagami), Iwase (Yettsiu); Idsumi; Formosa: Takow.

Fimbristylis Sieboldii, Miq. Cat. 118; F. S. II. 118; Mak. T. B. M. (1890) 229; Clk. J. L. S. XXXVI. 243; Bull. Acad. Intern. Geogr. Bot. (1904) 198.

syn. *F. leiocarpa*, Miq. P. 76, non Max.

Nom. Jap. *Isoyama-tentsuki.* イソヤマテンツキ
Hab. Sikok : Kainogawa (Tosa) ; Kiusiu : Kagosima (Satsuma) ; Liukiu : Ohsima.

Fimbristylis spathacea, Roth ; Henry, L. 105 ; Clk. J. L. S. XXXVI. 244.
syn. *F. Wightiana,* Nees ; Mak. T. B. M. (1890) 2.
F. glomerata, Nees.
F. rigida, Kunth.
F. junciformis, Munro.
F. biumbellata, Boeck.
Scirpus glomeratus, Retz.
Isolepis rigescens, Presl.
I. Hœakei, Presl.
Nom. Jap. *Shiokaze-tentsuki.* シホカゼテンツキ
Shiba-tentsuki. シバテンツキ
Hab. Sikok : Tosa ; Bonin ; Liukiu : Kuntsian ; Formosa : Takow, Taitsiu, Kootoosjoo.

Fimbristylis squarrosa, Vahl ; F. S. II. 118 ; Henry, L. 105 ; Clk. J. L. S. XXXVI. 244 ; Bull. Acad. Intern. Geogr. Bot. (1904) 198.
syn. *Scirpus squarrosus,* Poir, non L.
Pogonostylis squarrosa, Bertol.
Nom. Jap. *Aze-tentsuki.* アゼテンツキ
Hab. Nippon : Numasaki, Aomori (Mutsu), Wakamatsu (Iwasiro), Simo no Suwa (Sinano), Tokio, Yokohama (Musasi), Yokoska, Hakone (Sagami) ; Formosa : Takow.

Fimbristylis sub-bispicata, Nees et Mey.; Clk. Fl. Br. Ind. 634 ; J. L. S. XXXIV. 56 ; XXXVI. 245 ; Bull. Acad. Intern. Geogr. Bot. (1904) 199.
syn. *F. bispicata,* Nees, Boeck. Linn. XXXVIII. 6.
F. japonica, S. Z.; Steud. Syn. 107 ; Miq. P. 76, 143 ; F. S. II. 117 ; Mak. T. B. M. (1899) 8.
Nom. Jap. *Yama-i.* ヤマヰ
Tama-i. タマヰ
Hab. Yezo : Samani (Hidaka) ; Nippon : Saruga (Mutsu), Temuke (Uzen), Aidsu (Iwasiro), Hongoo (Kadsusa), Tokio (Musasi), Murayama (Suruga), Tomioka (Tootoomi), Nikko (Simotsuke), Yokoska (Sagami), Seilendsi (Iga), Kon-

goosan (Kawatsi), Hikami (Suwoo); Sikok: Sakawa (Tosa); Kiusiu: Kirisima (Hiuga), Kagosima (Satsuma); Tsusima; Liukiu: Yaeyama.

Fimbristylis tokyoensis, Mak. T. B. M. (1892) 47.

Nom. Jap. *Ko-azetentsuki.* コアゼテンツキ

Hab. Nippon: Tokio (Musasi), Koonodai (Simoosa).

Fimbristylis tonensis, Mak. T. B. M. (1895) 260.

Nom. Jap. *Tone-tentsuki.* トネテンツキ

Hab. Nippon: Koiwa (Musasi).

Fuirena glomerata, Lam.; Mak. T. B. M. (1890) 229; Henry, L. 105; Clk. J. L. S. XXXVI. 256.

syn. *F. Rottboellii,* Nees.
Scirpus ciliaris, L.

Nom. Jap. *Kuro-tamagayatsuri.* クロタマガヤツリ

Hab. Nippon: Yada (Suwoo); Sikok: Kawagutsi, Irino, Yatsu (Tosa); Formosa: Takow.

Fuirena umbellata, Rottb.

Nom. Jap. *Hiroha-no-kurotamagayatsuri.* ヒロハノクロタマガヤツリ
Yaeyama-susuki. ヤヘヤマスヽキ

Hab. Liukiu: Yaeyama; Formosa: Takow.

Gahnia tristis, Nees.

syn. *G. boninsimae,* Max. M. B. XII. 559.

Nom. Jap. *Kuro-gaya.* クロガヤ

Hab. Bonin; Liukiu: Nago (Okinawa).

Hypolytrum latifolium, Rich.; Clk. J. L. S. XXXVI. 258.

syn. *Tunga diandra,* Roxb.
Aibikkia scirpoides, Presl.
A. schoenoides, Presl.

Nom. Jap.

Hab. Formosa: Kootoosjoo.

Juncellus inundatus, Clk. Fl. Br. Ind. VI. 595; J. L. S. XXXIV. 18; XXXVI. 207; Henry, L. 102.

syn. *Cyperus inundatus,* Roxb.
C. Iria, L. exp.
C. diluvialis, Schult.

Nom. Jap.

Hab. Formosa: Takow.

Juncellus pygmaeus, Clk. Fl. Br. Ind. VI. 596; J. L. S. XXXIV. 18; XXXVI. 207.

syn. *Cyperus pygmæus,* Rottb.; F. S. II. 102.
C. pygmæus, v. filifolia, F. S. II. 102.
C. nipponicus, F. S. II. 102, 537.
Isolepis Micheliana, Stev.

Nom. Jap. *Ao-gayatsuri.* アヲガヤツリ

Hab. Nippon: Tokio (Musasi), Yokoska, Hakone (Sagami).

Juncellus serotinus, Clk. Fl. Br. Ind. VI. 594; J. L. S. XXXIV. 18; XXXVI. 208; Bull. Acad. Intern. Geogr. Bot. (1904) 202; Henry, L. 102.

syn. *Cyperus serotinus,* Rottb.; Kunth, Enum. II. 19; Boeck. Linn. XXXV. 492.
C. Monti, L.
C. japonicus, Miq. P. 72; F. S. II. 103.
C. serotinus, v. depauperata, F. S. II. 102.

Nom. Jap. *Mizu-gayatsuri.* ミヅガヤツリ

Hab. Nippon: Aomori (Mutsu), Tokio, Toda, Wada (Musasi), Yokoska (Sagami); Kadsusa; Yamasiro; Sikok; Seidjoo (Iyo); Tosa; Kiusiu: Tokitsu (Hizen); Tsusima; Formosa: Takow.

Kyllingia brevifolia, Rottb.; Mak. T. B. M. (1895) 113; Henry, L. 104; Clk. J. L. S. XXXVI. 223; Bull. Acad. Intern. Geogr. Bot. (1904) 200.

syn. *K. triceps,* Th. Fl. Jap. 35.
K. sororia, Kth.
K. gracilis, Kth.
K. monocephala, Th. Fl. Jap. 35; Miq. P. 74.
K. monocephala, v. leiolepis, F. S. II. 108.
K. gracillima, Miq. P. 74; F. S. II. 108.
Schoenus coloratus, L.
Scirpus glomeratus, L.

Nom. Jap. *Hime-kugu.* ヒメクヾ

Hab. Yezo: Hakodate (Osima); Nippon: Aomori (Mutsu), Tokio (Musasi), Mama (Simoosa), Tomioka (Tootoomi), Yada (Suwoo), Kawatsi; Sikok: Yamasirodani (Awa); Kiusiu: Ohkawa (Tsikzen); Tsusima; Formosa: Kusseki; Liukiu: Ohsima.

Kyllingia intermedia, R. Br. *var.* **oligostachya,** Clk. J. L. S. XXXVI. 224.

syn. *K. oligostachya,* Boeck.
K. monocephala, Seem.

Nom. Jap.

Hab. Formosa: Takow.

Kyllingia monocephala, L.; Kurit. T. B. M. (1889) 94; Mak. T. B. M. (1895) 113; Henry, L. 104; Clk. J. L. S. XXXVI. 224.

syn. *K. triceps,* L. f. exp. non Rottb.
K. brevifolia, Moritz.
K. sororia, Miq.
K. gracilis, Steud. non Kth.
K. mindorensis, Steud.
K. intermedia, Seem. non R. Br.
K. monocephala, v. subtriceps, Kth.
Schoenus niveus, L.
Scirpus cephalotes, Jacq.
Thryocephalon nemorale, J. R. et Forst.
Cyperus leucocephalus, Hassk. non Retz.

Nom. Jap. *O-himekugu.* オヒメクヾ
Shiro-himekugu. シロヒメクヾ

Hab. Liukiu: Okinawa; Yaeyama; Formosa: Kizan, S. Cape.

var. **mindorensis,** Boeck. Engl. Jahrb. VI. 51.

Nom. Jap.

Hab. Liukiu: Ohsima; Formosa: S. Cape, Kootoosjoo; Bonin.

Lepironia mucronata, Rich.; Mak. T. B. M.(1895) 72; Henry, L. 103.

syn. *Scirpus coniferus,* Poir.
Restio articulatus, Retz.
Chondrachne articulata, R. Br.
Choricarpa aphylla, Boeck.

Nom. Jap. *Ampera.* アンペラ

Hab.

Lipocarpha argentea, R. Br.

Nom. Jap. *Oh-hinjigayatsuri.* オホヒンヂガヤツリ

Hab. Liukiu; Formosa: Taitoo.

Lipocarpha microcephala, Kunth; Miq. P. 79; F. S. II. 120; Clk. J. L. S. XXXIV. 88; XXXVI. 257.

syn. *Hypaelyptum microcephalum*, R. Br.
Ascolepis Kyllingioides, Steud.
Scirpus leptocarpus, F. Muell.
S. squarrosa, Boeck. Linn. XXXVI. 734.
Isolepis squarrosa, Miq. P. 143; Oliv. J. L. S. IX. 170; F. S. II. 115.

Nom. Jap. *Hinji-gayatsuri.* ヒンジガヤツリ

Hab. Nippon: Aidsu (Iwasiro), Tokio (Musasi), Hakone (Sagami), Asama (Ise), Hikami (Suwoo), Niisika (Kii), Seilendji (Iga); Kiusiu: Sonoki (Hizen), Ohkawa (Tsikzen).

Mariscus albescens, Gaud.; Henry, L. 104; Clk. J. L. S. XXXVI. 220.

syn. *Cyperus stuppeus*, Forst.
C. pennatus, Lam.
C. canescens, Vahl.
C. albescens, Wall.
C. bromoides, Vach.

Nom. Jap. *Oni-kugu.* オニクヾ

Hab. Liukiu; Formosa: Takow, Kaisja, Kootoosjoo.

Mariscus cyperinus, Vahl; Henry, L. 104; Clk. J. L. S. XXXIV. 42; XXXVI. 220; Bull. Acad. Intern. Geogr. Bot. (1904) 202.

syn. *Cyperus umbellatus*, Benth. non Roxb.
Kyllingia cyperina, Retz.

Nom. Jap. *Shima-kugu.* シマクヾ

Hab. Liukiu: Yaksima; Formosa: Ape's Hill, Kootojosoo.

Mariscus Sieberianus, Nees, Linn. IX. 286; Clk. J. L. S. XXI. 200; Fl. Br. Ind. VI. 622; J. L. S. XXXVI. 221; Henry, L. 104.

syn. *M. umbellatus*, Vahl; A. Gr. Pl. Jap. 332.
M. cyperinus, Presl.
Cyperus umbellatus, Miq. P. 74; F. S. II. 107.
C. strigosus, Th. Fl. Jap. 36.
C. ovularis, Boeck. Linn. XXXVI. 383; Engl. Jahrb. VI. 51.
C. cylindrostachys, Boeck. Linn. XXXVI. 383.
C. Sieberianus, Diels, Engl. Jahrb. XXIX. 227.

Scirpus cyperoides, L.

Kyllingia umbellata, Roxb.

Nom. Jap. *Kugu.* クグ

Hab. Nippon: Kanasawa (Musasi), Odawara, Hakone (Sagami), Simoda (Idsu), Ikta (Settsu), Nisinotani (Kii), Hikami (Suwoo); Sikok: Kamomioo (Awa), Mt. Yahadsu (Tosa); Kiusiu: Siita (Buzen), Toyooka (Bungo), Mimidsu, Takanabe (Hiuga), Kumamoto (Higo), Fuk-oka (Tsikzen); Tsusima; Liukiu: Ohsima; Formosa: Taitoo, Sintec, Tamsui, ins. Kootoosjoo.

var. **subcomposita**, Clk. Fl. Br. Ind. VI. 622; J. L. S. XXXIV. 44.

Nom. Jap.

Hab. Japonia.

Pycreus globosus, Reichb.; Clk. J. L. S. XXXIV. 14; Bull. Acad. Intern. Geogr. Bot. (1904) 201; Henry, L. 102.

syn. *P. capillaris*, Nees, Linn. IX. 283; Clk. Fl. Br. Ind. VI. 591.

Cyperus globosus, All.; Boeck. Engl. Jahrb. VI. 50; F. S. II. 536; Clk. J. L. S. XXI. 47; Mak. T. B. M. (1890) 26.

C. capillaris, Roxb.

C. complanatus, Presl.; F. S. II. 100; Max. Fl. As. Or. Fragm. 63.

C. flavescens, Miq. P. 72, non L.

Nom. Jap. *Me-azegayatsuri.* メアゼガヤツリ

Hab. Nippon: Mayasan (Settsu), Kioto (Yamasiro), Maidsuru (Tango); Formosa: Takow.

var. **stricta**, Hook.; Clk. J. L. S. XXI. 49; Mak. T. B. M. (1890) 26.

Nom. Jap. *Aze-gayatsuri.* アゼガヤツリ

Hab. Nippon: Nikko (Simotsuke), Tokio (Musasi), Yokoska, Hakone (Sagami), Tomioka (Tootoomi), Oh-utsi (Suwoo); Sikok: Tosa; Kiusiu: Nagasaki (Hizen); Tsusima; Formosa: Taitsiu.

var. **erecta**, Clk. J. L. S. XXXIV. 15.

syn. *Cyperus erectus*, Roxb.

Nom. Jap.

Hab. Formosa: Tamsui.

var. **nilagirica,** Clk. Fl. Br. Ind. VI. 592; J. L. S. XXXIV. 15.

Nom. Jap.

Hab. Japonia.

Pycreus polystachyus, Beauv; Clk. Fl. Br. Ind. VI. 592; Bull. Acad. Intern. Geogr. Bot. (1904) 201; Henry, L. 102; Mak. T. B. M. (1895) 103; (1896) 65.

syn. *Cyperus polystachyus,* Rottb.; Mak. T. B. M. (1890) 228.

Nom. Jap. *Iga-gayatsuri.* イガガヤツリ

Hab. Nippon: Tokio, Kanagawa (Musasi); Sikok: Seidjoo (Iyo); Tosa; Liukiu: Okinawa, Ohsima, Isigaki, Iwoosima; Formosa: Takow, Taitoo.

Pycreus sanguinolentus, Nees; Henry, L. 102; Clk. J. L. S. XXXIV. 12.

syn. *Cyperus sanguinolentus,* Vahl; Miq. P. 72.

C. Eragrostis, Vahl; Miq. P. 72; F. S. II. 102; Clk. J. L. S. XXI. 57.

Nom. Jap. *Kawara-sugana.* カハラスガナ

Hab. Nippon: Aomori (Mutsu), Aidsu (Iwasiro), Tokio (Musasi), Yada (Suwoo); Sikok: Tosa; Seidjoo (Iyo); Kiusiu: Ohkawa (Tsikzen); Tsusima; Formosa: Takow, Unlin.

var. **spectabilis,** Mak. T. B. M. (1892) 47.

Nom. Jap. *Shide-gayatsuri.* シデガヤツリ

Hab. Sikok: Tosa.

Rynchospora alba, Lindl.; Miq. P. 77; F. S. II. 121; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 198.

Nom. Jap. *Mikazuki-gusa.* ミカヅキグサ

Hab. Kurile: Kunasiri; Nippon: Osenuma (Iwasiro), Sakai (Suwoo); Sikok: Tsurugisan (Iyo); Kiusiu.

Rynchospora aurea, Vahl; Henry, L. 105; Clk. J. L. S. XXXVI. 259.

syn. *Rhynchospora aurea,* R. Br.

Rh. articulata, Spreng.

Scirpus corymbosa, L.

Cephaloschoenus articulatus, Nees.

Nom. Jap.

Hab. Formosa: Takow.

Rynchospora Fauriei, Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 197.

syn. Rhynchospora Fauriae, Fr. Bull. Soc. Phil. (1886) 4.

Nom. Jap.

Hab. Nippon: Sambongi (Mutsu), Akita (Ugo).

Rynchospora Franchetiana, Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 197.

syn. R. Fauriæ, Mak. T. B. M. (1898) 15.

Nom. Jap. Hime-mikazuki. ヒメミカヅキ
Oh-inunohanahige. オホイヌノハナヒゲ

Hab. Yezo: Tomakomai (Iburi); Nippon: Aomori, Kuniyosi (Mutsu), Gassan (Uzen), Aidsu (Iwasiro), Atsuhata (Hitatsi), Togaksi (Sinano); Yetsigo.

Rynchospora fusca, Lindl.; Miq. P. 77; F. S. II. 121: Boeck. Engl. Jahrb. VI. 51.

Nom. Jap. Inu-no-hanahige. イヌノハナヒゲ

Hab. Nippon: Kuniyosi (Mutsu), Iwasiro; Kioto (Yamasiro), Maidsuru (Tango); Kiusiu: Nisitake (Hiuga).

Rynchospora glauca, Vahl; Clk. Fl. Br. Ind. VI. 671; J. L. S. XXXIV. 90; Mak. T. B. M. (1898) 15.

var. **chinensis,** Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 198.

Nom. Jap. Toranoo-hanahige. トラノヲハナヒゲ

Hab. Nippon: Aomori (Mutsu), Akita (Ugo), Idsuyama-tooge (Idsu), Nobe (Tootoomi), Iwasiro (Kii); Sikok: Godaiyama (Tosa); Kiusiu: Kawatsi (Higo); Tsusima; Liukiu: Yaksima.

Rynchospora japonica, Mak.

Nom. Jap.

Hab. Kiusiu: Nisitake (Hiuga).

Rynchospora nipponica, Mak.

Nom. Jap. Ko-inu-no-hanahige. コイヌノハナヒゲ

Hab. Nippon: Hikami (Suwoo).

Rynchospora Wallichiana, Kunth, Enum. II. 289; Miq. P. 77, 357; F. S. II. 121; Boeck. Linn. XXXVII. 542; Engl. Jahrb. VI. 51; Clk. J. L. S. XXXVI. 260; Bull. Acad. Intern. Geogr. Bot. (1904) 198.

Nom. Jap. Iga-kusa. イガクサ

Hab. Nippon: Toba (Sima), Niisika (Kii), Nosiro, Komono

(Ise), Hikami (Suwoo); Sikok: Godaiyama (Tosa); Kiusiu: Hikosan, Yasaki, Kanagoye (Buzen); Bungo; Ohkawa (Tsikzen), Nisitake (Hiuga), Nagasaki (Hizen); Liukiu: Ohsima; Bonin.

Rynchospora Yasudana, Mak.

Nom. Jap. *Hime-inunohanahige.* ヒメイヌノハナヒゲ

Hab. Nippon: Kattasan (Rikzen).

Schoenus apogon, Roem. et Sch.; Clk. J. L. S. XXXVI. 261; Bull. Acad. Intern. Geogr. Bot. (1904) 198.

syn. *Chætospora albescens,* F. S.

Ch. japonica, F. S. II. 122, 548.

Ch. imberbis, R. Br.

Schoenus imberbis, Poir.

Sch. Brownei, Hk. f.

Sch. albescens, Matsum. Cat. (1886) 219; Mak. T. B. M. (1898) 15.

Isolepis margaritifera, Boeck.

Scirpus margaritiferus, Boeck.

Nom. Jap. *Hige-kusa.* ヒゲクサ

Hab. Nippon: Matsusima (Rikzen), Itsinomiya (Kadsusa), Toge (Yamato), Sinoda (Idsumi), Rizan (Bittsiu); Kiusiu: Ohkawa (Tsikzen); Liukiu: Ohsima.

Schoenus falcatus, R. Br.; Henry, L. 105; Clk. J. L. S. XXXVI. 261.

syn. *Sch. elatus,* Boeck.

Nom. Jap. *Oh-higekusa.* オホヒゲクサ

Hab. Liukiu: Kumesima; Formosa: Takow.

Scirpus caespitosus, L.; Mak. T. B. M. (1896) 313; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 201.

Nom. Jap. *Mine-hari-i.* ミネハリヰ

Hab. Nippon: Mt. Gassan (Uzen), Mt. Tsiookaisan (Ugo), Mt. Miookoosan, Mt. Komagatake (Yetsigo).

Scirpus chinensis, Munro; Clk. Fl. Br. Ind. VI. 662.

syn. *S. ternatanus,* Reinw.; Henry, L. 105.

Nom. Jap.

Hab. Bonin; Formosa: S. Cape.

Scirpus Cyperinus, Kunth, *var.* **Eriophorum,** O. Kze.; Mak. T. B. M. (1904) 120.

syn. *S. Eriophorum*, Mich.; Miq. P. 75; Boeck. Engl. Jahrb. VI. 51; Clk. J. L. S. XXXIV. 82; XXXVI. 249; Bull. Acad. Intern. Geogr. Bot. (1904) 200.

Eriophorum Cyperinum, Vahl.

Nom. Jap. *Ezo-aburagaya.* エゾアブラガヤ

Hab. Yezo: Kusiro; Hakodate (Osima); Tomakomai (Iburi); Nippon: Tokiwano (Mutsu); Riktsiu; Nikko (Simotsuke).

var. **concolor,** Mak. T. B. M. (1904) 121.

syn. *Scirpus concolor*, Max. M. B. XII. 556.

Nom. Jap. *Abura-gaya.* アブラガヤ

Hab. Nippon: Koodsuke, Simotsuke, Hitatsi, Sagami, Sinano, Iga, Settsu, Mikawa, Kawatsi, Suwoo, Harima; Kiusiu: Hizen.

var. **Wichurai,** Mak. T. B. M. (1904) 121.

syn. *Scirpus Wichurai*, Boeck. Linn. XXXVI. 729; Max. M. B. XII. 557.

S. Eriophorum, v. nipponicus, F. S. II. 114, 545.

Nom. Jap. *Aibasō.* アイバサウ

Hab. Nippon: Ugo, Yetsigo, Iwasiro, Musasi, Kaga, Kii, Ise; Sikok: Tosa; Kiusiu: Tsikzen.

Scirpus Doederleiniana, Boeck. Engl. Jahrb. VI. 51.

Nom. Jap.

Hab. Liukiu: Ohsima.

Scirpus erectus, Poir.; Henry, L. 105; Clk. J. L. S. XXXVI. 248; Bull. Acad. Intern. Geogr. Bot. (1904) 201.

syn. *S. juncoides*, Roxb.; F. S. II. 112; Max. Fl. As. Or. Fragm. 65.

S. debilis, Pursh.

S. luzonensis, Presl.

S. timorensis, Kunth.

S. supinus, varr. β. γ. Boeck.

Nom. Jap. *Hotaru-i.* ホタル井

Hab. Nippon: Gassan, Yudonosan (Uzen), Aidsu (Iwasiro), Nikko (Simotsuke), Tokio (Musasi), Simoosa; Tateyama (Yettsiu), Tomioka (Tootoomi), Seilendji (Iga), Yada, Hikami (Suwoo); Sikok: Sakawa (Tosa); Kiusiu: Ohkawa (Tsikzen); Tsusima; Liukiu: Yaksima.

Scirpus fuirenoides, Max. M. B. XII. 555; Mak. T. B. M. (1903)

9; Clk. J. L. S. XXXVI. 250; Bull. Acad. Intern. Geogr. Bot. (1904) 200.

Nom. Jap. *Ko-matsusaka-susuki.* コマツサカスヽキ
Tama-susuki. タマスヽキ

Hab. Nippon: Sitsinohe, Tanabu (Mutsu); Ugo, Yetsigo, Sinano, Hitatsi, Mikawa, Ise, Yamasiro, Harima; Tatsuta (Bittsiu), Kooyasan (Kii).

form. **minor,** Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 200.

Nom. Jap.

Hab. Nippon: Yokohama (Musasi).

Scirpus karuisawensis, Mak. T. B. M. (1904) 119.

Nom. Jap.

Hab. Nippon: Karuisawa (Sinano).

Scirpus lacustris, L.; Boeck. Linn. XXXVI. 712; Mak. T. B. M. (1895) 434; Henry, L. 105; Clk. J. L. S. XXXIV. 79; XXXVI. 250.

syn. *S. lacustris, v. genuinus,* Gren. et Godr.; F. S. II. 114.
S. lacustris, subsp. eu-lacustris, Syme.
S. validus, Vahl.
S. Meynii, Nees.

Nom. Jap. *Oh-futo-i.* オホフトヰ

Hab. Nippon: Yamagata (Uzen), Tokio (Musasi), cult.; Formosa: Takow, Taitsiu, Tsuikoo, Taitoo; Liukiu.

var. **Tabernae montani,** Trautv.; Mak. T. B. M. (1894) 380; (1895) 434; Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 200.

syn. *S. Tabernae montani,* Gmel.
S. lacustris, v. digynus, Gren. et Godr.; F. S. II. 114.

Nom. Jap. *Futo-i.* フトヰ
Tō-i. タウヰ

Hab. Yezo: Hakodate (Osima), Bekkai (Nemuro), Ohtsu (Tokatsi); Nippon: Aidsu (Iwasiro), Nikko (Simotsuke), Yokoska (Sagami), Hikami (Suwoo) cult.; Sikok: Tosa; Kiusiu: Uresino (Hizen); Liukiu: Ohsima.

subsp. **carinatus,** Syme; Mak, T. B. M. (1899) 240.

syn. *S. carinatus,* Sm.
S. Duvalii, Hoppe.
S. lacustris, v. triqueter, Boeck. Engl. Jahrb. VI. 51.

Nom. Jap. *Ko-sankaku-i.* コサンカクヰ

Hab. Nippon: Tokio (Musasi), Kioto (Yamasiro), Maidsuru (Tango); Sikok: Tosa.

Scirpus lineolatus, F. S. II. 112; Mak. T. B. M. (1894) 380.

Nom. Jap. *Hime-hotaru-i.* ヒメホタルヰ

Hab. Nippon: Yokoska, Hakone (Sagami), Kasumiga-ura (Hitatsi); Owari.

Scirpus maritimus, L.; Miq. P. 75; F. S. II. 114; Henry, L. 105; Clk. J. L. XXXIV. 80; XXXVI. 251.

Nom. Jap. *Ukiyagara.* ウキヤガラ

Hab. Yezo: Toobetz (Kitami); Nippon: Aomori (Mutsu), Amatsu (Boosiu), Tokio (Musasi), Yokoska (Sagami), Nagoya (Owari), Fusimi (Yamasiro), Inari (Bittsiu); Sikok: Tosa; Kiusiu: Ohkawa (Tsikzen); Tsusima; Liukiu; Formosa: Takow.

var. **affinis,** Clk. Bull. Acad. Intern. Geogr. Bot. (1904) 200.

syn. *Scirpus affinis,* Roth.

Nom. Jap.

Hab. Nippon: Aomori (Mutsu).

Scirpus Michelianus, L.; Clk. J. L. S. XXXVI. 251; Bull. Acad. Intern. Geogr. Bot. (1904) 201.

syn. *Isolepis Micheliana,* Roem. et Sch.; Miq. P. 75; F. S. II. 116; Mak. T. B. M. (1890) 26; (1893) 120.

Fimbristylis Micheliana, Reichb.

Cyperus pygmaeus, v. Michelianus, Boeck. Linn. XXXV. 492; Mak. T. B. M. (1893) 316.

Nom. Jap. *Shiro-gayatsuri.* シロガヤツリ

Shiro-gaya. シロガヤ

Hab. Nippon: Hatsinohe (Mutsu), Iwakiri (Rikzen), Mito (Hitatsi), Koiwa (Musasi), Yokoska (Sagami).

Scirpus Mitsukurianus, Mak. T. B. M. (1903) 7.

Nom. Jap. *Matsusaka-susuki.* マツサカスヽキ

Hab. Nippon: Mama (Simoosa), Iyoda (Musasi), Hiratsuka (Sagami).

Scirpus mucronatus, L.; Miq. P. 75; Henry, L. 105; Clk. J. L. S. XXXVI. 252; Bull. Acad. Intern. Geogr. Bot. (1904) 201.

syn. *S. mucronatus, v. subleiocarpa,* F. S. II. 112.

S. triangulatus, Roxb.
S. cognatus, Hance.
Nom. Jap. *Kangarei.* カンガレイ
Hab. Nippon: Aomori (Mutsu), Tokio (Musasi), Yokoska (Sagami), Tatsuta (Bittsiu), Oh-utsi (Suwoo); Sikok: Tosa; Kiusiu: Nakahara (Tsikzen); Formosa: Takow.

Scirpus nipponicus, Mak. T. B. M. (1904) 112.
Nom. Jap. *Mizu-i.* ミヅヰ
Hab. Nippon: Takamatsu (Iwaki), Mama (Simoosa).

Scirpus radicans, Schk.; Fr. Bull. Soc. Bot. France (1879) 87; Clk. J. L. S. XXXVI. 252.
syn. *S. sylvaticus, v. radicans,* Willd.
Nom. Jap.
Hab. Nippon: Niigata (Yetsigo).

Scirpus sylvaticus, L.
Nom. Jap. *Kuro-aburagaya.* クロアブラガヤ
Hab. Yezo: Ksri (Kusiro), Sapporo (Isikari).

Scirpus Ternatanus, Reinw.; Henry, L. 105; Clk. J. L. S. XXXVI. 254.
syn. *S. chinensis,* Munro.
S. Eriophorum, v. conglomeratus, Boeck.
Nom. Jap. *Oh-aburagaya.* オホアブラガヤ
Hab. Liukiu: Okinawa; Formosa: Takow, Tamsui, S. Cape; Bonin.

Scirpus triqueter, L.; Clk. Fl. Br. Ind. VI. 658; J. L. S. XXXIV. 79; XXXVI. 255; Mak. T. B. M. (1895) 380, 434; Henry, L. 105.
syn. *S. Pollichii,* Gren. et Godr.; Boeck. Linn. XXXVI. 711.
S. Pollichii, v. coriacea, F. S. II. 113.
Nom. Jap. *Sankaku-suge.* サンカクスゲ
Sankaku-i. サンカクヰ
Hab. Yezo: Hakodate (Osima); Nippon: Aomori (Mutsu), Tokio, Koiwa (Musasi), Hakone (Sagami), Tomioka (Tootoomi); Sikok: Tosa; Kiusiu: Fukmoto (Buzen); Tsusima; Formosa: Tamsui.

Scleria elata, Thw. *var.* **decolorans,** Henry, L. 105; Clk. J. L. S. XXXVI. 264.
syn. *S. Rinkiana,* Boeck.

Diaphora cochinchinensis, Lour.
Nom. Jap.
Hab. Formosa: S. Cape.

Scleria hebecarpa, Nees, Linn. IX. 303; Clk. Fl. Br. Ind. VI. 689; J. L. S. XXXVI. 264; Bull. Acad. Intern. Geogr. Bot. (1904) 203.
syn. *S. japonica*, Steud. Syn. Cyp. 169; Miq. P. 78; F. S. II. 122.
S. aspera, Boeck.
S. Wichurai, Boeck.
Nom. Jap. *Shinju-gaya.* シンジユガヤ
Hab. Nippon: Niisika (Kii); Kiusiu: Kanagoye (Bungo); Yatsu, Yasaki (Buzen), Liukiu: Miyako-sima, Nago (Okinawa), Ohsima.

Scleria margaritifera, Willd.; Clk. J. L. S. XXXVI. 265.
syn. *S. polycarpa*, Boeck.
S. Graeffeana, Boeck.
S. Doederleiniana, Boeck. Engl. Jahrb. VI. 51.
Nom. Jap.
Hab. Liukiu.

Scleria Onoei, F. S. II. 122, 549; Mak. T. B. M. (1896) 313.
Nom. Jap. *Kagashira.* カガシラ
Hime-shinjugaya. ヒメシンジユガヤ
Hab. Nippon: Futagawa (Tootoomi).

Scleria scrobiculata, Nees et Mey.; Mak. T. B. M. (1896) 65; Clk. J. L. S. XXXVI. 266.
syn. *S. tessellata*, Decne.
S. Neesiana, Hk. et Arn.
S. waigionensis, Steud.
S. keyensis, K. Schum.
Nom. Jap. *Oh-shinjugaya.* オホシンジユガヤ
Hab. Liukiu: Sjuri, Nago (Okinawa), Iheya; Formosa.

Scleria tessellata, Willd.; Clk. Fl. Br. Ind. 686; J. L. S. XXXIV. 97; XXXVI. 267; Bull. Acad. Intern. Geogr. Bot. (1904) 203.
syn. *S. fenestrata*, F. S. II. 122, 549.
Nom. Jap. *Ko-shinjugaya.* コシンジユガヤ

Hab. Nippon: Aidsu (Iwasiro), Atsuhata (Hitatsi), Asama (Sinano), Fuktani (Bittsiu).

Torulinium confertum, Ham.; Clk. J. L. S. XXXVI. 222.

syn. *T. ferox,* Kunth.
Cyperus odoratus, L.
C. ferax, Rich.
C. ferox, Vahl.
C. flexuosus, Vahl.
C. densiflorus, Mey.
C. auriculatus, Nees.
C. lomentaceus, Nees et Mey.
C. multiceps, Hk. et Arn.
C. Prescottianus, Hk. et Arn.
C. strigosus, Hk. et Arn.
Papyrus odoratus, Willd.
Mariscus Pohlianus, Nees.; Henry, L. 104.
M. ferax, Clk.; Henry, L. 104.
Diclidium ferox, Schrad.

Nom. Jap.

Hab. Formosa: Takow.

Palmæ.

(*Shuro no tagui.*)

Areca Catechu, Willd.; Henry, L. 99; Wright, J. L. S. XXXVI. 167.

syn. *A. Cathecu,* L.

Nom. Jap. *Binrōji.* ビンラウジ

Nom. Formos. *Pin-lang.* 檳榔
Ta-fu-tze. 大腹子

Hab. Formosa: Takow.

Calamus formosanus, Becc.; Henry, L. 100; Wright, J. L. S. XXXVI. 170.

Nom. Jap.

Hab. Formosa: Kelung, Tamsui, Bankinsing, S. Cape.

Calamus Margaritae, Hance, J. B. (1874) 266; Henry, L. 100; Wright, J. L. S. XXXVI. 170.

Nom. Jap. *Tō.* トウ
Nom. Formos. *Tu-teng.* 土籐
Chen-teng. 正籐
Hab. Formosa: Bankinsing.

Cocos nucifera, L.; Henry, L. 100.
Nom. Jap. *Yashi.* ヤシ
Hab. Formosa.

Didymosperma Engleri, Warb. Muns. I. t. 2.
syn. *Arenga Engleri,* Becc. Malesia III. 184; Kew Bull. (1895) 19; Henry, L. 99; Warb. Mittheil. Geogr. Gesel. Hamb. (1890) 136; Wright, J. L. S. XXXVI. 167.
A. saccharifera, Miq. P. 329; Drude, E. Jahrb. VI. 52; Wright, J. L. S. XXXVI. 167.
Nom. Jap. *Kuro-tsugu.* クロツグ
Nom. Formos. *Tsung.* 椶
Hab. Formosa: Tamsui, Ape's Hill, Bankinsing; Liukiu: Oh-sima.

Livistona chinensis, R. Br.; Miq. P. 329; F. S. II. 2; Wright, J. L. S. XXXVI. 168.
syn. *Latania borbonica,* Lamk.
Chamaerops Biroo, Sieb.
Nom. Jap. *Birō.* ビラウ
Birio. ビレウ
Hab. Sikok; Kiusiu; Bonin; Liukiu.

Phoenix Hanceana, Naudin; Wright, J. L. S. XXXVI. 168.
syn. *P. humilis,* L. v. *Hanceana,* Becc.; Henry, L. 99.
Nom. Formos. *Kuang-lang.* 桄榔
Keng-lang. 榑榔
Hab. Formosa: Takow, S. Cape.

Rhapis flabelliformis, Ait.; Miq. P. 329; F. S. II. 2; Wright, J. L. S. XXXVI. 169.
syn. *R. Kwanwortsik,* Wendl.
Chamaerops excelsa, v. Th. Fl. Jap. 130.
Rhapis major, Bl.; Miq. P. 329.
Nom. Jap. *Kwan-on-tsik.* クワンオンチク
Hab. Japonia; Liukiu, cult.

Rhapis humilis, Bl.; Wright, J. L. S. XXXVI. 169.
syn. *Chamaerops humilis,* Th.

C. Sirotsik, Sieb.

Nom. Jap. Shurotsiku. シユロチク

Hab. Japonia, cult.

Trachycarpus excelsus, Mak. **typicus,** Mak. T. B. M. (1904) 20.

syn. *T. excelsus,* Wendl.; Henry, L. 99 ; Diels, Engl. Jahrb. (1900) 233, exp.

T. excelsus, Becc. et Hk.

Chamaerops excelsa, Th. F. J. 130 ; Miq. P. 329 ; F. S. II. 1.

Rhapis flabelliformis, Willd.

Nom. Jap. Shuro. シユロ

Wa-juro. ワジユロ

Hab. Nippon ; Tsusima ; Liukiu ; Formosa : Tamsui, Bankinsing.

var. **Fortunei,** Mak. T. B. M. (1904) 20.

syn. *Chamaerops Fortunei,* Wendl.; Bot. Mag. t. 5221 ; Drude, E. Pflanzf. 32 ; Diels, Engl. Jahrb. (1900) 233.

Trachycarpus excelsus, Becc. et Hk. exp.

Nom. Jap. Tō-juro. タウジユロ

Hab. Nippon, cult.

Araceæ.

(Satoimo no tagui.)

Acorus Calamus, L.; Th. Fl. Jap. 144 ; F. S. II. 10 ; E. Jahrb. VI. 52.

syn. *A. spurius,* Schott.; Miq. P. 135.

Nom. Jap. Shōbu. シヤウブ

Hab. Nippon : Suwoo ; Kiusiu : Kagosima.

Acorus gramineus, Ait.; Miq. P. 135 ; F. S. II. 10 ; Hk. Fl. Br. Ind. VI. 556 ; Henry, L. 101 ; E. Brown, J. L. S. XXXVI. 187.

Nom. Jap. Sekishō. セキシヤウ

Hab. Nippon : Tokio (Musasi), Yugasima (Idsu), Suwoo ; Kiusiu : Tsusima ; Formosa : Bankinsing.

var. **pusillus,** Sieb.; Mak. T. B. M. (1891) 126.

syn. *Acorus pusillus,* Sieb.; Miq. P. 135, 356 ; F. S. II. 10.

Nom. Jap. Kōrai-zekishō. カウライセキシヤウ

Hab. Japonia, cult.

Alocasia cucullata, Schott.; Mak. T. B. M. (1895) 262.
syn. *Arum cucullatum,* Lour.
Colocasia cucullata, Schott.
Nom. Jap. *Shima-kuwazuimo.* シマクハズイモ
Hab. Liukiu; Formosa: Kaisankoo.

Alocasia macrorrhiza, Schott; F. S. II. 8; Mak. T. B. M. (1891) 126; (1895) 262; (1898) 300; Henry, L. 101.
syn. *Arum macrorrhizon,* L.
Colocasia macrorrhiza, Schott; Miq. P. 134.
Nom. Jap. *Kuwazu-imo.* クハズイモ
Mansiu-imo. マンシウイモ
Ishi-imo. イシイモ
Doku-imo. ドクイモ
Bashiga-imo. バシガイモ
Nom. Formos. *Shan-yu.* 山芋 (Henry).
Ku-po-yu. 姑婆芋 (Henry).
Hab. Sikok; Kiusiu; Liukiu; Formosa: Tamsui, Ape's Hill, S. Cape.

Amorphophallus Henryi, E. Brown, J. L. S. XXXVI. 181.
Nom. Jap.
Hab. Formosa: Takow.

Amorphophallus hirtus, E. Brown, J. L. S. XXXVI. 181.
Nom. Jap.
Hab. Formosa: Takow.

Amorphophallus Konjac, K. Koch; E. Brown, J. L. S. XXXVI. 182.
syn. *A. Rivieri,* Dur. *v. Konjak,* Engl. Monogr. 312.
Conophallus Konjak, Schott; Miq. P. 134; F. S. II. 7.
Dracontium polyphyllum, Th. Fl. Jap. 234.
Hydrosme Rivieri, Engl. Jahrb. (1881) 188.
Nom. Jap. *Konnyaku.* コンニヤク
Konnyaku-imo. コンニヤクイモ
Hab. Kiusiu: Kagosima (Satsuma), Tanegasima (Ohsumi).

Arisaema amurense, Max.; Mak. T. B. M. (1901) 131; Engl. DC. Monogr. II. 549.
Nom. Jap. *Hiroha-no-tennanshō.* ヒロハノテンナンセウ
Hab. Nippon: Nikko, Etsigo, Gassan, Yudonosan.

Arisaema heterophyllum, Bl.; Miq. P. 134; C. 95; Mak. T. B. M. (1897) 33, (1901) 134; E. Brown, J. L. S. XXXVI. 178.

syn. *A. Thunbergii, v. heterophyllum,* Engl. DC. Monogr. II. 546.
Nom. Jap. *Maizurusō.* マヒヅルサウ
Maizuru-tennanshō. マヒヅルテンナンセウ
Hab. Tokio, cult.

Arisaema ringens, Schott.; Miq. P. 135, 358; F. S. II. 4; Henry, L. 100; E. Brown, J. L. S. XXXVI. 179.
syn. *Arum triphyllum,* Th. Fl. Jap. 233.
Nom. Jap.
Hab. Liukiu; Formosa: Tamsu, Heitsjoosjoo.
var. **Sieboldii,** Engl.; Mak. T. B. M. (1894) 301.
syn. *Arisaema Sieboldii,* de Vries.
Nom. Jap. *Musashi-abumi.* ムサシアブミ
Hab. Tsusima.
var. **praecox,** Engl.; Mak. T. B. M. (1894) 301.
syn. *Arisaema praecox,* de Vries.
Nom. Jap. *Murasaki-musashiabumi.* ムラサキムサシアブミ
Hab. Nippon: Nagato.

Arisaema Sazensoo, Mak. T. B. M. (1901) 132.
syn. *Arum Sazensoo,* Buerg.
Arisaema japonicum, v. Sazensoo, Bl.; Miq. P. 134; C. 95; F. S. II. 5.
A. amurense, v. Sazensoo, Engl. DC. Monogr. II. 550; E. Brown, J. L. S. XXXVI. 175.
A. sikokianum, F. S. II. 6, 507; Engl. DC. Monogr. 560; Mak. T. B. M. (1891) 30, (1893) 322; *v. serratum,* Mak. T. B. M. (1893) 322.
Nom. Jap. *Yukimochisō.* ユキモチサウ
Hab. Sikok; Kiusiu.

Arisaema serratum, Schott. *f.* **Thunbergii,** Mak. T. B. M. (1901) 128.
syn. *Arum serratum,* Th. T. L. S. II. 338; Ic. Pl. IV. t. 7.
Arisaema japonicum, v. serratum, Engl. DC. Monogr. II. 549.
A. latisectum, Oliv.
A. angustatum, F. S. II. 6, 507; Engl. DC. Monogr. II. 560.
Nom. Jap. *Mamushi-gusa.* マムシグサ
Hebi-no-daihachi. ヘビノダイハチ
Hab. Nippon: Nikko, Ohyama, Mitake.
form. **Blumei,** Mak. T. B. M. (1901) 129.

syn. *Arisaema japonicum*, Bl.; Miq. P. 134; F. S. II. 5; Engl. DC. Monogr. II. 549; E. Jahrb. VI. 52; E. Brown, J. L. S. XXXVI. 178.
A. latisectum, Bl.; Miq. P. 134.
A. japonicum, *v. latisecta*, Miq. P. 357.
A. japonicum, *v. angustifoliolata*, Miq. P. 134; C. 95.
A. japonicum, *v. latifoliata*, Schott.
A. amplissimum, Bl.; Miq. P. 134, 357; C. 95; F. S. II. 6; Engl. DC. Monogr. II. 560.
Arum Dracunculus, Th. Fl. Jap. 233.

Nom. Jap. *Tennanshō.* テンナンセウ

Hab. Yezo: Sapporo; Nippon: Nikko, Ohyama, Kanozan, Tsitsibu, Togaksi, Haksan, ins. Hatsidjoo, Miyake, Kasugayama, Suwoo, Nagato; Tsusima; Formosa: Kelung.

Arisaema sierotium, Sieb.; F. S. II. 4.

syn. *A. serotinum*, Miq. P. 385.

Nom. Jap.

Hab. Japonia.

Arisaema ternatipartitum, Mak. T. B. M. (1892) 47, (1901) 134.

Nom. Jap. *Mitsuba-tennanshō.* ミツバテンナンセウ

Hab. Sikok: Mt. Yokgra (Tosa), Mt. Isidsutsi (Iyo).

Arisaema Thunbergii, Bl.; Miq. P. 133, 358; F. S. II. 5; Mak. T. B. M. (1897) 32; E. Brown, J. L. S. XXXVI. 180.

syn. *A. dracontium*, Th. Fl. Jap. 233.

Nom. Jap. *Urashimasō.* ウラシマサウ
Hare-hekko. ハレヘツコ

Hab. Yezo; Nippon: Tokio, Tsitsibu, Amagisan, ins. Hatsidjoo, Suwoo; Sikok: Tosa; Kiusiu; Tsusima.

Arisaema tosaense, Mak. T. B. M. (1901) 130.

Nom. Jap.

Hab. Sikok: Tosa.

Calla palustris, L.; Matsum. Cat. (1886) 212; S. M. 59.

Nom. Jap. *Mizu-zasen.* ミヅザセン
Mizu-imo. ミヅイモ
Hime-kai-u. ヒメカイウ

Hab. Yezo: Sapporo (Isikari); Kusuri.

Colocasia antiquorum, Schott; Miq. P. 134; F. S. II. 8; Henry, L. 100; Engl. Monogr. 491; Mak. T. B. M. (1895) 262.

syn. *Arum esculentum*, Th. Fl. Jap. 234.
A. colocasia, L.
Nom. Jap. *Sato-imo.* サトイモ
Hab. Japonia, cult.; Formosa, cult.

Colocasia gigantea, Hk. f.; Mak. T. B. M. (1895) 262.
syn. *Leucocasia gigantea*, Schott; Miq. P. 134; F. S. II. 8.
Colocasia indica, Engl.; Mak. T. B. M. (1891) 126, non Kunth.
Nom. Jap. *Hasu-imo.* ハスイモ
Hab. Kiusiu; Sikok, cult.

Epipremum mirable, Schott; Henry, L. 101.
Nom. Jap. *Habu-kazura.* ハブカヅラ
Hab. Liukiu: Okinawa, Yaeyama, Miyakosima; Formosa: Tamsui, Takow, Bankinsing.

Lysichiton camtschatense, Schott.; Miq. P. 134; F. S. II. 9.
Nom. Jap. *Mizu-bashō.* ミヅバセヲ
Hab. Yezo: Hakodate, Sapporo; Nippon: Uzen, Tateyama, Haksan, Togaksi.

Lysichiton japonicum, Schott.; Miq. C. 96; F. S. II. 9.
syn. *Actiodracon japonicum*, A. Gr. Bot. Jap. 409.
Nom. Jap.
Hab. Yszo: Hakodate.

Monstera deliciosa, Liebm.
Nom. Jap. *Horaishō.* ホウライセウ
Hab. Tokio, cult.

Pinellia ternata, Breitenb.; Mak. T. B. M. (1901) 135.
syn. *Arum ternatum*, Th. Fl. Jap. 233.
Arisaema ternatum, Schott.
Atherurus ternatus, Bl.
Pinellia tuberifera, Ten.; Miq. P. 133, C. 95; F. S. II. 3; Engl. DC. Monogr. II. 566; E. Jahrb. VI. 52; E. Brown, J. L. S. XXXVI. 174.
Arum bulbosum, Pers.
A. atrorubens, Spr.
A. fornicatum, Roth.
Hemicarpurus fornicatus, Nees.
Arum subulatum, Desf.
Arisaema macronrum, Bunge.

Typhonium tuberculigerum, Schott.; Miq. P. 134, C. 96; F. S. II. 7.

Arum triphyllum, Houtt; Lour.

Arisaema Loureirii, Bl.

Nom. Jap. *Karasubishaku.* カラスビシヤク

Hange. ハンゲ

Hab. Nippon: Uzen; Tokio (Musasi), Idsu, Suwoo; Kiusiu: Kagosima (Satsuma), Tsusima; Liukiu: Okinawa.

form. **angustata**, Mak. T. B. M. (1901) 136.

syn. *Pinellia angustata*, Schott; Miq. P. 133, C. 95; F. S. II. 3.

P. tuberifera, v. angustata, Engl. DC. Monogr. II. 567.

Nom. Jap. *Shika-hange.* シカハンゲ

Hab. Japonia, cult.

Pinellia tripartita, Schott.; Miq. P. 133; F. S. II. 3; E. Brown, J. L. S. XXXVI. 174.

syn. *Atherurus tripartitus*, Bl.

Nom. Jap. *Oh-hange.* オホハンゲ

Hab. Sikok: Oye-goori (Awa); Kiusiu: Kirisima (Hiuga), Iwatake (Buzen), Nagasaki (Hizen), Satsuma; Liukiu.

var. **atropurpurea**, Mak. T. B. M. (1901) 135.

Nom. Jap.

Hab. Nippon: Simotsuke.

Pistia Stratiotes, L. *var.* **asiatica**, Engl. DC. Monogr. II. 634; Max. M. B. XII. 555; Matsum. S. M. 219.

Nom. Jap. *Botan-ukikusa.* ボタンウキクサ

Ohba-mo. オホバモ

Hab. Liukiu: Okinawa; Formosa: Taipeh, Pikoh.

Pothos Seemani, Schott; Henry, L. 101; E. Brown, J. L. S. XXXVI. 186.

Nom. Jap.

Hab. Formosa: Bankinsing, S. Cape, Kelung.

Symplocarpus foetida, Salisb.; Miq. P. 134; F. S. II. 9.

Nom. Jap. *Zazensō.* ザゼンサウ

Darumasō. ダルマサウ

Hab. Nippon: Yetsizen.

Typhonium divaricatum, Bl.; Decne.; Miq. P. 134; F. S. II. 6.

syn. *Arum trilobatum*, Th. Fl. Jap. 234.

Nom. Jap. *Liukiu-hange.* リウキウハンゲ

Hab. Kiusiu; Liukiu: Okinawa, Yaeyama.

Zantedeschia aethiopica, Spr.; Mak. T. B. M. (1898) 300.

syn. *Richardia africana*, Kunth.

Nom. Jap. *Ban-kai-u.* バンカイウ

Oranda-kai-u. オランダカイウ

Hab. Tokio, cult.

Lemnaceæ.

(*Ukikusa no tagui.*)

Lemna minor, L.; Th. Fl. Jap. 24; Miq. P. 386; F. S. II. 12; Mak. T. B. M. (1895) 230.

Nom. Jap. *Ko-ukikusa.* コウキクサ

Hab. Yezo: Ksuri; Nippon: Yokoska.

Lemna paucicostata, Hegelm.; F. S. II. 12; Mak. T. B. M. (1895) 230; Wright, J. L. S. XXXVI. 188.

Nom. Jap. *Ao-ukikusa.* アヲウキクサ

Hab. Nippon: Yokohama, Yokoska; Sikok: Tosa; Liukiu; Formosa: Taipeh.

Lemna trisulca, L.; Miq. C. 97; F. S. II. 12; Kawak. T. B. M. (1898) 268.

Nom. Jap. *Hinjimo.* ヒンジモ

Hab. Yezo: Akkesi (Kusiro); Nippon: Nikko, Sinano.

Spirodela oligorrhiza, Hegelm.

Nom. Jap.

Hab. Formosa: Taipeh.

Spirodela polyrhiza, Schleid.; F. S. II. 13.

syn. *Lemna polyrhiza*, L.

L. major, Griff.

Nom. Jap. *Ukikusa.* ウキクサ

Hab. Nippon: Tokio, Aidsu, Yokohama Yokoska; Liukiu: Okinawa; Formosa: Taipeh.

Wolffia microscopica, Kurz.

Nom. Jap.

Hab. Formosa: Taipeh.

Flagellariaceæ.

(*Tō-tsurumodoki no tagui.*)

Flagellaria indica, L.; Max. M. B. XII. 555; Henry, L. 99; Matsum. T. B. M. (1898) 1.

Nom. Jap. *Tōtsuru-modoki.* トウツルモドキ

Hab. Bonin; Liukiu; Okinawa, Yaeyama; Formosa.

Eriocaulaceæ.

(*Hoshikusa no tagui.*)

Eriocaulon alpestre, Hk. f. et Thoms.; Miq. P. 327; F. S. II. 99; Ruhl. E. Pl. *var.* **robustius,** Max. Diagn. VIII. (1892) 24; Mak. T. B. M. (1890) 174, (1894) 506.

Nom. Jap. *Hiroha-no-inunohige.* ヒロハノイヌノヒゲ

Hab. Nippon: Tokio, Yokohama, Yokoska, Kadsusa, Simoosa, Hakone, Koodsuke, Sinano, Tootoomi, Bittsiu; Tosa.

Eriocaulon Buergerianum, Koern.; Miq. P. 327; F. S. II. 100; Max. Diagn. VIII. (1892) 20; Mak. T. B. M. (1890) 174, (1894) 506; Ruhl. E. Pl. 94; Wright, J. L. S. XXXVI. 198.

Nom. Jap. *Oh-hoshikusa.* オホホシクサ

Hab. Nippon: Yokoska; Sikok: Tosa; Kiusiu: Iwayayama, Fukoka; Liukiu: Ohsima.

Eriocaulon cristatum, Mart.; Kunth. Enum. III. 559; Koern. Linn. XXVII. 609; Max. Diagn. VIII. 14; Ruhl. E. Pl. 84; *var.* **brevicalyx,** Wright, J. L. S. XXXVI. 198.

Nom. Jap.

Hab. Nippon.

Eriocaulon decemflorum, Max. Diagn. VIII. (1892) 7; Mak. T. B. M. (1894) 506; Ruhl. E. Pl. 37.

Nom. Jap. *Ko-inunohige.* コイヌノヒゲ

Hab. Nippon media.

Eriocaulon dicline, Max. Diagn. VIII. (1892) 21; Mak. T. B. M. (1894) 506; Ruhl. E. Pl. 94.

Nom. Jap. Inu-hoshikusa. イヌホシクサ

Hab. Japonia.

Eriocaulon japonicum, Koern.; Miq. P. 326; F. S. II. 99; Max. Diagn. VIII. (1892) 24; Mak. T. B. M. (1894) 506; Ruhl. E. Pl. 95.

Nom. Jap. Yamato-hoshikusa. ヤマトホシクサ

Hab. Japonia.

Eriocaulon Kiusianum, Max. Diagn. VIII. (1892) 22; Mak. T. B. M. (1894) 506; Ruhl. E. Pl. 95.

Nom. Jap. Saikoku-hoshikusa. サイコクホシクサ

Hab. Kiusiu: Simabara.

Eriocaulon luzulaefolium, Mart. Wright, J. L. S. XXXVI. 199.

Nom. Jap.

Hab. Formosa: Takow.

Eriocaulon Miquelianum, Koern.; Miq. P. 326; F. S. II. 99; Max. Diagn. VIII. (1892) 17; Mak. T. B. M. (1890) 174, (1894) 506; Wright, J. L. S. XXXVI. 200; Ruhl. E. Pl. 92.

Nom. Jap. Inu-no-hige. イヌノヒゲ

Hab. Kurile: Itoromui; Yezo: Hakodate; Nippon: Akita, Mikawa, Suwoo, Hiogo; Kiusiu: Arigawa, Simabara, Buzen, Bungo; Sikok.

Eriocaulon nipponicum, Max. Diagn. VIII. (1892) 9; Mak. T. B. M. (1894) 506; Ruhl. E. Pl. 38; Wright, J. L. S. XXXVI. 200.

Nom. Jap. Ito-inunohige. イトイヌノヒゲ

Hab. Nippon: Yokohama, Hakone, Meguro, Sinano, Akita, Hiogo.

Eriocaulon nudicuspe, Max. Diagn. VIII. (1892) 19; Mak. T. B. M· (1894) 506; Ruhl. E. Pl. 94.

Nom. Jap. Chikutōso. チクトウサウ

Shiratama-hoshikusa. シラタマホシクサ

Hab. Japonia.

Eriocaulon parvum, Koern.; Miq. P. 327; F. S. II. 99; Max. Diagn. VIII. (1892) 14; Mak. T.B.M. (1890) 174, (1894) 506.

Nom. Jap. Kuro-hoshikusa. クロホシクサ

Hab. Sikok: Tosa.

Eriocaulon sexangulare, L.; Koern. Linn. XXVII. 687, Hk. Fl. Br. Ind. VI. 580.

syn. E. Wallichianum, Mart.; Henry, L. 102.

Nom. Jap. *Mizutamasō.* ミヅタマサウ
Hab. Formosa: Takow.

Eriocaulon Sieboldianum, Steud.; Mak. T. B. M. (1894) 507; Ruhl. E. Pl. 111; Wright, J. L. S. XXXVI. 200.
syn. *E. sexangulare,* Mart.; Max. Diagn. VIII. (1892) 10; Koern. Linn. XXVII. 613; Miq. P. 326; F. S. II. 99; Mak. T. B. M. (1890) 174.
E. cinereum, R. Br.
E. heteranthum, Benth.
E. ciliiflorum, F. Muell.
Leucocephala spathacea, Roxb.
Eriocaulon Stuhlmanni, E. Br.
E. nitidum, Buch.
Nom. Jap. *Hoshikusa.* ホシクサ
Mizutamasō. ミヅタマサウ
Hab. Nippon: Tokio, Yokoska, Yokohama, Kadsusa, Aidsu, Nambu; Kiusiu; Sikok: Tosa; Tsusima; Formosa: Taipeh.

Eriocaulon sikokianum, Max. Diagn. VIII. (1892) 16; Mak. T. B. M. (1890) 174, (1894) 506; Ruhl. E. Pl. 92.
Nom. Jap. *Shiro-inunohige.* シロイヌノヒゲ
Oh-inunohige. ヲホイヌノヒゲ
Hab. Yezo: Noboribetz (Iburi); Nippon: Aidsu (Iwasiro), Hakone (Sagami), Kadsusa; Sikok: Tosa; Kiusiu: Buzen, Bungo.

Eriocaulon Tanakae, Ruhl. E. Pl. 84.
Nom. Jap.
Hab. Japonia.

Bromeliaceæ.

(Hōli no tagui.)

Ananas sativus, Schult.; Henry, L. 95.
syn. *Ananassa sativa,* Lindl.
Bromelia Ananas, L.
Nom. Jap. *Hōli.* 鳳梨
Feng-li, Huang-li. 黄梨, 黄來
Hab. Formosa, cult.

Commelinaceæ.

(*Tsuyukusa no tagui.*)

Aneilema angustifolium, E. Brown, J. L. S. XXXVI. 151.
Nom. Jap.
Hab. Formosa: Takow, Kelung.

Aneilema divergens, Clk. Monogr. 203; E. Brown, J. L. S. XXXVI. 151.
Nom. Jap.
Hab. Formosa: Bankinsing.

Aneilema formosanum, E. Brown, J. L. S. XXXVI. 152.
Nom. Jap.
Hab. Formosa: Bankinsing.

Aneilema japonicum, Kunth.; Miq. P. 306; F. S. II. 94; Max. E. Jahrb. VI. 53; E. Brown, J. L. S. XXXVI. 152.
syn. *Commelina japonica,* Th. T. L. S. II. 332.
Nom. Jap.
Hab. Kiusiu; Liukiu, Amami Ohsima.

Aneilema Keisak, Hassk.; Clk. Monogr. 209; Matsum. S. M. 22.
syn. *Aneilema oliganthum,* F. S. II. 94, 532.
Nom. Jap. Ibo-kusa. イボクサ
Hab. Nippon: Tokio, Yokoska; Sikok; Kiusiu: Tsikzen; Formosa: Taipeh.

Aneilema Loureiri, Hance; J. B. (1868) 250; Clk. Monogr. 201; Henry, L. 98.
syn. *A. spicatum,* Wall.
Commelina tuberosa, Lour.
Nom. Jap.
Hab. Formosa: Bankinsing.

Aneilema nudiflorum, R. Br.; Max. M. B. XII. 554; Clk. Monogr. 210; Henry, L. 98; E. Brown, J. L. S. XXXVI. 153.
Nom. Jap. Taiwan-ibokusa. タイワンイボクサ
Hab. Liukiu: Okinawa; Formosa: Bankinsing.

Aneilema sinicum, Lindl.; Clk. Monogr. 212; Henry L. 98.
syn. *Aneilema secundum,* Wight Ic. t. 2075.
A. esculentum, Wall.

Commelina sinica, Roem. et Sch.

Nom. Jap.

Hab. Formosa: Takow, Bankinsing, S. Cape.

Commelina benghalensis, L.: Miq. P. 306; F. S. II. 93; Wight Ic. t. 2065; Clk. Monogr. 159; Tashir, T. B. M. (1895) 341; E. Brown, J. L. S. XXXVI. 155; Henry L. 98.

syn. *C. procurrens*, Schlecht.

C. delicatula, Schlecht.

Nom. Jap. *Maruba-tsuyukusa.* マルバツユクサ

Maruba-no-bōshibana. マルバノバウシバナ

Hab. Nippon: Boosiu; Kiusiu: Fukyama (Ohsumi); Sikok Formosa: Pescadore, Sintec.

Commelina communis, L.; Th. Fl. Jap. 35; Miq. P. 306; F. S. II. 92; E. Brown, J. L. S. XXXVI. 156.

syn. *C. polygama*, Roth.

Nom. Jap. *Tsuyukusa.* ツユクサ

Bōshi-bana. バウシバナ

Aobana. アヲバナ

Hab. Nippon: Tokio, Yokohama, Yokoska, Simoda; Sikok; Kiusiu: Nagasaki (Hizen), Tsikzen; Tsusima; Liukiu: Okinawa.

var. **hortensis**, Mak. T. B. M. (1901) 64.

syn. *Dissecocarpus polygamus, v. latifolia*, Hassk.

Nom. Jap. *Oh-bōshi.* オホバウシ

Ohba-bōshibana. オホババウシバナ

Oh-utsushibana. オホウツシバナ

Kon-ya-tarō. コンヤタラウ

Hab. Japonia, cult.

Commelina nudiflora, L.; Henry, L. 98; E. Brown, J. L. S. XXXVI. 156.

syn. *C. communis*, Walt.; Clk. Monogr. 144.

C. salicifolia, Benth; Kurit. T. B. M. (1889) 94.

C. longicaulis, Jacq.

Nom. Jap.

Hab. Liukiu; Formosa: Takow, S. cape, Sjabioli, Kelung.

Commelina obliqua, Ham.; Clk. Monogr. 178, t. 2, f. 3; Henry, L. 98; E. Brown, J. L. S. XXXVI. 157.

syn. *C. polyspatha*, Wight Ic. t. 2066.

Nom. Jap.

Hab. Formosa: Tamsui.

Commelina polygama, Bth.; Tashir. T. B. M. (1895) 341; Henry, L. 98.

Nom. Jap. *Amami-tsuyukusa.* アマミツユクサ

Hab. Formosa: Pescadore.

Commelina undulata, R. Br.; Clk. Monogr. 179; Henry, L. 98; E. Brown, J. L. S. XXXVI. 157.

syn. *C. ensifolia,* F. Muell.

C. setosa, Wight.

Nom. Jap.

Hab. Liukiu; Formosa: Takow.

Cyanotis arachnoidea, Clk. Monogr. 250; Henry, L. 99; E. Brown, J. L. S. XXXVI. 157.

Nom. Jap.

Hab. Formosa: Bankinsing.

Floscopa scandens, Lour.; Clk. Monogr. 265.

syn. *F. paniculata,* Hassk.; Henry L. 99.

Nom. Jap.

Hab. Formosa: Bankinsing.

Forrestia chinensis, E. Brown, J. L. S. XXXVI. 158.

Nom. Jap.

Hab. Formosa: Tamsui, Bankinsing, Kelung.

Forrestia hispida, Rich. et Less.; Hk. f. Fl. Br. Ind. VI. 383; Henry, L. 99.

Nom. Jap. *Yambar-myoga.* ヤンバルメウガ

Hab. Formosa: Bankinsing; Liukiu: Okinawa, Yaeyama.

Pollia japonica, Harns.; Th. Fl. Jap. 138; Ic. t. 5; Miq. P. 307; F. 3. II. 94; Matsum. T. B. M. (1898) 1.

Nom. Jap. *Yabu-myoga.* ヤブメウガ

Hab. Nippon: Tokio, Yokohama, Yokoska, Kongoosan (Kawatsi); Kiusiu: Tsikzen, Satsuma; Tsusima; Liukiu.

Pollia sorzogonensis, Endl.; Clark. Monogr. 126; Henry, L. 98; E. Brown, J. L. S. XXXVI. 159.

Nom. Jap.

Hab. Formosa: Bankinsing.

Pollia Zollingeri, Clk. Monogr. 127; E. Brown, J. L. S. XXXVI. 159.

Nom. Jap.

Hab. Formosa.

Rhoeo discolor, Hance.
syn. *Tradescantia discolor,* Sm.
Nom. Jap. *Aka-umoto.* アカウモト (Liukiu)
Murasaki-omoto. ムラサキオモト
Hab. Japonia; Liukiu, cult.

Tinantia fugax, Scheidw. *var.* **erecta,** Drumm.
Nom. Jap. *Akabana-tsuyukusa.* アカバナツユクサ
Hab. Tokio, cult.

Tradescantia virginica, L.
Nom. Jap. *Murasaki-tsuyukusa.* ムラサキユツクサ
Hab. Tokio, cult.

Zebrina pendula, Schnizl.
syn. *Tradescantia zebrina,* Hort.
Nom. Jap. *Hakata-garakusa.* ハカタガラクサ
Hab. Tokio, cult.

Pontederiaceæ.

(*Mizu-aoi no tagui.*)

Eichhornia crassipes, Solms.
Nom. Jap. *Hoteisō.* ホテイサウ
Hab. Tokio, cult.

Monochoria Korsakowii, Regel et Maack.; Rgl. Gartenfl. (1862) 313, t. 374; E. Brown, J. L. S. XXXVI. 149.
syn. *M. vaginalis, v. Korsakowii,* Solms.-Laub. Monogr. 525.
Nom. Jap. *Mizu-aoi.* ミヅアフヒ
Hab. Yezo: Sapporo (Isikari); Nippon: Aomori (Mutsu), Siogama (Rikzen), Tokio (Musasi), Haseya (Kadsusa).

Monochoria vaginalis, Presl.; Kunth, Enum. IV. 134; F. S. II. 94; Kurit. T. B. M. (1889) 93; Solms-Laub. Monogr. 524; Henry, L. 98; E. Brown, J. L. S. XXXVI. 149.
syn. *Pontederia vaginalis,* L.; Th. Fl. Jap. 131; Miq. P. 307.
Monochoria plantaginea, v. cordifolia, F. S. II. 95.
Nom. Jap. *Konagi.* コナギ
Hab. Nippon: Aidsu (Iwasiro), Sagami; Hikami (Suwoo); Kiusiu: Nagasaki(Hizen); Tsusima; Liukiu: Ohsima Formosa: Taipeh.

var. **plantaginea,** Solms-Laub. Monogr. 524; E. Brown, J. L. S. XXXVI. 150.

syn. *Monochoria plantaginea,* Kunth, Enum. IV. 135; Miq. P. 307; F. S. II. 95.

M. linearis, Miq.

Nom. Jap. *Mizu-nagi.* ミヅナギ

Hab. Yezo: Hakodate (Ohsima); Nippon: Mama (Simoosa), Yokoska (Sagami); Sikok: Tosa.

Philydraceæ.

(*Tanuki-ayame no tagui.*)

Philydrum lanuginosum, Banks; Matsum. S. M. 210; Mak. T. B. M. (1896) 56.

Nom. Jap. *Tanuki-ayame.* タヌキアヤメ

Hab. Kiusiu: Akune (Satsuma); Liukiu: Okinawa, Iriomote.

Juncaceæ.

(*Tōshinsō no tagui.*)

Juncus alatus, F. S. II. 98, 534; Buch. Engl. Jahrb. XII. 304 E. Brown, J. L. S. XXXVI. 162.

syn. *J. xiphioides,* A. Gr. Perr. Exped. (1856) 322.

Nom. Jap. *Hanabi-zekishō.* ハナビゼキシヤウ

Hab. Nippon: Aomori-Tokiwano (Mutsu), Itsinomiya (Kadsusa), Arai, Tokio, Mt. Bukoosan (Musasi), Kawanakasima, Mt. Togaksi (Sinano), Uyenohara (Idsumi), Kasugayama (Yamato); Sikok: Awa, Tosa; Tsusima.

Juncus balticus, Willd. *var.* **europaeus,** Engelm.; Buch. Engl. Jahrb. XII. 216.

Nom. Jap.

Hab.

var. **Haenkei,** Buch. Engl. Jahrb. XII. 215; Mak. T. B. M. (1898) 164.

Nom. Jap. *Oh-inui.* オホイヌヰ
Hama-i. ハマヰ
Hab. Kurile: Siumsiu; Yezo: Toobuto (Nemuro), Tomakomai (Iburi).
var. **japonicus,** Buch. Engl. Jahrb. XII. 215; Mak. T. B. M. (1891) 164.
syn. *Juncus glaucus, v. yokoscensis,* F. S. II. 97.
Nom. Jap. *Hira-i.* ヒラヰ
Inu-i. イヌヰ
Hab. Yezo: Hakodate (Osima), Yuubutz (Iburi); Nippon: Aomoridake (Mutsu), Itsinomiya (Kadsusa), Mt. Togaksi (Sinano); Kiusiu: Asosan (Higo).

Juncus beringensis, Buch. Engl. Jahrb. XII. 226.
Nom. Jap. *Miyama-i.* ミヤマヰ
Hab. Nippon: Mt. Komagatake (Sinano), Mt. Tateyama (Yettsiu).

Juncus bufonius, L.; F. S. II. 99.
Nom. Jap. *Hime-kōgai-zekishō.* ヒメカウガイゼキシヤウ
Hab. Yezo: Abasiri (Kitami); Nippon: Tokio (Musasi), Kamakra (Sagami).

Juncus compressus, Jacq. *var.* **gracillimus,** Buch.
Nom. Jap. *Mizu-i.* ミヅヰ
Hab. Yezo: Bentensima (Nemuro), Morolan (Iburi); Nippon: Tokio (Musasi); Tsusima.

Juncus curvatus, Buch.
Nom. Jap. *Ezo-hosoi.* エゾホソヰ
Hab. Yezo: Nemuro; Djoosankei (Isikari); Nippon: Mt. Iwakisan (Mutsu), Osenuma (Iwasiro), Mt. Miookoosan (Yetsigo), Mt. Haksan (Kaga).

Juncus diastrophanthus, Buch. Engl. Jahrb. XII. 309.
Nom. Jap. *Hiroba-no-kōgaizekishō.* ヒロバノカウガイゼキシヤウ
Hab. Yezo: Flum. Toyohira (Isikari); Nippon: Aomori-Tokiwano, Mt. Iwakisan (Mutsu), Mt. Gassan (Uzen), Mt. Hagrosan (Sado), Mt. Simidsu (Yetsigo); Sikok: Mt. Wariisi (Iyo); Kiusiu: Buzen.

Juncus effusus, L. *var.* **decipiens,** Buch.; Mak. T. B. M. (1898) 162, *form.* **intermedia,** Buch. Engl. Jahrb. XII. 229.
Nom. Jap. *I.* ヰ

I-gusa. 井グサ
Ko-hige. コヒゲ

Hab. Yezo : Hakodate (Osima) ; Nippon : Aomoridake, Tokiwano (Mutsu), Tokio (Musasi), Hakone (Sagami), Mt. Amagi (Idsu), Nandjoo (Sinano), Haksan-Yumoto (Kaga), Mt. Hagrosan (Sado), Harakosai (Bittsui), Yamagutsi (Suwoo) ; Sikok : Awa ; Kiusiu : Hiakkanseki (Higo) ; Tsusima.

form. **gracilis,** Buch.

Nom. Jap. Hime-i. ヒメ井

Hab. Yezo : Djoosankei (Isikari) ; Nippon : Simidsu, Mt. Mioo-koosan, Mt. Komagatake (Yetsigo), Mt. Togaksi (Sinano), Mt. Yudonosan, Hondoodji (Ugo), Tokio (Musasi), Mt. Ibuki (Oomi).

form. **glomerata,** Mak. T. B. M. (1898) 163.

syn. Juncus communis, v. conglomeratus, F. S. II. 97.

Nom. Jap. Tama-i. タマ井

Hab. Japonia.

Juncus falcatus, E. Mey. *var.* **prominens,** Buch.

Nom. Jap. Sekishō-i. セキシヤウ井

Hab. Yezo : Otsuisi (Nemuro), Tomakomai (Iburi).

Juncus Fauriensis, Buch. Notizbl. Konigl. Bot. Gart. III. (1901) 127.

Nom. Jap. Hoso-kōgaizekishō. ホソカウガイゼキシヤウ

Hab. Yezo ; Tomakomai (Iburi) ; Nippon : Mt. Iidesan (Iwasiro).

Juncus Krameri, F. S. II. 99, 534 ; Buch. Engl. Jahrb. XII. 383.

Nom. Jap. Tachi-kōgaizekishō. タチカウガイゼキシヤウ

Hab. Yezo : Zenibako (Isikari), Tomakomai (Iburi) ; Nippon : Itsinomiya (Kadsusa), Tamagawa (Musasi) ; Liukiu : Okinawa.

Juncus Maximowiczii, Buch. Engl. Jahrb. XII. 394.

Nom. Jap. Ito-i. イト井

Hab. Nippon : Chuzenji-Nikko (Simotsuke), Mt. Fudsi (Suruga), Mt. Togaksi, Mt. Komagatake (Sinano).

Juncus niponensis, Buch. Engl. Jahrb. XII. 340.

Nom. Jap. Ao-kōgai. アヲカウガイ

Hab. Yezo : Hakodate (Osima) ; Nippon : Aomomori-dake (Mutsu), Nikko (Simotsuke), Hakone (Sagami), Mt. Haruna (Koodsuke), Mt. Ontake (Sinano), Sinoda (Idsumi), Tatsuta (Bittsiu).

Juncus papillosus, F. S. II. 98, 532; Buch. Engl. Jahrb, XII. 341.
Nom. Jap. *Hosoba-no-kōgaziekishō.* ホソバノカウガイゼキシヤウ
Hab. Nippon: Yokoska, Hakone (Sagami).

Juncus pauciflorus, R. Br.; Buch. Engl. Jahrb. XII. 238; Mak. T. B. M. (1898) 163; E. Brown, J. L. S. XXXVI. 165.
syn. *J. communis, v. japonicus,* Miq. P. 328.
Nom. Jap.
Hab. Nippon.

Juncus prismatocarpus, R. Br.; Buch. Engl. Jahrb. XII. 310; E. Brown, J. L. S. XXXVI. 165.
syn. *J. Leschenaultii,* Gr.; Miq. P. 328; F. S. II. 98.
J. Leschenaultii, v. radicans, F. S. II. 533.
form. **multiflora**, Buch.
Nom. Jap. *Tama-kōgaizekishō.* タマカウガイゼキシヤウ
Hab. Nippon: Aidsu (Iwasiro).
var. **Leschenaultii**, Buch. *subvar.* **pluritubulosus**, Buch. Engl. Jahrb. XII. 312.
Nom. Jap. *Hira-kōgaizekishō.* ヒラカウガイゼキシヤウ
Hab. Yezo: Sapporo (Isikari); Nippon: Aidsu (Iwasiro), Hondoodji (Uzen), Simidsu, Miookoosan (Yetsigo), Simono-Suwa, Mt. Togaksi (Sinano), Hitatsi; Mt. Haksan (Kaga), Itsinomiya (Kadsusa), Tsioodjanohara, Ins. Miyake (Idsu), Mama (Simoosa), Tokio, Tamagawa (Musasi), Nobe, Harada (Tootoomi), Kasugayama (Yamato), Uyenohara, Fukehi, Ohgi (Idsumi); Sikok: Awa.
var. **Leschenaultii**, Buch. *subvar.* **unitubulosus**, Buch. Engl. Jahrb. XII. 312.
Nom. Jap. *Hai-kōgai-zekishō.* ハヒカウガイゼキシヤウ
Hab. Yezo: Hakodate; Nippon: Aidsu (Iwasiro), Tokio (Musasi), Hakone (Sagami), Nobe (Tootoomi), Sinoda, Mikida, Uyenohara (Idsumi); Kiusiu: Iwatake (Buzen); Tsusima.

Juncus setchuensis, Buch. Engl. Jahrb. XXIX. 238. *var.* **effusoides**, Buch.
Nom. Jap. *Hoso-i.* ホソ井
Hab. Nippon: Tokio (Musasi), Kasuga (Yamato).

Juncus tenuis, Willd.
Nom. Jap. *Kusa-i.* クサ井
Hab. Nippon: Tokio (Musasi).

Juncus triglumis, L.; Yabe, T. M. B. (1903) 17.

Nom. Jap.

Hab. Nippon: Mt. Sirouma (Sinano).

Juncus xiphioides, E. Mey. *var.* **macranthus**, Engelm.; Buch. Engl. Jahrb. XII 308.

Nom. Jap.

Hab.

var. **montanus**, Engelm.

Nom. Jap. Mikuri-zekishō. ミクリゼキシヤウ

Hab. Yezo: Sapporo; Nippon: Mt. Haksan (Kaga).

Luzula campestris, DC. *var.* **capitata**, Miq. P. 329; F. S. II. 97; Buch. Engl. Jahrb. XII. 160.

Nom. Jap. Suzume-no-hie. スヾメノヒエ

Shiba-imo. シバイモ

Hab. Yezo: Tsitose (Iburi); Nippon: Tokio (Musasi), Nokogiri-yama (Boosiu), ins. Hatsidjoo, Ohsima, Miyake, Yugasima (Idsu), Hakone (Sagami), Kimpoksan (Sado), Mitsuke (Tootoomi), Hikami (Suwoo); Kiusiu: Fuk-oka (Tsikzen), Nagasaki (Hizen); Bonin.

var. **multiflora**, Celak.; Buch. Engl. Jahrb. XII. 161.

Nom. Jap. Yama-suzume-no-hie. ヤマスヾメノヒエ

Hab. Nippon: Nikko (Simotsuke), Nakano, Aume (Musasi), Oh-yama (Sagami), Mt. Togaksi (Sinano), Hikami (Suwoo); Sikok: Nanokawa (Tosa).

var. **pauciflora**, Buch.

Nom. Jap. Takane-suzume-no-hie. タカネスヾメノヒエ

Hab. Nippon: Mt. Tsiookaisan (Ugo), Mt. Togaksi (Sinano).

var. **sudetica**, Celak.

Nom. Jap. Miyama-suzume-no-hie. ミヤマスヾメノヒエ

Hab. Kurile: Siumsiu; Nippon: Hondoodji, Mt. Gassan (Uzen), Mt. Fudsi (Suruga), Mt. Sirouma, Mt. Ontake, Mt. Komagatake (Sinano).

Luzula japonica, Buch. Engl. Jahrb. XII. 81.

Nom. Jap. Miyama-kuroboshi. ミヤマクロボシ

Hab. Nippon: Mt. Tateyama (Yettsiu).

Luzula pilosa, Willd.; Buch. Engl. Jahrb. XII. 83.

Nom. Jap.

Hab.

Luzula plumosa, E. Mey.; Buch. Engl. Jahrb. XII. 85.

Nom. Jap. *Nukaboshisō.* ヌカボシサウ

Hab. Nippon: Mt. Tsukba (Hitatsi), Mt. Miookoosan (Yetsigo), Mt. Amagi (Idsu), Mt. Oh-yama (Sagami), Mt. Futatabi (Settsu), Mt. Makiosan (Idsumi).

Luzula rostrata, Buch.

Nom. Jap. *Miyama-nukaboshisō.* ミヤマヌカボシサウ

Hab. Nippon: Mt. Tsiookaisan (Ugo), Rokdjurigoye, Mt. Yudono (Uzen), Aidzu (Iwasiro), Nikko (Simotsuke), Mt. Togaksi (Sinano), Mt. Haksan (Kaga), Yetsigo; Yosino (Yamato).

Luzula rufescens, Fisch.; Buch. Engl. Jahrb. XII. 81.

Nom. Jap.

Hab.

form. **brevipes**, Buch, Engl. Jahrb. XII. 81.

Nom. Jap.

Hab.

Stemonaceæ.

(*Byakubu no tagui*).

Croomia japonica, Miq. P. 70, 143, 357; F. S. II. 93.

Nom. Jap. *Nabewari.* ナベワリ

Hab. Sikok: Yokogra (Tosa); Kiusiu.

var. **heterosepala**, Bak. J. B. (1877) 298.

Nom. Jap.

Hab. Nippon: Kiga (Sagami).

Croomia pauciflora, Torr.; Miq. P. 357; F. S. II. 93.

Nom. Jap.

Hab. Kiusiu: Nagasaki (Hizen).

Stemone japonica, Miq. P. 386; F. S. II. 92; Wright, J. L. S. XXXVI. 95.

syn. *Roxburghia japonica*, Bl.; Miq. P. 143.

Nom. Jap. *Tsuru-byakubu.* ツルビヤクブ

Hab. cult.

Stemone sessilifolia, Miq. P. 386; F. S. II. 93.

syn. *Roxburghia sessilifolia*, Miq. P. 143.

Nom. Jap. *Byakubu.* ビヤクブ

Hodozura. ホドヅラ

Hab. cult.

Stemone tuberosa, Lour.; Henry, L. 96; Wright, J. L. S. XXXVI. 95.

Nom. Jap.

Hab. Formosa: Bankinsing.

Liliaceæ.

(*Yuri no tagui.*)

Agapanthus umbellatus, L'Her.

Nom. Jap. *Murasaki-kunshilan.* ムラサキクンシラン

Hab. cult.

Aletris japonica, Lamb.; A. Gr. Perr. Exped. 320; Bot. Jap. 417; Miq. P. 324; F. S. II. 46; Wright, J. L. S. XXXVI. 75.

syn. *A. spicata,* Franch. Journ. de Bot. x. (1896) 199.

Hypoxis spicata, Th. Fl. Jap. 136.

H. farinosa, Th. T. L. S. II. 334.

Nom. Jap. *Sokushinlan.* ソクシンラン

Hab. Nippon: Ohmura, Itoo, Simoda (Idsu), Fudjisan (Suruga). Tootoomi, Suwoo; Kiusiu: Kirisima (Hiuga), Buzen; Nagasaki (Hizen); Sikok: Awa; Tsusima; Formosa: Tamsui, Kelung, Tsikuako; Liukiu: Oshima, Okinawa.

Allium Bakeri, Regel, Monogr. 141; F. S. II. 77; Wright, J. L. S. XXXVI. 120.

syn. *A. splendens,* Miq. P. 318.

A. exsertum, Bak. J. B. (1874) 294.

Coloscordon exsertum, Herb.

Nom. Jap. *Rakkyō.* ラツキヤウ

Hab. Nippon: Yokohama (Musasi), Yokoska (Sagami); Kiusiu: Nagasaki (Hizen), cult.

Allium Cepa, L.

Nom. Jap. *Tama-negi.* タマネギ

Hab. cult.

Allium chinense, Don; Bak. J. L. S. XII. 291; Wright, J. L. S. XXXVI. 120.

syn. *A. Thunbergii,* Don; Regel, Monogr. 234; A. Gr. Perr. Exped. 322; Miq. P. 318; Bak. et Mre., J. L. S. XVII. 388.

A. odorum, Th. Fl. Jap. 132.

A. Grayi, Regel, Monogr. 125; F. S. II. 76.

Nom. Jap.

Hab. Nippon: Simoda (Idsu); Kiusiu: Nagasaki (Hizen); Liukiu.

Allium fistulosum, L.; Th. Fl. Jap. 133; F. S. II. 76.

Nom. Jap. *Negi.* ネギ
Nebuka. ネブカ
Hitomoji. ヒトモジ

Hab. cult.

var. **viviparum,** Mak. T. B. M. (1898) 340.

Nom. Jap. *Yagura-negi.* ヤグラネギ
Sangai-negi. サンガイネギ
Tō-negi. タウネギ

Hab. cult.

Allium inutile, Mak. T. B. M. (1898) 104.

Nom. Jap. *Sutekobiru.* ステコビル

Hab. Nippon: Isimaki-yama (Mikawa).

Allium japonicum, Regel, Monogr. 133; F. S. II. 77; Wright, J. L. S. XXXVI. 122.

syn. *A. senescens*, Th. Fl. Jap. 132; Miq. P. 318.

Nom. Jap. *Yama-rakkyō.* ヤマラツキヤウ

Hab. Nippon: Tsukba, Yuuki (Hitatsi), Yokohama (Musasi), Yokoska, Hakone (Sagami), Fudsisan (Suruga), Mikawa, Nagato; Kiusiu: Tsikzen; Tsusima; Formosa: Sintec.

Allium Ledebourianum, Schult.; F. S. II. 78.

Nom. Jap. *Asatsuki.* アサツキ

Hab. Nippon: Yokoska (Sagami).

Allium lineare, L.

Nom. Jap. *Chishima-rakkyō.* チシマラツキヤウ

Hab. Kurile: Siumsiu; Yezo: Riisiri, Abasiri (Kitami), Sapporo (Isikari).

Allium macrostemon, Bunge, Enum. Pl. Chin. 139; Regel, Monogr. 106; F. S. II. 76; Wright, J. L. S. XXXVI. 123.

Nom. Jap.

Hab. Japonia.

Allium Moly, L.

Nom. Jap. *Kibana-no-gyojaninniku.* キバナノギヤウジヤニンニク

Hab. cult.

Allium monanthum, Max. M. B. XII. 554.
Nom. Jap. *Hime-biru.* ヒメビル
Hab. Yezo: Sapporo (Isikari); Nippon: Riktsiu; Tsitsibu (Musasi).

Allium nipponicum, F. S. II. 76, 527.
Nom. Jap. *Nobiru.* ノビル
Hab. Nippon: Tokio (Musasi), Yokoska (Sagami), Togaksi (Sinano), Ise, Bittsiu; Kiusiu: Higo, Tsikzen; Liukiu: Okinawa.

Allium odorum, L.; F. S. II. 78; Bak. J. L. S. XII. 291; Regel, Monogr. 175; Henry, L. 97.
syn. *A. senescens*, Miq. P. 318.
A. uliginosum, Don.
Nom. Jap. *Nira.* ニラ
Futamoji. フタモジ
Hab. Yezo: Sapporo (Isikari); Nippon: Sinano; Kiusiu; Formosa: Takow.

Allium Porrum, L.
Nom. Jap. *Horo.* ホロ
Nira-negi. ニラネギ
Hab. cult.

Allium Schoenoprasum, L.; Regel, Monogr. 77; Miq. P. 317; F. S. II. 76.
Nom. Jap. *Ezo-negi.* エゾネギ
Chimoto. チモト
Hab. Kurile: Siumsiu; Yezo: Aotoro (Kitami).
var. **orientalis**, Regel; Yabe, T. B. M. (1903) 18.
Nom. Jap.
Hab. Nippon: Sirouma (Sinano).

Allium Scorodoprasum, L. *var.* **viviparum**, Regel, Monogr. 42; F. S. II. 76.
Nom. Jap. *Ninniku.* ニンニク
Hab. cult.

Allium senescens, L.; F. S. II. 77; Wright, J. L. S. XXXVI. 125.
Nom. Jap.
Hab. Japonia.

Allium tenuissimum, L. *var.* **anisopodium**, Regel, Monogr. 157; Bak. J. L. S. XII. 292; Wright, J. L. S. XXXVI. 125.

Nom. Jap.
Hab. Formosa.

Allium Tschonoskianum, Regel, Monogr. 160.
Nom. Jap.
Hab. Nippon.

Allium Victorialis, L.; A. Gr. Bot. Jap. 416; Miq. P. 318; Regel, Monogr. 170; F. S. II. 78; Wright, J. L. S. XXXVI. 126.
Nom. Jap. *Gyōja-ninniku.* ギヤウジヤニンニク
Hab. Kurile: Urup, Yetorof; Yezo: Sapporo (Isikari), Hakodate Osima); Nippon: Nikko (Simotsuke), Togaksi (Sinano).

Aloe chinensis, Bak.; Henry, L. 97.
Nom. Jap. *Rokwai.* ロクワイ
Hab. Formosa: Bankinsing.

Anemarrhena asphodeloides, Bunge, Enum. Pl. Chin. (1831) 66; Bak. J. L. S. XV. (1877) 268; Miq. P. 322; F. S. II. 83; Wright, J. L. S. XXXVI. 118.
Nom. Jap. *Chimo.* チモ
Hana-suge. ハナスゲ
Hab. cult.

Asparagus lucidus, Lindl.; A. Gr. Bot. Jap. 403; Miq. P. 315; Bak. J. L. S. XIV. (1875) 605; F. S. II. 58; Henry, L. 97; Wright, J. L. S. XXXVI. 102.
syn. *A. falcatus,* Th. Fl. Jap. 139.
A. insularis, Hance.
Nom. Jap. *Temmondō.* テンモンダウ
Kusa-sugikazura. クサスギカヅラ
Hab. Yezo; Nippon: Sagami, Idsu; Fudsisan (Suruga); Sinano; Sikok: Kamomioo (Awa); Kiusiu: Tsuno (Hiuga); Tsusima; Liukiu: Miyakosima; Formosa: Tamsui, Bankinsing, Takow, S. Cape, Kelung.
var. **pygmaeus,** Mak. T. B. M. (1897) 281; (1901) 106.
Nom. Jap. *Tachi-temmondō.* タチテンモンダウ
Hab. Nippon; Sikok.

Asparagus medeoloides, Thunb.
Nom. Jap. *Kusa-nagikazura.* クサナギカヅラ
Hab. cult.

Asparagus officinalis, L.

Nom. Jap. *Matsuba-udo.* マツバウド
Oranda-kijikakushi. ヲランダキジカクシ
Hab. cult.

Asparagus oligoclonos, Max. Fl. Amur. 287; Miq. P. 315; F. S. II. 59; Bak. J. L. S. XIV. (1875) 599.
Nom. Jap. *Tsukushi-tamabōki.* ツクシタマバウキ
Hab. Kiusiu: Asosan (Higo).

Asparagus schoberioides, Kunth; Miq. P. 315; F. S. II. 58; Bak. J. L. S. (1875) 604; Wright, J. L. S. XXXVI. 103.
syn. *A. Wrightii,* A. Gr. Bot. Jap. 403.
A. micranthus, S. Z.
A. Sieboldi, Max. Fl. Amur. 287.
A. parviflorus, Turcz.
Nom. Jap. *Kiji-kakushi.* キジカクシ
Sōchiku. サウチク
Hab. Yezo: Hakodate (Osima); Nippon; Kiusiu.

Asparagus Tamaboki, Yat. T. B. M. (1893) 61, t. 4.
Nom. Jap. *Tamabōki.* タマバウキ
Hab.

Aspidistra elatior, Bl.; Mak. T. B. M. (1894) 379; Wright, J. L. S. XXXVI. 113.
syn. *A. lurida,* Gawl.; Bot. Mag. t. 2499; Miq. P. 308; F. S. II. 85; Bak. J. L. S. XIV. (1875) 579; Wright, J. L. S. XXXVI. 113.
A. punctata, Lindl.
Plectogyne variegata, Link et Kunth; Miq. P. 308; F. S. II. 86; Bak. J. L. S. XIV. (1875) 580; Yasuda, T. B. M. (1894) 75.
Macrogyne convallariaefolia, Link et Otto.
Nom. Jap. *Balan.* バラン
Halan. ハラン
Hab. Japonia; Liukiu, cult.

Bulbinella yedoensis, Matsum. T. B. M. (1901) 39.
syn. *Anthericum yedoense,* Max.; F. S. II. 83, 529.
Nom. Jap. *Keibilan.* ケイビラン
Hab. cult.

Chionographis japonica, Max. M. B. VI. 210; F. S. II. 86; Bak. J. L. S. XVII. 469.

syn. *Chamaelirium luteum*, A. Gr.; Miq. P. 308, 368; Miq. Bijdr. Fl. Jap. 18.
Melanthium luteum, Th. Fl. Jap. 152.
M. japonicum, Willd.
Helonias japonica, R. S.
H. lutea, Ait.
H. dioica, Pursh.
Veratrum luteum, L.

Nom. Jap. *Shiraitosō.* シライトサウ

Hab. Nippon: Komono (Ise), Kasugayama (Yamato), Kuroo (Bittsiu), Nonaka, Yunomine (Kii); Sikok: Tebako-yama, Nanokawa (Tosa); Kiusiu: Asosan (Higo); Yaknosima.

Chlorophytum comosum, Bak. J. L. S. XV. (1877) 329; Mak. T. B. M. (1894) 91.

Nom. Jap. *Orizurulan.* オリヅルラン

Hab. Japonia; Liukiu, cult.

Clintonia udensis, Trautv. et Mey.; Miq. P. 313; F. S. II. 50; Bak. J. L. S. XIV. (1875) 585; Wright, J. L. S. XXXVI. 144.

Nom. Jap. *Tsubame-omoto.* ツバメオモト
Tōchisō. タウチサウ
Sasa-nindō. ササニンドウ

Hab. Nippon: Iidesan (Iwasiro), Ontake (Sinano), Oharagoye (Yetsizen), Fudsisan (Suruga).

Colchicum autumnale, L.; Bak. J. L. S. XVII. 428.

syn. *C. crociflorum*, Anders. Bot. Mag. t. 2673.

Nom. Jap. *Inu-safuran.* イヌサフラン

Hab. cult.

Convallaria Majalis, L.; A. Gr. Pl. Jap. 321; Bot. Jap. 414; Miq. P. 312; F. S. II. 54; Bak. J. L. S. XIV. (1875) 552; Wright, J. L. S. XXXVI. 112.

syn. *Polygonatum maiale*, All.
Convallaria Keiskei, Miq. P. 312; Mak. T. B. M. (1894) 303.

Nom. Jap. *Kimikagesō.* キミカゲサウ
Suzulan. スヽラン

Hab. Yezo: Sapporo (Isikari), Hakodate (Osima); Nippon: Asamayama (Sinano); Kiusiu: Karakuni-dake.

Cordyline terminalis, Kunth; Bak. J. B. (1873) 265; J. L. S.

(1875) 539; Henry, L. 97; Mak. T. B. M. (1895) 10; Wright, J. L. S. XXXVI. 118.

syn. *Calodracon Sieboldii*, Planch.; Miq. P. 316; F. S. II. 57.
C. nobilis, Planch.; Miq. P. 316; F. S. II. 57.
C. terminalis, Planch.
Dracaena terminalis, L.
Cordyline cannaefolia, Muell.
Aletris chinensis, Lam.

Nom. Jap. Sennensō. センチンサウ

Hab. Japonia; Liukiu; Formosa: Bankinsing, S. Cape, Sintec, cult.

var. **ferrea**, Bak. J. L. S. XIV. (1875) 540; Mak. T. B. M. (1895) 11.

syn. *Dracaena ferrea*, L.; Bot. Mag. t. 2053.
D. terminalis, Jacq.
Cordyline Jacquini, Kunth, Enum. V. 23.

Nom. Jap. Murasaki-sennensō. ムラサキセンチンサウ

Hab. cult.

Dianella nemorosa, Lam.; Wright, J. L. S. XXXVI. 119.

syn. *D. ensifolia*, Red.; Gawl. Bot. Mag. t. 1404; Bak. J. L. S. XIV. (1875) 576; Henry, L. 97.
D. odorata, Bl.; F. S. II. 58; Engl. Jahrb. V. 53.
Dracaena ensifolia, L.

Nom. Jap. Kikyōlan. キキヤウラン

Hab. Nippon: Yuasa (Kii); Liukiu: Ohsima, Okinawa, Yaksima; Formosa: Tamsui, Kelung, Sintec, Bankinsing, Ape's Hill, S. Cape, Sjaliootoo.

Dianella straminea, Yat. T. B. M. (1893) 435, t. 1.

Nom. Jap. Kibana-no-kikyōlan. キバナノキキヤウラン

Hab. Liukiu.

Disporum pullum, Salisb.; Miq. P. 311; Bijdr. Fl. Jap. 19; F. S. II. 52; Bak. J. L. S. XIV. (1875) 589; Max. M. B. XI. 860; Wright, J. L. S. XXXVI. 142.

syn. *D. fulvum*, Don.
Uvularia chinensis, Ker. Bot. Mag. t. 916.

Nom. Jap. Tōchikulan. タウチクラン

Hab. cult.

Disporum sessile, Don.; Kunth, Enum. IV. 208; A. Gr. Pl. Jap.

321; Bot. Jap. 414; Miq. P. 311; Bijdr. Fl. Jap. 19; F. S. II. 51; Bak. J. L. S. XIV. (1875) 589; Max. M. B. XI. 860; Engl. Jahrb. VI. 53; Wright, J. L. S. XXXVI. 143.

syn. *Uvularia sessilis,* Th. Fl. Jap. 135.

Nom. Jap. *Hōchakusō.* ハウチヤクサウ

Hab. Yezo: Sapporo; Nippon: Tokio, Kadsusa, Kanoosan, Hakone, Fudsisan; Kiusiu: Kirisima (Hiuga); Liukiu: Ohsima.

var. **minus,** Miq. P. 311; F. S. II. 51.

Nom. Jap.

Hab. Nippon: Yokoska; Kiusiu: Mt. Unzen.

var. **stenophylla,** F. S. II. 52.

Nom. Jap.

Hab. Nippon: Yokoska.

Disporum smilacinum, A. Gr. Perr. Exped. Pl. Jap. 321; Bot. Jap. 414; Miq. P. 311; Miq. Bijdr. Fl. Jap. 19; F. S. II. 52; Max. M. B. XI. 858; Engl. Jahrb. VI. 53; Wright, J. L. S. XXXVI. 143.

var. **album,** Max. M. B. XI. 858; Mak. T. B. M. (1897) 282.

Nom. Jap. *Chigo-yuri.* チゴユリ

Hab. Yezo; Nippon: Nambu, Tokio; Kiusiu; Tsusima; Liukiu: Amami Ohsima.

var. **lutescens,** Max. M. B. XI. 859; Mak. T. B. M. (1897) 282.

Nom. Jap. *Kibana-chigo-yuri.* キバナチゴユリ

Hab. Kiusiu.

Dracaena angustifolia, Roxb.; Kunth, Enum. V. 4; Bak. J. L. S. XIV. 526; Henry, L. 97.

Nom. Jap.

Hab. Formosa: S. Cape.

Erythronium dens-canis, L.; F. S. II. 525; *var.* **japonicum,** Bak. J. L. S. (1875) 297.

syn. *E. grandiflorum,* Miq. P. 322; F. S. II. 59, non Pursh.

Nom. Jap. *Katakuri.* カタクリ
Katako-yuri. カタコユリ

Hab. Yezo: Hakodate, Sapporo; Nippon: Tsitsibu, Wada, Sirako.

Eucomis punctata, L'Her.

Nom. Jap. *Hoshi-omoto.* ホシオモト
Hab. Tokio, cult.

Fritillaria japonica, Miq. P. 322; F. S. II. 62; Mak. T. B. M. (1889) 8.
Nom. Jap. *Ko-baimo.* コバイモ
Tengai-yuri. テンガイユリ
Hab. Sikok: Tosa.

Fritillaria camtschatensis, Gawl.; Bot. Mag. t. 1216; Kunth, Enum. IV. 254; Rgl. Gartenfl. t. 173; Miq. P. 322; F. S. II. 62; Bak. J. L. S. XIV. (1875) 258; Wright, J. L. S. XXXVI. 136.
syn. *F. kamtschatensis,* Fisch.
Lilium camtschatense, L.
L. affine, Schult.
L. quadrifoliatum, Mey.
Amblirion camtschatense, Sweet.
Nom. Jap. *Kuro-yuri.* クロユリ
Hab. Kurile; Yezo: Sapporo; Nippon: Haksan (Kaga), Ontake, Komagatake (Sinano).

Fritillaria verticillata, Willd. *var.* **Thunbergii,** Bak. J. L. S. XIV. (1875) 258; Wright, J. L. S. XXXVI. 137.
syn. *F. Thunbergii,* Miq. P. 321; F. S. II. 61.
Uvularia cirrhosa, Th. Fl. Jap. 136; Ic. t. 1; Kunth, Enum. IV. 202.
F. collicola, Hance J. B. VIII. 76.
Nom. Jap. *Baimo.* バイモ
Amigasa-yuri. アミガサユリ
Hab. Nippon: Hitatsi, Tokio.
var. **ecirrhosa,** Franch.; Wright, J. L. S. XXXVI. 138.
Nom. Jap.
Hab. Japonia.

Gagea lutea, Roem. et Schult.; Miq. P. 322; F. S. II. 61; Wright, J. L. S. XXXVI. 138.
syn. *G. fascicularis,* Salisb.
Nom. Jap. *Kibana-no-amana.* キバナノアマナ
Hab. Japonia.

Gagea pusilla, Schult.; Mak. T. B. M. (1897) 283.
Nom. Jap. *Hime-amana.* ヒメアマナ

Hab. Nippon: Simura (Musasi).

Galtonia candicans, Decne.

Nom. Jap. *Tsurigane-omoto.* ツリガネオモト

Hab. Tokio, cult.

Heloniopsis breviscapa, Max. M. B. VI. 211; F. S. II. 87; Bak. J. L. S. XVII. 459; Mak. T. B. M. (1891) 126; (1894) 303.

syn. *H. japonica,* Miq. Ann. Mus. IV. 146.

H. grandiflora, F. S. II. 88, 529.

Nom. Jap. *Shōjōbakama.* シヤウジヤウバカマ

Hab. Nippon: Takado (Hitatsi), Iidesan (Iwasiro), Siranesan (Simotsuke), Mt. Ontake, Komagatake (Sinano), Toba (Sima), Mt. Mayasan (Settsu), Kongoosan (Kawatsi), Suwoo; Kiusiu: Mt. Wunzen, Kaimongatake.

Heloniopsis japonica, Max. M. B. VI. 211; F. S. II. 87; Mak. T. B. M. (1891) 126; Wright, J. L. S. XXXVI. 140.

syn. *Sugerokia japonica,* Miq. P. 309; Bijdr. Fl. Jap. 18.

Scilla japonica, Th. Fl. Jap. 137; Ic. t. 4; Kunth, Enum. IV. 330.

Nom. Jap. *Shirobana-shōjōbakama.* シロバナシヤウジヤウバカマ

Hab. Nippon: Boosiu; Kiusiu: Bungo; Sikok: Tosa.

Heloniopsis pauciflora, A. Gr. Bot. Jap. 416; Miq. P. 310; Max. M. B. VI. 211; Miq. Bijdr. Fl. Jap. 18; Bak. J. L. S. XVII. 460.

Nom. Jap.

Hab. Yezo septentr.

Heloniopsis umbellata, Bak. J. B. (1874) 278; J. L. S. XVII. 460; Wright, J. L. S. XXXVI. 140.

Nom. Jap.

Hab. Formosa.

Hemerocallis Dumortieri, Morr.; F. S. II. 79.

syn. *H. graminea, v. humilior,* Max. Fl. Amur. 285; Miq. P. 316.

Nom. Jap.

Hab. Yezo: Hakodate.

Hemerocallis flava, L.; F. S. II. 79; Mak. T. B. M. (1896) 141; Wright, J. L. S. XXXVI. 115.

Nom. Jap. *Wasure-gusa.* ワスレグサ

Kwanzō. クワンザウ

Namban-kwanzō. ナンバンクワンザウ

Hab.

Hemerocallis fulva, L.; Miq. P. 316; F. S. II. 80; Henry, L. 97; Wright, J. L. S. XXXVI. 115.

syn. *H. crocea,* Lam.

H. disticha, Don.

H. Kwansoo, Hort.; Rgl. Gartenfl. t. 500.

var. **Kwanso,** Rgl.; Mak. T. B. M. (1896) 141.

Nom. Jap. *Yabukwanzō.* ヤブクワンザウ

Oni-kwanzō. オニクワンザウ

Wasuregusa. ワスレグサ

Hab. Yezo: Hakodate (Osima), Sapporo (Isikari); Nippon: Aomori, Sennenzan, Aidsu, Nikko, Tokio; Kiusiu; Formosa: Bankinsing.

var. **longituba,** Max.; Mak. T. B. M. (1890) 173, (1896) 141.

syn. *Hemerocallis longituba,* Miq. P. 316.

H. fulva, v. angustifolia, Bak. J. L. S. XI. 359.

Nom. Jap. *No-kwanzō.* ノクワンザウ

Beni-kwanzō. ベニクワンザウ

Kō-suge. カウスゲ

Mizu-suge. ミヅスゲ

Hab. Nippon: Mito (Hitatsi); Sikok: Tosa.

Hemerocallis Middendorffi, Trautv. et Mey.; Bak. J. L. S. XI. 359; Rgl. Gartenfl. t. 522; Mak. T. B. M. (1896) 141.

Nom. Jap. *Zenteikwa.* ゼンテイクワ

Setteikwa. セツテイクワ

Nikko-kisuge. ニツクワウキスゲ

Hab.

Hemerocallis minor, Mill.; F. S. II. 79; Mak. T. B. M. (1896) 141; Wright, J. L. S. XXXVI. 116.

syn. *H. graminea,* Andr.; Miq. P. 316.

H. graminifolia, Schlecht.

H. pumila, Salisb.

Nom. Jap. *Yū-suge.* ユフスゲ

Ki-suge. キスゲ

Yoshino-kisuge. ヨシノキスゲ

Matsuyoi-gusa. マツヨヒグサ

Hab.

Heterosmilax japonica, Kunth. Enum. V. 270; Miq. P. 315; Max.

M. B. VIII. 415; Mak. Phanerog. et Pterid. Jap. Ic. Ill. I. (1899) t. 13; Wright, J. L. S. XXXVI. 96.

Nom. Jap. *Karasugiba-sankirai.* カラスギバサンキライ

Hab. Japonia.

Hosta coerulea, Tratt.; Engl. Pflanzf. 40.

syn. *Hemerocallis coerulea,* Andr.; Bot. Mag. t. 894.

H. japonica, Th. Fl. Jap. 142.

H. japonica, Willd. *var.*

Funkia ovata, Spr.; Miq. P. 317; Bijdr. Fl. Jap. 299; Bak. J. L. S. XI. 367; F. S. II. 81; Wright, J. L. S. XXXVI. 116; *var.* **minor,** Bak. J. L. S. XI. 368; Wright, J. L. S. XXXVI. 117.

F. ovata, v. flore coeruleo, Kunth.

F. ovata, v. coerulea, Miq. Bijdr. Fl. Jap. 299.

Bryocles ventricosa, Salisb.

Nom. Jap. *Gibōshi.* ギバウシ

Hab. Kiusiu: Tsikzen.

form. **albomarginata,** Matsum.

syn. *Funkia albomarginata,* Hk. Bot. Mag. t. 3657.

F. ovata, v. albo-marginata, Miq. P. 317; Bijdr. Fl. Jap. 299.

Nom. Jap. *Suji-gibōshi.* スヂギバウシ

form. **albo-picta,** Matsum.

syn. *Funkia ovata, v. albo-picta,* Miq. Bijdr. Fl. Jap. 299.

Nom. Jap.

form. **maculata,** Matsum.

syn. *Funkia ovata, v. maculata,* Miq. Bijdr. Fl. Jap. 299.

F. maculata, Sieb.

Nom. Jap.

form. **undulata,** Matsum.

syn. *Funkia undulata,* Otto et Dietr.

F. ovata, v. undulata, Miq. P. 317; Bijdr. Fl. Jap. 229.

Nom. Jap.

form. **spathulata,** Miq. P. 317; Bijdr. Fl. Jap. 300.

syn. *Funkia spathulata,* Sieb.

Nom. Jap.

form. **lancifolia,** Matsum.

syn. *Hemerocallis japonica,* Th. Fl. Jap. 142.

H. lancifolia, Th. T. L. S. II. 335.
Funkia ovata, v. lancifolia, Miq. Bijdr. Fl. Jap. 300.
Hemerocallis coerulea, v. Gawl.
Aletris japonica, Th. Act. Upsal. III. 208.
Funkia lancifolia, Spr.; Bak. J. L. S. XI. 368; F. S. II. 82; Wright, J. L. S. XXXVI. 116.
F. ovata, v. Kunth, Enum. IV. 591.
F. lanceolata, Sieb.
Hosta lancifolia, Engl. Pflanzf. 40.

Nom. Jap. Mizu-gibōshi. ミヅギバウシ
Hab. Nippon: Aomori, Aidsu; Nakahara (Kadsusa), Ibukiyama (Oomi), Hakone.

Hosta latifolia, Matsum.
syn. Funkia latifolia, Miq. Bijdr. Fl. Jap. 302.
Nom. Jap.
Hab. Japonia.

Hosta plantaginea, Aschers.; Engl. Pflanzf. 40.
syn. Hemerocallis plantaginea, Lamk.
H. japonica, Banks. Ic. t. 2; Th. T. L. S. II. 335; Bot. Mag. t. 1433.
Aletris japonica, Houtt. non Th.
Hemerocallis alba, Andr.
H. cordata, Cav. non Th.
Niobe cordifolia, Salisb.
Hosta japonica, Tratt.
Funkia Sieboldiana, v. bracteata, Miq. P. 317.
F. subcordata, Spr.; Miq. P. 316; Bijdr. Fl. Jap. 304; F. S. II. 80; Wright, J. L. S. XXXVI. 117.

Nom. Jap. Tama-no-kanzashi. タマノカンザシ
Hab.

form **grandiflora**, Matsum.
syn. Funkia grandiflora, Sieb.
F. subcordata, v. grandiflora, Sieb.; Miq. Bijdr. Fl. Jap. 305.
Nom. Jap
Hab.

Hosta Sieboldiana, Engl. Pflanzf. 40; Mak. T. B. M. (1902) 173.
syn. Hemerocallis Sieboldiana, Lodd.

Funkia Sieboldi, Lindl.
F. Sieboldiana, Hk. Bot. Mag. t. 3663; Miq. P. 317; Bijdr. Fl. Jap. 302; F. S. II. 81; Engl. Jahrb. VI. 54; Wright, J. L. S. XXXVI. 117.
F. viridis, Sieb.
Saussurea Sieboldiana, O. Kze.
Nom. Jap. *Tō-gibōshi.* タウギバウシ
Hab. Nippon: Tamba.
var. **glauca,** Mak. T. B. M. (1902) 173.
syn. *Funkia glauca,* Sieb.; Miq. Bijdr. Fl. Jap. 303.
F. Sieboldiana, v. condensata, Miq. P. 317.
Nom. Jap. *Dokudama.* ドクダマ
Hab.
var. **cucullata,** Miq. Bijdr. Fl. Jap. 304.
Nom. Jap.
Hab.
var. **nigrescens,** Mak. T. B. M. (1902) 173.
Nom. Jap. *Kuro-gibōshi.* クロギバウシ
Hab.
var. **longipes,** Matsum. Cat. (1886) 203; S. M. (1895) 143.
syn. Funkia longipes, F. S. II. 82, 529.
Nom. Jap. *Iwa-gibōshi.* イハギバウシ
Hab. Nippon: Nikko, Hakone, Usuitooge (Sinano), Mt. Fudsisan, Yetsizen; Kiusiu; Tsusima.

Hyacinthus orientalis, L.
Nom. Jap. *Hiasint.* ヒヤシント
Hab. Tokio, cult.

Kniphofia aloides, Moench.
Nom. Jap. *Shaguma-yuri.* シヤグマユリ
Hab. Tokio, cult.

Lilium auratum, Lindl.; Bot. Mag. t. 5338; Miq. P. 320; F. S. II. 68; Bak. J. L. S. XIV. 234; Elw. Monogr.
syn. *L. speciosum, v. imperiale,* Sieb.; Miq. P. 320.
Nom. Jap. *Yama-yuri.* ヤマユリ
Eizan-yuri. エイザンユリ
Ryori-yuri. レウリユリ
Hōraiji-yuri. ホウライジユリ
Hab. Nippon: Aidsu, Nikko, Hitatsi, Idsu, Sinano, Musasi.

var. **Hamaonum**, Mak. Ic. Fl. Jap. I. (1902) 11, tt. 6–8.

Nom. Jap. *Saku-yuri.* サクユリ

Hab. Idsu: ins. Hatsidjoo.

Lilium avenaceum, Fisch.; Rgl. Gartenfl. (1863) 290, t. 85; Bak. J. L. S. XIV. 245.

syn. *L. medeoloides*, F. S. II. 63. exp.

Nom. Jap. *Takeshima-yuri.* タケシマユリ

Hab. Yezo: Sapporo; Nippon: Iwakisan, Sitsinohe (Mutsu), Aidsu, Nikko, Fudsisan; Mt. Komagatake, Togakusi (Sinano), Haksan (Kaga).

Lilium callosum, S. Z. Fl. Jap. 86, t. 41; Miq. P. 320; F. S. II. 65; Elw. Monogr. t. 41; Wright, J. L. S. XXXVI. 129.

syn. *L. pomponicum*, Th. Fl. Jap. 134.

Nom. Jap. *No-himeyuri.* ノヒメユリ

Hab. Kiusiu: Kirisima (Hiuga), Buzen, Nagasaki; Liukiu: Okinawa.

Lilium concolor, Salisb.; Bot. Mag. t. 1165, 6005; Miq. P. 320; F. S. II. 65 (*var.* pulchellum); Bak. J. L. S. XIV. 236; Engl. Jahrb. VI. 53.

var. **Buschianum**, Bak. J. L. S. XIV. 236; Wright, J. L. S. XXXVI. 129.

Nom. Jap.

Hab.

var. **parthenion**, Elw. Monogr.

syn. *L. parthenion*, Sieb. et de Vries; Miq. P. 120.

L. coridion, Elw. Monogr. *v. parthenion*, F. S. II. 64.

Nom. Jap. *Aka-himeyuri.* アカヒメユリ

Hab. Nippon: Tamba; Futatabiyama (Settsu); Kiusiu: Bungo.

subvar. **Coridion**, Elw. Monogr.

syn. *L. coridion*, Sieb. et de Vries.; Miq. P. 320; F. S. II. 64.

Nom. Jap. *Ki-himeyuri.* キヒメユリ

Hab. Yezo: Hakodate.

Lilium cordifolium, Th. T. L. S. II. 332; S. Z. Fl. Jap. I. 33, t. 13, 14; Miq. P. 321; F. S. II. 72; Bak. J. L. S. XIV. 227; Bot. Mag. t. 6337; Elw. Monogr; Engl. Jahrb. VI. 54; Wright, J. L. S. XXXVI. 130.

syn. *Hemerocallis cordata*, Th. Fl. Jap. 143.

Nom. Ja *Uba-yuri.* ウバユリ

Gawa-yuri. ガハユリ
Nezumi-yuri. ネズミユリ

Hab. Yezo: Djoosankei (Isikari) Nippon: Aomori, Aidsu, Tokio; Haksan (Kaga), Komagatake (Sinano), Komono (Ise), Kongoosan (Kawatsi), Tamba; Sikagase (Kii); Kiusiu: Hiuga; Tsusima.

Lilium davuricum, Gawl.; Bot. Mag. t. 1210; Rgl. Gartenfl. (1872) 740, t. 295; F. S. II. 70; Bak. J. L. S. XIV. 238.

syn. *L. spectabile,* Link; A. Gr. Bot. Jap. 415; Miq. P. 320.
L. pennsylvanicum, Gawl. Bot. Mag. t. 872.

Nom. Jap. *Ezo-sukashi-yuri.* エゾスカシユリ

Hab. Yezo: Hakodate.

Lilium elegans, Th.; Bak. J. L. S. XIV. 239; Mak. T. B. M. (1891) 126.

syn. *L. bulbiferum,* Th. T. L. S. II. 333.
L. philadelphicum, Th. Fl. Jap. 135.
L. Thunbergianum, Roem. et Sch.; Miq. P. 319; F. S. II. 69; Engl. Jahrb. VI. 53.
L. maculatum, Th. T. L. S. II. 334.
L. lancifolium, Th. T. L. S. II. 333.

Nom. Jap. *Sukashi-yuri.* スカシユリ

Hab. Nippon: Iwaki; Tango.

var. **venustum,** Max.; F. S. II. 69.

syn. *L. venustum,* hort.
L. balbiferum, v. umbellatum, Miq. P. 320.

Nom. Jap. *Hirato-yuri.* ヒラトユリ

Hab.

Lilium Fortunei, Lindl.; Miq. P. 321; I. S. II. 65.

Nom. Jap.

Hab.

Lilium Glehni, Fr. Schm. Fl. Sachal. 187; F. S. II. 72.

Nom. Jap.

Hab. Yezo: Hakodate (Osima).

Lilium Hansoni, Bak. J. L. S. XIV. 245; Elw. Monogr.

syn. *L. maculatum,* Bot. Mag. t. 6126.
L. avenaceum, Moore.

Nom. Jap. *Kuruma-yuri.* クルマユリ

Hab. Japonia septentr.

Lilium japonicum, Th. Fl. Jap. 133; Miq. P. 321; F. S. II. 70; Elw. Monogr.

syn. *L. Krameri,* hort.; Bot. Mag. t. 6058; Bak. J. L. S. XIV. 230.

Nom. Jap. *Sasa-yuri.* ササユリ

Hab. Nippon: Ontake (Sinano), Futatabisan (Settsu), Kooyasan (Kii).

var. **Alexandrae,** Bak. Gard. Chron. (1893) No. 343, 348; Mak. T. B. M. (1892) 15; (1894) 304.

syn. *L. Alexandrae,* Wall.

L. Ukeyuri, hort.

Nom. Jap. *Uke-yuri.* ウケユリ

Tamoto-yuri. タモトユリ

Hab. Liukiu.

var. **albomarginatum,** Mak. T. B. M. (1893) 135.

Nom. Jap. *Fukurin-sasayuri.* フクリンサヽユリ

Hab. Sikok: Tosa.

form. **nobilissimum,** Mak. T. B. M. (1902) 15.

Nom. Jap. *Tamato-yuri.* タモトユリ

Hab. Archipel. Tokara.

Lilium Leichtlini, Hk. f. Bot. Mag. t. 5673; F. S. II. 66; Elw. Monogr.

Nom. Jap. *Kibana-no-oniyuri.* キバナノオニユリ

Hab. Nippon: Fudsisan (Suruga).

Lilium longiflorum, Th. T. L. S. II. 333; Miq. P. 321; F. S. II. 71; Bak. J. L. S. XIV. 229; Elw. Monogr.; Henry, L. 97; Wright, J. L. S. XXXVI. 131.

syn. *L. candidum,* Th. Fl. Jap. 133, non L.

Nom. Jap. *Teppō-yuri.* テツパウユリ

Liukiu-yuri. リウキウユリ

Tametomo-yuri. タメトモユリ

Hab. Liukiu: Okinawa, Miyakosima, Ohsima; Formosa: Tamsui, S. Cape.

Lilium Maximowiczii, Regel, Gartenf. (1868) 322; F. S. II. 65; Elw. Monogr.

syn. *L. pseudo-tigrinum,* Carr.; Bak. J. L. S. XIV. 248.

Nom. Jap. *Ko-oniyuri.* コオニユリ

Hab. Nippon: Aidsu (Iwasiro), Nikko (Simotsuke), Komagatake

(Sinano), Ibukiyama (Oomi), Asamayama (Ise), Siomi-to-oge (Kii); Kiusiu: Hiuga.

Lilium medeoloides, A. Gr. Bot. Jap. 415; Miq. P. 320; Bak. J. L. S. XIV. 236; Elw. Monogr.; Wright, J. L. S. XXXVI. 132.

Nom. Jap. *Kasa-yuri.* カサユリ

Hab. Yezo: Hakodate (Osima).

Lilium philippinense, Veitch; Bak. J. L. S. XIV. 228; Elw. Monogr.; Matsum. T. B. M. (1898) 53.

Nom. Jap. *Suji-teppōyuri.* スヂテツパウユリ
Takasago-yuri. タカサゴユリ

Hab. Formosa: Piigua.

Lilium rubellum, Bak. Gard. Chron. (1898) 321; Bot. Mag. t. 7634; Mak. T. B. M. (1899) 296.

Nom. Jap. *Hime-sayuri.* ヒメサユリ

Hab. Nippon: Iidesan (Iwasiro).

Lilium speciosum, Th. T. L. S. II. 332; S. Z. Fl. Jap. I. 31; Bot. Mag. t. 3785; Miq. P. 319; F. S. II. 67; Bak. J. L. S. XIV. 234; Wright, J. L. S. XXXVI. 134.

syn. *L. superbum,* Th. Fl. Jap, 134, non L.

Nom. Jap. *Kanoko-yuri.* カノコユリ
Shiratama-yuri. シラタマユリ
Okina-yuri. オキナユリ

Hab. Kiusiu: Kirisima (Hiuga).

Lilium tenuifolium, Fisch.; Bot. Mag. t. 59, 3140; Bak. J. L. S. XIV. 250.

syn. *L. puniceum,* Sieb. et de Vries.

Nom. Jap. *Suge-yuri.* スゲユリ

Hab.

Lilium testaceum, Lindl.; Miq. P. 319; F. S. II. 68.

syn. *L. isabellinum,* Kze.; Regel, Gartenf. (1862) 2.

Nom. Jap.

Hab.

Lilium tigrinum, Gawl.; Bot. Mag. t. 1237; Miq. P. 320; F. S. II. 66; Max. Bull. Soc. Nat. Mosc. (1879) 62; Bak. J. L. S. XIV. 233; Elw. Monogr.; Wright, J. L. S. XXXVI. 135.

Nom. Jap. *Oni-yuri.* オニユリ

Hab. Yezo: Arikawa; Nippon: Aomori (Mutsu); Kiusiu; Tsusima.

Liriope graminifolia, Bak. J. L. S. XVII. 499.

syn. *L. spicata,* Lour.

Convallaria spicata, Th. Fl. Jap. 141.

Fluggea spicata, Schult.

Ophiopogon spicatus, Ker., Bot. Mag. t. 1063, (quoad descrip.)

Slateria repens, Sieb.

var. **communis,** Max. M. B. VII. 323; F. S. II. 83.

syn. *Liriope graminifolia, v. densiflora,* Bak. J. L. S. XVII. 500.

Ophiopogon spicatus, Hk. Bot. Mag. t. 5348.

Nom. Jap. *Yabulan.* ヤブラン

Hab. Nippon: Tokio, Yokohama (Musasi), Kongoosan (Kawatsi), Suwoo; Kiusiu: Tsikzen; Tsusima; Liukiu: Miyakosima.

Liriope minor, Mak. T. B. M. (1893) 323; (1901) 93.

syn. *Ophiopogon spicatus, v. minor,* Max. M. B. VII. 324; F. S. II. 84.

Liriope graminifolia, v. minor, Max.; Bak. J. L. S. XVII. 500.

Nom. Jap. *Hime-yabulan.* ヒメヤブラン

Hab. Nippon: Simura (Musasi), Suwoo; Sikok: Tosa; Kiusiu: Mimidsu (Hiuga); Liukiu: Yaeyama.

Lloydia alpina, Salisb.

syn. *L. serotina,* Sweet; Kawak. T. B. M. (1900) 111; Yabe, T. B. M. (1903) 18.

Nom. Jap. *hishima-amana.* チシマアマナ

Hab. Kurile: Urup, Sjumsju; Yezo: Riisiri (Kitami); Nippon: Mt. Yatsugatake, Sirouma (Sinano).

Lloydia triflora, Bak. J. L. S. XIV. (1875) 300; Wright, J. L. S. XXXVI. 140.

syn. *Gagea triflora,* Schult.; A. Gr. Bot. Jap. 415; Miq. P. 322; F. S. II. 61.

Nom. Jap. *Hosoba-no-amana.* ホソバノアマナ

Hab. Nippon: Bukoosan (Musasi).

Maianthemum Convallaria, Wigg. et Roth; Wright, J. L. S. XXXVI. 112.

syn. *M. bifolium,* DC.; Bak. J. L. S. XIV. 147.

M. cordifolium, Moench.

Convallaria bifolia, L.; Bot. Mag. t. 510; A. Gr. Bot. Jap. 414; Miq. P. 312; F. S. II. 53.

C. quadrifida, Lam.

Nom. Jap. *Maizurusō.* マヒヅルサウ

Shirayama-aoi. シラヤマアフヒ

Hab. Kurile: Sjumsju, Urup; Yezo: Sapporo (Isikari); Nippon: Iwakisan (Mutsu), Aidsu, Iidesan (Iwasiro), Nikko (Simotsuke), Asama, Yatsugatake (Sinano), Fudjisan (Suruga); Sikok: Tsurugisan (Awa); Kiusiu: Asosan (Higo).

Metanarthecium foliatum, Max. Decas Pl. Nov. (1882) 10.

syn. *Aletris Dickinsii*, Fr. Bull. Soc. Phil. (1886) 3.

Nom. Jap. *Nebari-nogilan.* ネバリノギラン

Hab. Yezo: Horomui (Isikari), Tomakomai (Iburi); Nippon: Hakone (Sagami), Fudsisan (Suruga), Haksan (Kaga), Togaksi, Sirouma (Sinano), Tateyama (Yettsiu).

Metanarthecium luteo-viride, Max. M. B. VI. 213; F. S. II. 88; Bak. J. L. S. (1877) 285.

Nom. Jap. *Nogilan.* ノギラン

Hab. Nippon: Aomori (Mutsu), Aidsu (Iwasiro), Nikko (Simotsuke), Suruga, Sinano; Yenadake (Mino), Yamato, Kongoosan (Kawatsi), Kii; Kiusiu: Hiuga.

Muscari botryoides, DC.

Nom. Jap. *Ruri-musukari.* ルリムスカリ

Hab. cult.

Muscari racemosum, Mill.

Nom. Jap. *Kuro-muscari.* クロムスカリ

Hab. cult.

Narthecium asiaticum, Max. M. B. VI. 214; F. S. II. 88; Bak. J. L. S. (1877) 350.

Nom. Jap. *Kinkōkwa.* キンコウクワ

Hab. Nippon: Aomori (Mutsu), Nambu (Riktsiu), Hakasan (Kaga).

Ophiopogon Jaburan, Lodd.; Max. M. B. VII. 324; F. S. II. 84; Engl. Jahrb. VI. 54; Wright, J. L. S. XXXVI. 77.

syn. *Fluggea Jaburan*, Kunth, Enum. IV. 303; Miq. P. 307; Bak. J. L. S. XVII. 502.

Slateria Jaburan, Sieb.

Convallaria japonica, v. major, Th. Fl. Jap. 139.
Fluggea japonica, var. Schult.
Nom. Jap. No-shilan. ノシラン
Hab. Nippon : Nagato ; Kiusiu : Satsuma, Hizen, Higo ; Tsusima ; Liukiu : Ohsima, Okinawa.

Ophiopogon japonicus, Gawl, Bot. Mag. t. 1063 (excl. descrip.) ; Max. M. B. VII. 325 ; F. S. II. 84.
syn. Slateria japonica, Desv.; Sieb. Act. Bat. XII. 15.
Fluggea japonica, Rich.; Kunth, Enum. IV. 302 ; Bak. J. L. S. XVII. 501.
F. japonica, var. Schult.
Convallaria japonica, L.
C. japonica, v. minor, Th. Fl. Jap. 140 ; Willd. Sp. Pl. II. 160.
var. **genuinus,** Max. M. B. VII. 327.
Nom. Jap. Janohige. ジヤノヒゲ
Ryunohige. リウノヒゲ
Hab. Yezo : Hakodate (Osima) ; Nippon : Gassan (Uzen), Nikko (Simotsuke), Yetsigo, Yettsiu ; Hakone (Sagami), Ohmuro, Itoo (Idsu), Tokio (Musasi) ; Kiusiu : Buzen, Hiuga, Satsuma ; Nagasaki (Hizen) ; Tsusima ; Liukiu : Okinawa.
var. **umbrosus,** Max. M. B. VII. 327.
Nom. Jap.
Hab. Nippon : Yokohama (Musasi).

Ophiopogon Wallichianus, Hk. f. Fl. Br. Ind. VI. 268.
syn. O. japonicus, v. Wallichianus, Max. M. B. VII. 328.
Fluggea Wallichiana, Kunth, Enum. V. 303 ; Bak. J. L. S. XVII. 501.
F. japonica, v. Wallichiana, Bak. J. L. S. XVII. 501.
Nom. Jap. Ohba-janohige. オホバジヤノヒゲ
Hab. Nippon : Tokio, Yokohama (Musasi), Kamakra, Yokoska, Hakone (Sagami), Gorioo (Sinano), Yugasima (Idsu) ; Kiusiu ; Liukiu : Okinawa, Miyakosima.

Ornithogalum caudatum, Ait.
Nom. Jap. Komochi-kaisō. コモチカイソウ
Hab. cult.

Ornithogalum umbellatum, L.
Nom. Jap. Oh-amana. オホアマナ
Hab. cult.

Paris japonica, Franch.

syn. *Trillidium japonicum,* F. S. II. 56, 525.

Trillium japonicum, Matsum. S. M. 298.

Nom. Jap. *Kinugasasō.* キヌガササウ

Hab. Nippon: Haksan (Kaga), Sirouma (Sinano).

Paris quadrifolia, L. *var.* **obovata,** Regel et Til. Fl. Ajan. 280; F. S. II. 56; Wright, J. L. S. XXXVI. 146.

syn. *P. hexaphylla,* Cham. Linn, VI. 586; Miq. P. 311; A. Gr. Bot. Jap. 412.

Nom. Jap. *Kurumaba-tsukubanesō.* クルマバツクバネサウ

Hab. Yezo: Sapporo (Isikari); Nippon: Nikko (Simotsuke), Fudsisan (Suruga), Yatsugatake (Sinano); Sikok: Tsurugisan (Awa).

Paris tetraphylla, A. Gr. Bot. Jap. 412; Miq. P. 311; F. S. II. 57.

syn. *P. quadrifolia,* Th. Fl. Jap. 171.

Nom. Jap. *Tsukubanesō.* ツクバネサウ

Hab. Yezo: Sapporo (Isikari): Nippon: Bandaisan (Iwasiro), Haksan (Kaga), Ohtaki (Sinano), Suwoo; Sikok: Tsurugisan (Awa).

Polygonatum humile, Fisch.; F. S. II. 55; Max. M. B. XI. 845.

syn. *P. vulgare,* A. Gr. Bot. Jap. 413; F. S. II. 54.

P. officinale, Miq. P. 312.

P. officinale, v. humile, Bak. J. L. S. XIV. 554.

Nom. Jap. *Hime-izui.* ヒメイズイ

Hime-amadokoro. ヒメアマドコロ

Hab. Yezo: Hakodate (Osima): Nippon: Nambu (Riktsiu), Yokoska (Sagami).

Polygonatum lasianthum, Max. M. B. XI. 850.

Nom. Jap. *Miyama-narukoyuri.* ミヤマナルコユリ

Hab. Yezo: Hakodate, Konuma (Osima); Nippon: Nambu (Riktsiu), Fudsisan (Suruga).

form. **amabile,** Mak. T. B. M. (1903) 115.

syn. *Polygonatum amabile,* Yat. T. B. M. (1892) 279; Iconogr. Fl. Jap. 234.

Nom. Jap. *Hime-narukoyuri.* ヒメナルコユリ

Hab. Nippon: Tsukbasan (Hitatsi).

Polygonatum latifolium, Desf. *var.* **commutatum,** Bak. J. L. S. XIV. (1875) 555; Wright, J. L. S. XXXVI. 106.

syn. *Convallaria commutata*, Schult.
Polygonatum giganteum, Dietr.; A. Gr. Bot. Jap. 413.
P. giganteum, v. Thunbergii, Max. M. B. XI. 849.
P. giganteum, v. falcatum, Max. M. B. XI. 851.
P. commutatum, Dietr.
P. Thunbergii, Morr. et Decne.
P. canaliculatum, v. sublanceolatum, Miq. P. 312.
P. canaliculatum, v. giganteum, Miq. P. 312.
P. multiflora, Th. Fl. Jap. 142.
P. falcatum, A. Gr. Bot. Jap. 414; Miq. P. 312; F. S. II. 85.
P. falcatum, v. macranthum, Max. M. B. XI. 852.

Nom. Jap. *Naruko-yuri.* ナルコユリ

Hab. Yezo: Hakodate (Osima); Nippon: Tokio (Musasi), Hakone, Yokoska (Sagami), Simoda (Idsu), Fudsisan (Suruga); Kiusiu: Nagasaki (Hizen); Tsusima.

Polygonatum multiflorum, All., A. Gr. Bot. Jap. 413; Miq. P. 312; F. S. II. 55; Bak. J. L. S. XIV. (1875) 555; Max. M. B. XI. 849.

syn. *Convallaria multiflora*, L.
C. govaniana, Wall.

Nom. Jap. *Ko-narukoyuri.* コナルコユリ

Hab. Yezo: Hakodate (Osima); Nippon: Simoda (Idsu); Kiusiu: Nagasaki, Hikosan (Hizen).

Polygonatum nipponicum, Mak. T. B. M. (1903) 51.

Nom. Jap.

Hab. Nippon: Iwasiro.

Polygonatum officinale, All.; Max. M. B. XI. 846.

syn. *P. vulgare*, Desf.; F. S. II. 54.
Convallaria Polygonatum, Th. Fl. Jap. 142.

Nom. Jap. *Amadokoro.* アマドコロ

Hab. Yezo: Takasima (Siribesi); Nippon: Himekamiyama (Riktsiu), Yokoska, Hakone (Sagami), Yenadake (Mino); Sikok: Kamomioo (Awa).

var. **japonicum**, Max. M. B. XI. 847; Wright, J. L. S. XXXVI. 107.

syn. *P. japonicum*, Morr. et Decne.; Bak. J. L. S. XIV. (1875) 554.

P. vulgare, v. japonicum, F. S. II. 54.
Nom. Jap.
Hab. Nippon; Tsusima.
var. **macranthum**, Hua, Journ. de Bot. VI. (1892) 395; Wright, J. L. S. XXXVI. 108.
Nom. Jap.
Hab. Japonia.
var. **Maximowiczii**, Max. M. B. XI. 847; Wright, J. L. S. XXXVI. 108.
syn. *P. officinale, v. pluriflora*, Miq. P. 312.
P. Maximowiczii, Fr. Schm. Reis. Amur. 185.
Nom. Jap.
Hab. Yezo: Hakodate (Osima); Nippon: Yokohama (Musasi); Kiusiu: Nagasaki (Hizen).

Polygonatum Periballanthus, Mak. T. B. M. (1898) 228; (1901) 150.
syn. *Periballanthus involucratum*, F. S. II. 524.
Polygonatum involucratum, Max. M. B. XI. 844.
Nom. Jap. *Waniguchisō.* ワニグチサウ
Hab. Nippon; Sikok.
var. **ibukiensis**, Mak. T. B. M. (1899) 229; (1901) 151.
Nom. Jap. *Ibuki-waniguchisō.* イブキワニグチサウ
Hab. Nippon: Ibukiyama (Oomi).

Protolirion Miyoshi-Sakuraii, Mak. T. B. M. (1903) 208.
syn. *Miyoshia Sakuraii*, Mak. T. B. M. (1903) 145.
Nom. Jap. *Sakuraisō.* サクラヰサウ
Hab. Nippon: Yena-dake (Mino).

Reineckia carnea, Kunth; Miq. P. 315; F. S. II. 57; Bak. J. L. S. XIV. 551; Wright, J. L. S. XXXVI. 113.
syn. *Sanseviera sessiliflora*, Gawl, Bot. Mag. t. 739.
Nom. Jap. *Kichijōsō.* キチジヤウサウ
Hab. Nippon: Yokohama (Musasi), Yokoska (Sagami), Idsu; Kiusiu: Tsikzen.

Rhodea japonica, Roth et Kunth; Miq. P. 308; F. S. II. 86; Bak. J. L. S. XIV. (1875) 582; Wright, J. L. S. XXXVI. 115.
syn. *Orontium japonicum*, Th. Fl. Jap. 144; Banks, Ic. t. 12; Bot. Mag. t. 898.
Nom. Jap. *Omoto.* オモト

Hab. Kiusiu: Takanabe (Hiuga); Tsusima; Yaksima.

Ruscus aculeatus, L.

Nom. Jap. *Nagi-ikada.* ナギイカダ

Hab. cult.

Scilla japonica, Bak. J. L. S. XIII. (1873) 233; Wright, J. L. S. XXXVI. 127.

syn. *Ornithogalum japonicum,* Th. Fl. Jap. 137.

Barnardia japonica, Roem. et Sch.; Miq. P. 318; F. S. II. 75.

Nom. Jap. *Tsurubo.* ツルボ

Sandaigasa. サンダイガサ

Hab. Yezo: Hakodate (Osima); Nippon: Aidsu (Iwasiro), Tokio (Musasi), Hikami (Suwoo); Kiusiu: Tsikzen; Tsusima; Liukiu.

Scilla hispanica, Mill; Bak. J. L. S. XIII. 255.

Nom. Jap. *Tsurigane-suisen.* ツリガ子ズヰセン

Hab. cult.

Smilacina japonica, A. Gr. Perr. Exped. 321; Bot. Jap. 414; Miq. P. 313; F. S. II. 53; Max. M. B. XI. 857; Mak. T. B. M. (1889) 8.

syn. *S. hirta,* Max. Fl. Amur. 276.

S. japonica, v. mandshurica, Max. M. B. XI. 857.

Tovaria japonica, Bak. J. L. S. XIV. (1875) 570; Wright, J. L. S. XXXVI. 110.

Nom. Jap. *Yukizasa.* ユキザサ

Hab. Yezo: Sapporo (Isikari); Nippon: Bandaisan (Iwasiro), Nikko (Simotsuke), Sirouma, Yatsugatake, Ontake (Sinano), Kongoosan (Kawatsi); Sikok: Tosa; Tsurugisan (Awa).

Smilacina trifolia, Desf.; Miq. P. 312; F. S. II. 53.

syn. *Convallaria trifolia,* L.

Nom. Jap.

Hab. Japonia.

Smilacina yezoensis, F. S. II. 523; Max. M. B. XI. 857.

syn. *S. dahurica,* F. S. II. 53, non Turcz.

Nom. Jap. *Hiroha-no-yukizasa.* ヒロハノユキザサ

Hab. Yezo.

Smilax China, L.; Th. Fl. Jap. 152; Miq. P. 313; Max. M. B. VIII. 408; F. S. II. 49; Max. Engl. Jahrb. VI. 52; Henry, L. 96; Wright, J. L. S. XXXVI. 96.

syn. *S. japonica,* A. Gr. Pl. Jap. 320.
S. sebeana, Miq. P. 313.

Nom. Jap. *Sarutori-ibara.* サルトリイバラ
Sankirai. サンキライ

Hab. Yezo; Nippon; Kiusiu; Sikok; Liukiu: Yaksima; Formosa: Tamsui, S. Cape.

var. **trinervula,** Mak. T. B. M. (1900) 184.

syn. *Smilax trinervula,* Miq. P. 314; Max. M. B. VIII. 408; F. S. II. 50; A. DC. Monogr. I. 207; Mak. T. B. M. (1895) 112.

Nom. Jap. *Sarumame.* サルマメ

Hab. Nippon: Nagato; Yaksima.

var. **biflora,** Mak. T. B. M. (1900) 184.

syn. *Smilax biflora,* Sieb.; Miq. P. 315; Max. M. B. VIII. 410; F. S. II. 49; A. DC. Monogr. I. 49; Mak. T. B. M. (1895) 112.

Nom. Jap. *Hime-kagara.* ヒメカヽラ
Hime-sarutori. ヒメサルトリ

Hab. hort. cult.

Smilax Gaudichaudiana, Kunth; Kurit. T. B. M. (1889) 93.

Nom. Jap.

Hab. Formosa: Kizan.

Smilax herbacea, L. *var.* **nipponica,** Max. M. B. VIII. 411; F. S. II. 48; Wright, J. L. S. XXXVI. 98.

syn. *S. nipponica,* Miq. P. 314.
S. pseudochina, Th. Fl. Jap. 152.

Nom. Jap. *Shiode.* シホデ

Hab. Nippon: Nambu, Yokohama, Yokoska, Idsu; Kiusiu: Kumamoto.

var. **Oldhami,** Max. M. B. VIII. 411; F. S. II. 48.

syn. *Smilax Oldhami,* Miq. P. 87, 314; Henry, L. 96; Wright, J. L. S. XXXVI. 100.

Nom. Jap. *Tachi-shiode.* タチシホデ

Hab. Nippon: Nambu, Yokohama, Yokoska, Nikko, Sinano; Kiusiu: Mt. Inugatake; Formosa: Bankinsing.

var. **higoensis,** Mak. T. B. M. (1893) 135.

syn. *Smilax higoensis,* Miq. P. 314; Max. M. B. VIII. 411; A. DC. Monogr. I. 55; Mak. T. B. M. (1890) 23.

Nom. Jap. *Hosoba-shiode.* ホソバシホデ

Hab. Nippon : Yokoska, Hakone ; Kiusiu : Mt. Kimpoosen (Higo).

Smilax lancaefolia, *var.* **opaca,** A. DC. Mongr. I. 57 ; Wright, J. L. S. XXXVI. 99.

Nom. Jap.

Hab. Formosa : Tamsui.

Smilax Sieboldi, Miq. P. 314 ; Max. M. B. VIII. 406 ; F. S. II. 49 ; Wright, J. L. S. XXXVI. 100.

Nom. Jap. *Yama-kashiu.* ヤマカシウ
Saikoku-bara. サイコクバラ
Saikachi-bara. サイカチバラ

Hab. Nippon : Nikko, Tsitsibu, Hakone, Sinano ; Kiusiu : Higo.

Smilax stans, Max. M. B. VIII. 407 ; F. S. II. 50 ; Mak. T. B. M. (1890) 24 ; Wright, J. L. S. XXXVI. 101.

Nom. Jap. *Maruba-sankirai.* マルバサンキライ

Hab. Nippon : Mitsuminesan (Musasi) ; Sikok : Tosa.

Smilax stenopetala, A. Gr. Bot. Jap. 412 ; Max. M. B. VIII. 405 ; Miq. P. 313 ; F. S. II. 49 ; Mak. T. B. M. (1896) 57 ; Henry, L. 96 ; Wright, J. L. S. XXXVI. 101.

Nom. Jap. *Sankirai.* サンキライ

Hab. Kiusiu : Kagosima (Satsuma) ; Liukiu : Ohsima, Okinawa, Yaeyama ; Formosa : Bankinsing.

Stenanthium sachalinensis, Fr. Schm.; Kawak. T. B. M. (1900) 111.

Nom. Jap. *Rishirisō.* リシリサウ

Hab. Yezo : ins. Risiri.

Streptopus ajanensis, Tiling. *var.* **japonica,** Max. M. B. XI. 856 ; Kawak. T. B. M. (1898) 268.

syn. *Kruhsea Tilingiana,* Rgl.; Rgl. et Tiling, Fl. Ajan. 122 ; Miq. P. 310 ; F. S. II. 51.
Smilacina streptoides, Ledeb. Fl. Ross. IV. 128.

Nom. Jap. *Takeshima-lan.* タケシマラン

Hab. Yezo : Mt. Me-Akandake (Kusiro).

Streptopus amplexifolius, DC.; Kunth, Enum. IV. 205 ; A. Gr. Bot. Jap. 415 ; Miq. P. 310 ; Miq. Bijdr. Fl. Jap. 19 ; Bak. J. L. S. XIV. (1875) 591 ; Max. M. B. XI. 855.

syn. *Uvularia amplexifolia,* L.
Streptopus distortus, Mich.
Convallaria dichotoma, Thib.

Nom. Jap. *Ohba-takeshimalan.* オホバタケシマラン

Hab. Yezo: Sooya-saki; Nippon: Iwakisan; Mt. Ontake (Sinano), Mt. Haksan (Kaga), Ohara-goye (Yetsizen).

Tofieldia gracilis, F. S. II. 89, 531; Bak. J. L. S. XVII. 488.

Nom. Jap. *Chabo-zekishō.* チャボゼキシヤウ

Hab. Nippon: Mt. Komagatake (Sinano).

Tofieldia japonica, Miq. P. 365, 368; Bijdr. Fl. Jap. 18; Max. M. B. VI. 212; VIII. 416; F. S. II. 89.

syn. *Triantha japonica*, Bak. J. L. S. XVII. 491.

Nom. Jap. *Iwa-shōbu.* イハシヤウブ

Hab. Nippon: Mt. Haksan (Kaga), Kattadake (Rikzen).

Tofieldia nuda, Max. M. B. VIII. 416; F. S. II. 89. exp.; Bak. J. L. S.XVII. 488; Wright, J. L. S. XXXVI. 141.

Nom. Jap. *Hana-zekishō.* ハナゼキシヤウ

Hab. Nippon: Komono (Ise).

Tofieldia nutans, Willd.; Miq. Bijdr. Fl. Jap. 18; Max. M. B. VI. 212; VIII. 416; F. S. II. 89; Bak. J. L. S. XVII. 487.

Nom. Jap.

Hab. Kurile: Sjumsju, Urup; Nippon: Nambu (Riktsiu), Yatsugatake (Sinano).

Tofieldia Okuboi, Mak. T. B. M. (1898) 42.

Nom. Jap. *Hime-iwashōbu.* ヒメイハシヤウブ

Hab. Nippon: Sirouma, Komagatake (Sinano), Mt. Gassan (Uzen), Mt. Iidesan (Iwasiro).

Tofieldia sordida, Max. M. B. VI. 212; VIII. 416; Miq. Bijdr. Fl. Jap. 18; F. S. II. 89; Bak. J. L. S. XVII. 488.

Nom. Jap.

Hab.

Tofieldia stenantha, F. S. II. 530; Bak. J. L. S. XVII. 488.

syn. *T. nuda*, F. S. II. 89, exp., non Max.

Nom. Jap.

Hab. Nippon: Hakone.

Tricyrtis affinis, Mak. T. B. M. (1903) 70.

Nom. Jap.

Hab. Nippon: Akita (Ugo), Simidsu-tooge (Yetsigo), Nikko (Simotsuke), Mt. Tokao (Musasi), Usui-tooge (Sinano); Sikok: Mt. Tebako, Sakawa, Kusugami (Tosa).

Tricyrtis flava, Max. M. B. VI. 268; F. S. II. 75; Bak. J. L. S. XVII. 464.

Nom. Jap. *Kibana-no-hototogisu.* キバナノホトヽキス
Ki-hototogisu. キホトヽギス
Hab. Japonia.
var. **nana,** Mak. T. B. M. (1897) 282.
syn. *T. nana,* Yat. T. B. M. (1893) 39, t. 3.
Nom. Jap. *Chabo-hototogisu.* チヤボホトヽギス
Hab. Nippon: Suruga; Sikok: Tosa.

Tricyrtis formosana, Bak. J. L. S. XVII. 465; Henry, L. 98; Wright, J. L. S. XXXVI. 141.
Nom. Jap.
Hab. Formosa.

Tricyrtis hirta, Hk. Bot. Mag. t. 5355; Miq. P. 365; F. S. II. 74; Bak. J. L. S. XVII. 464.
syn. *T. japonica,* Miq. P. 319, 365; F. S. II. 74.
Uvularia hirta, Th. Fl. Jap. 136.
Nom. Jap. *Hototogisu.* ホトヽギス
Hab. Nippon: Yokohama, Yokoska, Ohtsu (Oomi); Kiusiu: Tsikzen; Tsusima.

Tricyrtis lasiocorpa, Matsum. T. B. M. (1897) 79.
Nom. Jap.
Hab. Formosa.

Tricyrts latifolia, Max. M. B. VI. 268; F. S. II. 74; Bak. J. L. S. XVII. 464; Wright, J. L. S. XXXVI. 141.
Nom. Jap. *Tamagawa-hototogisu.* タマガハホトヽキス
Hab. Nippon: Nikko; Mitake (Musasi), Mt. Komagatake, Mt. Sirouma (Sinano), Oharagoye (Yetsizen), Uzen, Iwateken; Sikok: Tosa; Tsurugisan (Awa).

Tricyrtis macrantha, Max. M. B. XII. 928; Mak. Ill. Fl. Jap. I. t. 1.
Nom. Jap. *Jōrō-hototogisu.* ジヤウラウホトヽギス
Hab. Sikok: Tosa.

Tricyrtis macropoda, Miq. P. 319; Rgl. Gartenf. t. 613; F. S. II. 74; Bak. J. L. S. XVII. 464; Henry, L. 98; Wright, J. L. S. XXXVI. 142.
Nom. Jap.
Hab. Nippon: Ohmiya (Musasi); Sikok: Tosa; Kiusiu: Hikosan (Hizen); Formosa: Bankinsing.

Tricyrtis stolonifera, Matsum. T. B. M. (1897) 78.

Nom. Jap. *Tsuru-hototogisu.* ツルホトヽギス
Hab. Formosa.

Trillium kamtschaticum, Pall.; Matsum. S. M. (1895) 298.
Nom. Jap. *Ohbana-no-enreisō.* オホバナノエンレイサウ
Hab. Kurile.

Trillium obovatum, Pursh; Max. M. B. XI. 861.
syn. *T. erectum, v. alba,* A. Gr. Perr. Exped. 320.
T. erectum, v. japonica, A. Gr. Bot. Jap. 413; Miq. P. 311; F. S. II. 56.
Nom. Jap. *Shirobana-enreisō.* シロバナエンレイサウ
Hab. Yezo.

Trillium Smallii, Max. M. B. XI. 862; Mak. T. B. M. (1889) 8.
syn. *T. erectum, v. japonica,* fl. rubro, A. Gr. Bot. Jap. 413.
Nom. Jap. *Enreisō.* エンレイサウ
Tachi-aoi. タチアフヒ
Hab. Yezo: Sapporo, Hakodate; Nippon: Tsitsibu, Iwakisan; Mt. Haksan (Kaga), Mt. Fudsi (Suruga); Sirouma, Wada-tooge (Sinano), Nagato; Kiusiu; Sikok: Tosa; Tsurugisan (Awa).

Trillium Tschonoskii, Max. M. B. XI. 863; Miyab. Fl. Kurile, 266; Yat. T. B. M. (1893) 175, t. 7; Wright, J. L. S. XXXVI. 144.
Nom. Jap. *Miyama-enreisō.* ミヤマエンレイサウ
Hab. Kurile; Nippon: Nikko.

Tulipa edulis, Bak. J. L. S. XIV. (1875) 295; Wright, J. L. S. XXXVI. 138.
syn. *Orithya edulis,* Miq. P. 322; F. S. II. 60.
O. oxypetala, Kunth, Enum. IV. 227; Miq. P. 322; A. Gr. Pl. Jap. 322.
Nom. Jap. *Amana.* アマナ
Hab. Nippon: Yokohama, Yokoska, Tokio, Tsitsibu, Tootoomi, Suwoo; Kiusiu: Nagasaki.
var. **latifolia,** Mak. T. B. M. (1902) 16.
Nom. Jap. *Hiroha-no-amana.* ヒロハノアマナ
Hab. Nippon: Ise.

Tulipa Gesneriana, L.
Nom. Jap. *Ukkonkō.* ウツコンカウ
Tulip. チユーリツプ

Hab. Tokio, cult.

Veratrum album, L. *var.* **Lobelianum**, Bak. *f.* **japonica**, Bak. J. L. S. XVII. 471.

syn. *V. album, v. grandiflorum*, Max.; Miq. Bijdr. Fl. Jap. 19; F. S. II. 91.

Nom. Jap. *Baikeisō.* バイケイサウ

Hab. Yezo: Sapporo (Isikari), Tomakomai (Iburi); Nippon: Tsitsibu, Sinano, Nikko.

Veratrum Maackii, Rgl.; Miq. Bijdr. Fl. Jap. 19; Bak. J. L. S. XVII. 473; Wright, J. L. S. XXXVI. 147.

syn. *Zygadenus japonicus*, Miq. P. 310.

Veratram nigrum, v. Maackii, Max.

Nom. Jap. *Aoyagisō.* アヲヤギサウ

Hab. Nippon: Aidsu, Nikko; Mt. Fudsi (Suruga), Mt. Haksan (Kaga).

Veratrum Maximowiczii, Bak. J. L. S. XVII. 472; Wright, J. L. S. XXXVI. 147.

syn. *V. album, v. parviflorum*, Max.; Miq. Bijdr. Fl. Jap. 19.

Nom. Jap.

Hab. Nippon: Nikko, Gassan.

Veratrum nigrun, L.; Miq. P. 310; Bijdr. Fl. Jap. 19; A. Gr. Bot. Jap. 416; F. S. II. 90, *var.* **japonicum**, Bak. J. L. S. XVII. 472; Wright, J. L. S. XXXVI. 148.

Nom. Jap. *Shurosō.* シュロサウ

Hab. Yezo: Tokatsi; Nippon: Usuitooge, Kiso, Tootoomi, Ibukiyama; Sikok: Tsurugisan (Awa); Iyo, Tosa; Kiusiu: Mt. Aso (Higo); Formosa: Tamsui.

Veratrum stamineum, Max. M. B. VII. 339; F. S. II. 90; Bak. J. L. S. XVII. 471.

Nom. Jap. *Ko-baikeisō.* コバイケイサウ

Hab. Nippon: Mt. Haksan (Kaga); Mt. Komagatake, Ontake, Mt. Sirouma (Sinano), Gassan.

Yucca aloifolia, L.; Mak. T. B. M. (1896) 142.

Nom. Jap. *Chimolan.* チモラン

Rinpōlan. リンパウラン

Senjulan. センジュラン

form. **tricolor**, Bak.

Nom. Jap. *Kimpōlan.* キンパウラン

Hab. Tokio, cult.

Yucca filamentosa, L. *var.* **flaccida,** Bak.; Mak. T. B. M. (1896) 210.

Nom. Jap. *Itolan.* イトラン

Jumōlan. ジユマウラン

Hab. Tokio, cult.

Yucca gloriosa, L. *var.* **recurvifolia,** Bak.

Nom. Jap. *Kimigayolan.* キミガヨラン

Neji-ito-lan. ネヂイトラン

Itonashi-itolan. イトナシイトラン

Hab. Tokio, cult.

Amaryllidaceæ.

(*Suisen no tagui.*)

Agave rigida, Mill.; Bak. Handb. 181; Henry L. 97.

Nom. Jap.

Hab. Formosa: Takow.

Agave vivipara, L.

Nom. Jap.

Hab. Formosa: Tamsui.

Alstroemeria pulchella, L. f.; Bak. Handb. 136.

syn. *A. psittacina,* Lehm.

Nom. Jap. *Yuri-zuisen.* ユリズヰセン

Hab. Tokio, cult.

Clivia nobilis, Lindl.; Bak. Handb. 61.

Nom. Jap. *Kunshilan.* クンシラン

Hab. Tokio, cult.

Crinum asiaticum, L.; Gawl. Bot. Mag. t. 1073.

var. **japonicum,** Bak. Handb. 75.

syn. *C. asiaticum, v. declinatum,* Kunth; Miq. P. 71; F. S. II. 45; Max. Engl. Jahrb. VI. 77.

C. latifolium, Th. Fl. Jap. 131.

Lycoris radiata, Miq. P. 71.

Nom. Jap. *Hama-omoto.* ハマオモト

Hama-yū. ハマユウ

Hab. Nippon: Misaki, Kamakra (Sagami), Idsu; Inami (Kii); Kiusiu: Mimidsu (Hiuga), Nomonosaki; Sikok: Tosa.

var. **sinicum,** Bak. Handb. 75; Wright, J. L. S. XXXVI. 88.
Hab. Formosa: Tamsui.

Crinum latifolium, L.; Wright Ic. t. 2019, 2020; Bak. Handb. 87.
Nom. Jap. *Indo-hamayū.* インドハマユウ
Hab. Tokio, cult.

Curculigo orchioides, Gaertn.; Bak. J. L. S. XVII. 124; Wright, J. L. S. XXXVI. 87.
syn. *C. malabrica,* Wright Ic. t. 2043, f. dextr.
C. ensifolia, R. Br.; Max. Bull. S. N. Mosc. (1879) 61; Max. Engl. Jahrb. VI. 75; Mak. T. B. M. (1891) 29.
C. orchioides, v. minor, Benth.
Nom. Jap. *Kimbai-zasa.* キンバイザサ
Hab. Kiusiu: Nagasaki (Hizen); Sikok: Tosa; Liukiu.

Curculigo recurvata, Dry.; Max. Engl. Jahrb. VI. 75; Wright, J. L. S. XXXVI. 87.
syn. *Molineria recurvata,* Herb.; Bak. J. L. S. XVII. 120.
Nom. Jap. *O-sembō.* オホセンボウ
Hab. Formosa: Kelung; Tokio, Yokohama, Nagasaki, cult.

Furcraea cubensis, Haw.; Bak. Handb. 199.
syn. *Fourcroya cubensis,* Jacq.; Pax, Engl. Pflanzf. 119.
Nom. Jap. *Mannen-ran.* マンネンラン
Hab. Tokio, cult.

Galanthus nivalis, L.; Bak. Handb. 16.
Nom. Jap. *Matsunoyuki.* マツノユキ
Yuki-no-hana. ユキノハナ
Hab. Tokio, cult.

Haemanthus coccineus, L.; Gawl. Bot. Mag. t. 1075; Bak. Handb. 71.
Nom. Jap. *Hoteilan.* ホテイラン
Hab. Tokio, cult.

Hippeastrum Reginae, Herb.; Bak. Handb. 48.
Nom. Jap. *Jagatara-zuisen.* ジャガタラズヰセン
Hab. Formosa; Tokio, cult.

Hypoxis aurea, Lour.; Bak. J. L. S. XVIII. 108; Hance, J. B. (1878) 111; Max. Engl. Jahrb. VI. 75; Mak. T. B. M. (1891) 29; Wright, J. L. S. XXXVI. 86.
syn. *H. minor,* Don; Miq. P. 324; F. S. II. 45.
Nom. Jap. *Ko-kimbaizasa.* コキンバイザヽ

Hab. Nippon : Ito, Amagisan (Idsu), Siomi-tooge (Kii) ; Kiusiu : Nagasaki ; Liukiu ; Yakunosima.

Lycoris aurea, Herb. ; Miq. P. 71 ; F. S. II. 44 ; Max. Engl. Jahrb. VI. 79 ; Bak. Handb. 40 ; Mak. T. B. M. (1891) 30 ; Wright, J. L. S. XXXVI. 89.

syn. *Amaryllis aurea,* L.'Her. ; Bot. Mag. t. 409.
Lycoris radiata, Miq. P. 71 ; F. S. II. 44.
Nerine aurea, Bury.

Nom. Jap. Shōkilan. シヤウキラン

Hab. Japonia ; Sikok : Okisima (Tosa) ; Formosa : Tamsui.

Lycoris radiata, Herb. ; Max. Engl. Jahrb. VI. 78 ; Bak. Handb. 40 ; Wright, J. L. S. XXXVI. 89.

syn. *Amaryllis radiata,* L.'Her.
A. sarniensis, Th. Fl. Jap. 131.
Nerine japonica, Miq. P. 71 ; F. S. II. 44.

Nom. Jap. Manju-shake. マンジユシヤケ
Higan-bana. ヒガンバナ
Shibito-bana. シビトバナ
Shita-magari. シタマガリ

Hab. Nippon : Tokio, Yokohama ; Yada (Suwoo) ; Kiusiu : Nagasaki (Hizen), Tsikzen ; Liukiu : Okinawa.

Lycoris sanguinea, Max. Engl. Jahrb. VI. 54, 80 ; Bak. Handb. 40 ; Wright, J. L. S. XXXVI. 89.

syn. *L. radiata,* F. S. II. 44.

Nom. Jap. Kitsune-no-kamisori. キツネノカミソリ

Hab. Nippon : Aidsu (Iwasiro), Nikko, Tokio, Yokohama ; Fuksima (Sinano), Kioto ; Makane (Bittsiu), Maidsuru ; Kiusiu : Buzen ; Sikoku : Mt. Isidsutsi.

Lycoris squamigera, Max. Engl. Jahrb. VI. 79 ; Bak. Handb. 40 ; Mak. T. B. M. (1891) 30 ; Bot. Mag. (1897) t. 7547 ; Wright, J. L. S. XXXVI. 89.

Nom. Jap. Natsu-zuisen. ナツズヰセン

Hab. Nippon : Rikutsiu ; Kiusiu : Simabara.

Narcissus incomparabilis, Mill. ; Bak. Handb. 5.

Nom. Jap. Usuki-no-hitoe-zuisen. ウスキノヒトヘズヰセン

Hab. Tokio, cult.

Narcissus Jonquilla, L. ; F. S. II. 45 ; Max. Engl. Jahrb. VI. 76 ; Bak. Handb. 10.

Nom. Jap. *Ki-zuisen.* キズキセン
Hab. Japonia, cult.

Narcissus odorus, L.; Bak. Handb. 6.
Nom. Jap. *Kanlan-zuisen.* カンランズキセン
Hab. Tokio, cult.

Narcissus poeticus, L.; Bak. Handb. 11.
Nom. Jap. *Kuchibeni-zuisen.* クチベニズキセン
Hab. Tokio, cult.

Narcissus papyraceus, Ker. Bot. Mag. t. 947; Bak. Handb. 8.
Nom. Jap. *Hon-shiro-zuisen.* ホンシロズキセン
Hab. Tokio, cult.

Narcissus Tazetta, L.; Th. Fl. Jap. 131; *var.* **chinensis,** Roem.; Miq. P. 72; F. S. II. 45; Max. Engl. Jahrb. VI. 75; Mak. Phanerog. et Pterid. Jap. Ic. Ill. II. t. 92.
Nom. Jap. *Suisen.* スキセン
Hab. Nippon: Kadsusa, Bosiu; Misaki (Sagami); Kiusiu.

Polianthes tuberosa, L.; Max. Engl. Jahrb. VI. 81; Bak. Handb. 159.
Nom. Jvp. *Gekkakō.* ゲツカカウ
Hab. Japonia; Formosa, cult.

Sprekelia formosissima, Herb.; Bak. Handb. 38.
Nom. Jap. *Tsubame-zuisen.* ツバメズキセン
Hab. Tokio, cult.

Ungernia? Oldhami, Max. Engl. Jahrb. VI. 76; Bak. Handb. 39.
Nom. Jap.
Hab. Japonia.

Zephyranthes candida, Herb.; Bak Handb. 34.
Nom. Jap. *Tama-sudare.* タマスダレ
Hab. Tokio, cult.

Zephyranthes carinata, Herb.; Max. Engl. Jahrb. VI. 81; Bak. Handb. 31.
Nom. Jap. *Safran-modoki.* サフランモドキ
Hab. Japonia, cult.

Dioscoreaceæ.

(*Yama-no-imo no tagui.*)

Dioscorea alata, L.; Matsum. S. M. 106.
Nom. Jap. Daijo. ダイジョ

Dioscorea Batatas, Decne.; Mak. T. B. M. (1888) 25; (1889) 112; Phanerog. et Pterid. Jap. Ic. Ill. II. t. 93, 94, 95.
syn. D. oppositifolia, Th. Fl. Jap. 151.
Nom. Jap. Naga-imo. ナガイモ
Hab. Yezo: Sapporo (Isikari), Nippon: Aomori (Mutsu), Nikko (Simotsuke), Takamatsu (Bittsiu); Sikok: Kamibum (Tosa).

Dioscorea daemona, Roxb.; Henry, L. 96; *var.* **reticulata,** Hk.; Wright, J. L. S. XXXVI. 91.
Nom. Jap.
Hab. Formosa: Takow.

Dioscorea doryphora, Hance; Henry, L. 96; Wright, J. L. S. XXXVI. 91.
Nom. Jap.
Hab. Formosa: Takow, Bankinsing.

Dioscorea gracillima, Miq. P. 324; F. S. II. 47; Mak. T. B. M. (1888) 27; (1889) 113; Ill. Fl. Jap. I. t. 25.
Nom. Jap. Tachi-dokoro. タチドコロ
Hab. Nippon: Nikko (Simotsuke), Oh-utsi (Suwoo).

Dioscorea japonica, Th. Fl. Jap. 151; F. S. II. 47 (excl. syn.); Engl. et Max. Engl. Jahrb. VI. 52; Mak. T. B. M. (1888) 25: (1889) 112; Ill. Fl. Jap. I. t. 22; Wright, J. L. S. XXXVI. 92.
Nom. Jap. Yama-no-imo. ヤマノイモ
Hab. Nippon: Mito (Hitatsi), Tokio (Musasi), Komono (Ise), Oh-utsi (Suwoo), Tango; Kiusiu: Tsikzen; Kirisima (Hiuga); Formosa: Tamsui.

Dioscorea nipponica, Mak. Ill. Fl. Jap. I. t. 45.
Nom. Jap. Uchiwa-dokoro. ウチハドコロ
Kōmori-dokoro. カウモリドコロ
Hab. Nippon: Nikko (Simotsuke), Tsitsibu (Musasi), Simidzutooge (Koodsuke), Togaksi, Karuizawa (Sinano).

Dioscorea oppositifolia, L.; Henry, L. 95; Wright, J. L. S. XXXVI. 92.

Nom. Jap.

Hab. Formosa: Bankinsing.

Dioscorea quinqueloba, Th. Fl. Jap. 150; F. S. II. 46 (excl. syn.); Mak. T. B. M. (1897) 349; (1889) 113; Ill. Fl. Jap. I. t. 26; Wright, J. L. S. XXXVI. 92.

Nom. Jap. *Kikuba-dokoro.* キクバドコロ
Kaede-dokoro. カヘデドコロ

Hab. Nippon: Numayama (Koodsuke), Nikko (Simotsuke), Tokio (Musasi), Oh-utsi (Suwoo); Kiusiu: Wakasugiyama (Buzen), Hikosan (Hizen); Sikok: Tsurugisan (Awa), Sagawa (Tosa); Tsusima; Yaksima.

Dioscorea rhipogonoides, Oliv.; Henry, L. 96; Wright, J. L. S. XXXVI. 93.

Nom. Jap. *Kuu-roo.* クーロー (Yaeyama).

Hab. Liukiu: Yaeyama; Formosa: Bankinsing, S. Cape, Kelung.

Dioscorea sativa, L.; Th. Fl. Jap. 151; Mak. T. B. M. (1888) 26; (1889) 112; Ill. Fl. Jap. I. t. 23; Henry, L. 95; Wright, J. L. S. XXXVI. 93.

form. **spontanea,** Mak. Phanerog. et Pterid. Ic. Ill. II. t. 81, 82.

Nom. Jap. *Niga-gashiu.* ニガガシウ
Maru-dokoro. マルドコロ
Maruba-dokoro. マルバドコロ

Hab. Nippon: Oh-utsi (Suwoo); Liukiu: Isigaki (Yaeyama); Formosa: Takow, Bankinsing, S. Cape.

form. **domestica,** Mak. Phanerog. et Pterid. Jap. Ic. Ill. II. t. 83, 84.

Nom. Jap. *Kashiu-imo.* カシウイモ
Kashiu. カシウ
Ke-imo. ケイモ
Benkei-imo. ベンケイイモ
Nari-imo. ナリイモ
Zembu. ゼンブ
Sepp. セツプ

Hab. cult.

Dioscorea septemloba, Th. Fl. Jap. 150; Mak. T. B. M. (1888) 27; (1889) 7, 113; Ill. Fl. Jap. I. t. 27.

syn. *D. quinqueloba*, Miq. P. 150; F. S. II. 46, exp.
Nom. Jap. *Momiji-dokoro.* モミヂドコロ
Hab. Nippon: Mt. Haksan (Kaga); Sikok: Nanokawa (Tosa), Tsurugisan (Awa).

Dioscorea tenuipes, F. S. II. 48, 523; Max. Engl. Jahrb. VI. 52; Mak. T. B. M. (1888) 27; (1889) 113; Ill. Fl. Jap. I. t. 6.
Nom. Jap. *Hime-dokoro.* ヒメドコロ
Hab. Nippon: Yokoska, Nikko, Tango; Sikok: Nanokawa, Tokonabe (Tosa), Nisiu, Takakoshiyama (Awa); Kiusiu: Takanabe (Hiuga).

Dioscorea Tokoro, Mak. T. B. M. (1889) 112; Ill. Fl. Jap. I. t. 24; (1901) 151; Phanerog. et Pterid. Jap. Ic. Ill. II. t. 79.
syn. *D. sativa*, Miq. P. 323; F. S. II. 47.
Nom. Jap. *Oni-dokoro.* オニドコロ
Naga-dokoro. ナガドコロ
Hab. Nippon: Aomori (Mutsu), Gassan (Uzen), Aidsu (Iwasiro), Hitatsi; Nikko (Simotsuke), Tokio (Musasi), Yugasima (Idsu), Fudsi (Suruga) Kongoosan (Kawatsi), Oh-utsi (Suwoo), Komono (Ise); Sikok: Nanokawa (Tosa); Kiusiu: Nakahara (Tsikzen); Tsusima.

Testudinaria Elephantipes, Burch.
Nom. Jap. *Tsuru-kame-sō.* ツルカメサウ
Hab. Tokio, cult.

Iridaceæ.

(*Ayame no tagui.*)

Belamcanda punctata, Moench.
syn. *B. chinensis*, Leman; Bak. J. L. S. XVI. (1178) 113.
Ixia chinensis, L.
Pardanthus chinensis, Ker.; Miq. P. 306; F. S. II. 43; Engl. Jahrb. VI. 54.
P. nepalensis, Sweet.
Moraea chinensis, Th. Fl. Jap. 34.
Nom. Jap. *Hiōgi* ヒアフギ
Hab. Nippon: Yumoto (Aidsu), Nikko; Murayama (Suruga);

Tamba; Diudjoo-tooge (Kii), Sitakra (Suwoo); Kiusiu: Kirisima (Hiuga); Tsusima; Formosa: Tamsui.

Crocus aureus, Sibth et Sm.

Nom. Jap. *Kibana-safran.* キバナサフラン

Hab. Tokio, cult.

Crocus sativus, L.; Bak. J. L. S. XVI. 82.

Nom. Jap. *Safran.* サフラン

Hab. Japonia, cult.

Crocus vernus, All.; Bak. J. L. S. XVI. 81.

Nom. Jap. *Murasaki-safran.* ムラサキサフラン

Hab. Tokio, cult.

Freesia Leichtlini, Klatt.; Rgl. Gartenfl. t. 808; Bak. J. L. S. XVI. 164.

Nom. Jap. *Ayame-zuisen.* アヤメズヰセン

Hab. Tokio, cult.

Freesia reflacta, Klatt.; Bak. J. L. S. XVI. 164.

Nom. Jap. *Asagi-zuisen.* アサギズヰセン

Hab. Tokio, cult.

Gladiolus gandavensis, Houtt.; Bak. J. L. S. (1878) XVI. 177.

Nom. Jap. *Tō-shobu.* タウシヤウブ

Nahgar-bloom. ナーガルブルーム

Hab. Japonia, cult.

Iris albopurpurea, Bak.; Bot. Mag. t. 7511; Mak. T. B. M. (1900) 60, 61; (1902) 152. **genuina,** Mak. T. B. M. (1900) 61.

Nom. Jap. *Kakitsubata.* カキツバタ

Hab. Japonia, cult.

var. **Bakeri,** Mak. T. B. M. (1900) 61.

Nom. Jap. *Washi-no-o.* ワシノヲ

Murasame. ムラサメ

Hab. Tokio, cult.

var. **alba,** Mak. T. B. M. (1900) 61.

Nom. Jap.

Hab. Tokio, cult.

Iris ensata, Th. T. L. S. II. 328; Max. M. B. X. 699.

syn. *I. graminea,* Th. Fl. Jap. 34.

I. biglumis, Vahl.; Ledeb. Fl. Ross. IV. 95.

var. **chinensis,** Max. Rgl. Gartenfl. (1880) 161, t. 1011; Max. M. B. X. 701.

syn. *I. Pallasii, v. chinensis,* Fisch. Bot. Mag. t. 2331.
I. oxypetala, Bge. Enum. Chin. 63.
Nom. Jap. *Neji-ayame.* ネヂアヤメ
Baren. バレン
Barin. バリン
Hab. Japonia, cult.

Iris florentina, L.; Bot. Mag. t. 671; Bak. J. L. S. XVI. (1878) 146.
Nom. Jap. *Nioi-iris.* ニホヒイリス
Shirobana-iris. シロバナイリス
Hab. Japonia, cult.

Iris germanica, L.; Bot. Mag. t. 670; Bak. J. L. S. XVI. (1878) 146.
Nom. Jap. *Murasaki-iris.* ムラサキイリス
Hab. Tokio, cult.

Iris gracilipes, A. Gr., Bot. Jap. 412; Miq. P. 305; F. S. II. 41; Bak. J. L. S. XVI. 143.
Nom. Jap. *Hime-shaga.* ヒメシヤガ
Hab. Yezo: Hakodate; Nippon: Nambu; Mitake (Musasi), Mt. Togaksi (Sinano), Mt. Haksan (Kaga); Kiusiu: Mt. Inugatake (Buzen).

Iris Gueldenstaedtiana, Lepech.; Bak. J. L. S. XVI; Handb. 14.
Nom. Jap. *Rokkaku-ayame.* ロクカクアヤメ
Hab. Tokio, cult.

Iris japonica, Th. T. L. S. II. 327; Miq. P. 305; F. S. II. 41; Bak. J. S. XVI. 143; Max. M. B. X. 736; Wright, J. L. S. XXXVI. 82.
syn. *I. squalens,* Th. Fl. Jap. 33.
I. chinensis, Curt. Bot. Mag. t. 373; Rgl. Gartenf. t. 511.
Nom. Jap. *Shaga.* シヤガ
Hab. Nippon: Ikegami, Yokohama, Yokoska, Kamakra, Idsu, Sigedera; Togaksi (Sinano), Suwoo; Kongoosan (Kawatsi); Kiusiu: Nomonosaki; Tsusima.

Iris laevigata, Fisch.; Miq. P. 306; F. S. II. 42; Max. M. B. X. 711; Bak. Handb. 13; Mak. T. B. M. (1900) 60.
syn. *I. Gmelini,* Ledeb.
I. versicolor, Th. Fl. Jap. 34; Klatt, Linn. XXXV. 308.
I. Kaempferi, Sieb.

I. laevigata, v. Kaempferi, Max. M. B. X. 712.

Nom. Jap. No-hanashōbu. ノハナシヤウブ

Hab. Nippon: Uzen, Hagrosan, Ogumi, Asaka-numa, Tonokutsi-hara (Iwasiro), Kanoosan (Kadsusa), Nikko (Simotsuke), Yatsugatake (Sinano), Tatsuta (Bittsiu).

var. **hortensis**, Max. M. B. X. 712.

Nom. Jap. Hana-shōbu. ハナシヤウブ

syn. I. laevigata, Bot. Mag. t. 6132.

Hab. cult.

Iris minuta, F. S. II. 42, 521; Max. M. B. X. 715; Bak. Handb. Irid. 2; Mak. T. B. M. (1902) 148.

Nom. Jap. Kin-kakitsubata. キンカキツバタ

Hab. Tokio, cult.

Iris Pseudacorus, L.; Bak. Handb. 11.

Nom. Jap. Ki-shōbu. キシヤウブ

Hab. Tokio, cult.

Iris pumila, L.; Bak. Handb. 26.

Nom. Jap. Nankin-ayame. ナンキンアヤメ

Hab. Tokio, cult.

Iris Rossii, Bak. Handb. Irid. 3; Max. M. B. X. 714; Mak. T. B. M. (1902) 151.

syn. I. iyoana, Mak. T. B. M. (1899) 111.

Nom. Jap. Ehime-ayame. エヒメアヤメ

Hab. Sikok: Ehime (Iyo).

Iris ruthenica, Dry.; Bot. Mag. t. 1123, 1393; Bak. Handb. 4.

var. **nana**, Max. M. B. X. 705; Mak. T. B. M. (1902) 150.

Nom. Jap. Ko-kakitsubata. コカキツバタ

Hab. Tokio, cult.

Iris sambucina, L.; Curt. Bot. Mag. t. 187; Bak. Handb. 86.

Nom. Jap. Akane-iris. アカネイリス

Hab. Tokio, cult.

Iris setosa, Pall.; A. Gr. Bot. Jap. 412; Miq. P. 306; F. S. II. 42; Max. M. B. X. 713; Bak. Handb. 11.

Nom. Jap. Hiōgi-ayame. ヒアフギアヤメ

Hab. Kurile: Siumsiu; Yezo: Ono; Nippon: Togaksi (Sinano).

Iris sibirica, L. **typica**, Max. M. B. X. 709.

Nom. Jap.

Hab. Tsusima.

var. **orientalis,** Max. M. B. X. 709; Bak. J. L. S. XVI. 139; Handb. 9; Wright, J. L. S. XXXVI. 84.

syn. *I. orientalis,* Th. T. L. S. II. 328.

I. sibirica, Th. Fl. Jap. 33; Miq. P. 306; F. S. II. 42.

I. sibirica, v. haematophylla, Fisch.

Nom. Jap. Ayame. アヤメ

Hab. Nippon: Tonoktsi-hara (Iwasiro), Togaksi (Sinano), Nikko, Iwakisan, Usui-tooge; Kiusiu; Tsusima.

var. **trigonocarpa,** Bak. Handb. 9.

syn. *I. trigonocarpa,* Braun.

Nom. Jap.

Hab.

Iris tectorum, Max. M. B. VII. 563; Rgl. Gartenfl. t. 716; Bot. Mag. t. 6118; F. S. II. 41; Bak. Handb. 23; Wright, J. L. S. XXXVI. 85.

syn. *I. cristata,* Miq. P. 306.

I. tomiolopha, Hance.

I. chinensis, Bge. Enum. Pl. Chin. 64, non Curt.

I. fimbriata, Klatt.

Nom. Jap. Ichihatsu. イチハツ

Hab. Japonia.

Iris Xiphium, L.; Bak. Handb. 39.

Nom. Jap. Rakkyō-ayame. ラツキヤウアヤメ

Hab. Tokio, cult.

Iris yedoensis, F. S. II. 522; Max. M. B. X. 716; Bak. Handb. 16.

Nom. Jap.

Hab.

Libertia formosa, Grah.; Bot. Mag. t. 3294; Bak. J. L. S. XVI. 153; Handb. 116.

Nom. Jap. Ibokusa-ayame. イボクサアヤメ

Hab. Tokio, cult.

Sisyrinchium Bermudiana, L.; Bak. J. L. S. XVI. (1878) 117; Handb. 125.

syn. *S. iridoides,* Curt. Bot. Mag. t. 94.

Nom. Jap. Niwa-zekishō. ニハゼキシヤウ

Hab. Tokio, cult.

Sisyrinchium iridifolium, H. B. K.; Bak. J. L. S. XVI. 118; Handb. 128.
syn. *S. laxum,* Otto, Bot. Mag. t. 2312.
Nom. Jap. *Kobana-ayame.* コバナアヤメ
Hab. Tokio, cult.

Tigridia Pavonia, Ker.; Bak. J. L. S. XVI. 136; Handb. 67.
syn. *Ferraria Tigridia,* Ker. Bot. Mag. t. 532.
Nom. Jap.
Hab. Tokio, cult.

Tritonia aurea, Papp.; Hk. Bot. Mag. t. 4335.
syn. *Crocosma aurea,* Planch; Bak. Handb. 189.
Nom. Jap. *Hiōgi-zuisen.* ヒアフギズキセン
Hab. Tokio, cult.

Tritonia crocata, Ker.; Bak. Handb. 190.
syn. *Ixia crocata,* L.; Bot. Mag. t. 184.
Nom. Jap.
Hab. Tokio, cult.

Musaceæ.

(*Bashō no tagui.*)

Musa Basjoo, S. Z.; Miq. P. 304; Bak. Bot. Mag. t. 7182; K. Schum. Pl. 22.
syn. *M. paradisiaca,* Th. Fl. Jap. 130.
Nom. Jap. *Bashō.* バセヲ
Hab. Japonia, cult.

Musa paradisiaca, L. *subsp.* **seminifera,** Bak. *var.* **formosana,** Warb.; K. Schum. Pl. 21.
Nom. Jap.
Hab. Formosa.

Musa sapientum, L.; Henry, L. 95; *var.* **liukiuensis,** Matsum. T. B. M. (1897) 69.
Nom. Jap. *Liukiu-bashō.* リウキウバセヲ
Hab. Liukiu; Formosa: Sintec.

Zingiberaceæ.

(*Mioga no tagui.*)

Alpinia bilamellata, Mak. T. B. M. (1902) 51.
Nom. Jap.
Hab. Bonin.

Alpinia boninsimensis, Mak. T. B. M. (1902) 52.
Nom. Jap. *Shima-kumatakelan.* シマクマタケラン
Hab. Bonin.

Alpinia chinensis, Rosc.; Benth. Fl. Hongk. 349; Matsum. T. B. M. (1898) 2; Mak. T. B. M. (1902) 52; Wright, J. L. S. XXXVI. 71.
syn. *Languas chinensis,* Koenig.
Heritiera chinensis, Retz.
Hellenia chinensis, Willd.
H. abnormis, Lindl.
Monocystis abnormis, Lindl.
Nom. Jap. *Ao-no-kumatakelan.* アヲノクマタケラン
Hab. Nippon: ins. Hatsidjo (Idsu); Sikok: Tosa; Liukiu: Kuntsian, Yaksima; Bonin.

Alpinia Galanga, Willd.; Benth. Fl. Hongk. 348; Hk. Fl. Br. Ind. VI. 253; Kurit. T. B. M. (1889) 93; Henry, L. 94; Wright, J. L. S. XXXVI. 71.
syn. *Maranta Galanga,* Sw.
Amomum Galanga, Lour.
Nom. Jap.
Hab. Formosa: Kizan; Bankinsing.

Alpinia japonica, Miq. P. 304; F. S. II. 20; Mak. T. B. M. (1902) 53.
syn. *Globba japonica,* Th. Fl. Jap. 23.
Nom. Jap. *Hana-mioga.* ハナメウガ
Hab. Nippon: Kii; Mt. Kiyosumi (Boosiu); Sikok: Tosa; Kiusiu: Hizen, Satsuma.

Alpinia Kumatake, Mak. T. B. M. (1902) 49.
syn. *A. chinensis,* F. S. II. 20.

Nom. Jap. *Kumatakelan.* クマタケラン
Hab. Japonia, cult.

Alpinia nutans, Rosc.; Bot. Mag. t. 1903; Wright, Ic. t. 2027; Benth. Fl. Hongk. 348; Hk. Fl. Br. Ind. VI. 256; Matsum. T. B. M. (1898) 2; Henry, L. 94; Wright, J.L.S. XXXVI. 72.

syn. *Globba nutans,* L.
Renealmia nutans, Andr.
Zerumbet speciosum, Schrad. et Wendl.
Alpinia speciosa, K. Schum. E. Jahrb. (1899) 284, t. 3; Mak. T. B. M. (1902) 50.
Costus Zerumbet, Rosc.

Nom. Jap. *Gettō.* ゲツタウ
Nom. Formos. 月桃
Hab. Formosa: Kelung, Takow; Liukiu: Amami Ohsima, Onnah.

Costus speciosus, Sm.; Wight, Ic. t. 2014; Hk. Fl. Br. Ind. VI. 249; Henry, L. 95; Wright, J. L. S. XXXVI. 71.

syn. *C. arabicus,* Jacq., non L.
Banksia speciosa, Koenig.

Nom. Jap.
Hab. Liukiu; Formosa: Takow.

Curcuma aromatica, Salisb.; Mak. T. B. M. (1902) 54.

syn. *C. longa,* F. S. II. 20.

Nom. Jap. *Kiō-ō.* キヤウワウ
Haru-ukon. ハルウコン
Hab. Tokio, cult.

Curcuma longa, L.; Bentl. et Trim. Med. Pl. t. 269; Hk. Fl. Br. Ind. VI. 214; Miq. P. 305; Henry, L. 94; Matsum. T. B. M. (1898) 1; Mak. T. B. M. (1902) 55; Wright, J. L. S. XXXVI. 69.

syn. *C. macrophylla,* Sieb.
C. longa, v. macrophylla, Miq. P. 305; F. S. II. 20.
Amomum Curcuma, Jacq.

Nom. Jap. *Ukon.* ウコン
Hab. Liukiu: Ohgimi; Formosa: Kelung, Bankinsing, cult.

Hedychium coronarium, Koen.

syn. *H. chrysoleucum,* Hook.

Nom. Jap. Shukusha. シユクシヤ
Hab. Tokio, cult.

Hedychium elatum, Br.
Nom. Jap. Galanga. ガランガ
Hab. Tokio, cult.

Kaempferia rotunda, L.; Bot. Mag. tt. 920, 6054; Wright, J. L. S. XXXVI. 69.
Nom. Jap.
Hab. Formosa: Bankinsing.

Zingiber Mioga, Rosc. T. L. S. VIII. 348; Miq. P. 304; F.S. II. 20.
syn. Amomum Mioga, Th. Fl. Jap. 14; Banks. Ic. t. 1.
Nom. Jap. Mioga. メウガ
Hab. Nippon; Kiusiu; Tsusima.

Zingiber officinale, Rosc.; Bentl. et Trim. Med. Pl. t. 270; Hk. Fl. Br. Ind. VI. 246; Wright, J. L. S. XXXVI. 70.
syn. Z. Sjooka, Sieb. Syn. Pl. oeconom. 18.
Amomum Zingiber, L.
Nom. Jap. Shōga. シヤウガ
Hab. Japonia; Liukiu: Okinawa, cult.; Formosa: Bankinsing.

Cannaceæ.

(*Dandoku no tagui.*)

Canna flaccida, Rosc.
Nom. Jap. Kibana-no-dandoku. キバナノダンドク
Hab. Tokio, cult.

Canna indica, L.; Th. Fl. Jap. 14; Miq. P. 304; F. S. II. 20; Henry, L. 95; *var.* **orientalis,** Hk. Fl. Br. Ind. VI. 260; Bak. Gard. Chron. XIII. (1893) 43; Matsum. T. B. M. (1898) 2.
Nom. Jap. Dandoku. ダンドク
Hab. Liukiu, Ohgimi (Okinawa), Ohsima; Japonia, cult.; Formosa: Taipeh, Bankinsing, S. Cape.

Canna iridiflora, Ruitz et Pav.
Nom. Jap. Tairin-dandoku. タイリンダンドク
Hab. Tokio, cult.

Burmanniaceæ.

(*Hina-no-shakujō no tagui.*)

Burmannia coelestis, Don.; Hance, J. B. (1878) 111; Hk. f. Fl. Br. Ind. V. 665; Wright, J. L. S. XXXVI. 4.

Nom. Jap.

Hab. Liukiu.

Burmannia japonica, Max.; Mak. T. B. M. (1881) 52; (1890) 23; Ill. Fl. Jap. I. (1890) t. 35; Ito, Mem. (1893) 14; Mak. T. B. M. (1903) 6.

syn. *B. capitata,* Mak. T. B. M. (1890) 23.

Nom. Jap. Hina-no-shakujō. ヒナノシヤクジヤウ

Hab. Nippon; Sikok: Tosa.

Burmannia nepalensis, Hk. f. Fl. Br. Ind. V. 666; Hemsl. Ann. Bot. (1891) 407; Ito, Mem. (1893) 14. t. 2, f. 3-5; Wright, J. L. S. XXXVI. 4; Mak. T. B. M. (1903) 7.

syn. *Gonyanthes Wallichii,* Ito.

Nom. Jap. Kirishimasō. キリシマサウ

Kirishima-shakujō. キリシマシヤクジヤウ

Hab. Kiusiu: Mt. Takakma (Ohsumi).

Cryptonema malaccensis, Turcz.; Kranz. E. Jahrb. VI. 55.

Nom. Jap.

Hab. Liukiu: Amami Ohsima.

Orchidaceæ.

(*Lan no tagui.*)

Aerides japonicum, Lindl. et Reichb. Bot. Mag. (1869) t. 5798.

Nom. Jap. Nago-lan. ナゴラン

Hab. Kiusiu: Mt. Kirisima (Hiuga); ins. Oki.

Agrostophyllum formosanum, Rolf. Ann. Bot. IX. (1895) 157; Henry, L. 92.

Nom. Jap.

Hab. Formosa: S. Cape.

Angraecum falcatum, Lindl.; Rolf. J. L. S. XXXVI. 38.

syn. *Orchis falcata,* Th. Fl. Jap. 26.

Limodorum falcatum, Th. Ic. Pl. Jap. I. t. 6; Bot. Mag. t. 2097.

Oeceoclades falcata, Lindl.; F. S. II. 28. (excl. syn. Aerides japonicum).

Aerides Thunbergii, Miq. P. 137.

Nom. Jap. *Fuu-lan.* フウラン

Hab. Kiusiu: Nagasaki (Hizen), Kinpoosen (Higo), Mt. Kirisima (Hiuga), Wakasugi (Tsikzen).

Anoectochilus Roxburghii, Lindl.; Henry, L. 92.

Nom. Jap.

Hab. Formosa: Bankinsing.

Arethusa japonica, A. Gr. Bot. Jap. 409; Miq. P. 141; F. S. II. 35.

Nom. Jap. *Sawa-lan.* サハラン

Asahi-lan. アサヒラン

Okura. チクラ

Hab. Yezo: Hakodate; Nippon: Numayama, Osenuma (Iwasisiro), Togaksi (Sinano).

Arundina chinensis, Bl. Bijdr. 402; Rolf. J. L. S. XXXVI. 27; Henry, L. 92.

syn. *Cymbidium Meyenii,* Schauer.

Arundina Meyenii, Reichb.

A. Philippii, Reichb. f.

A. pulchella, Teijsm. et Binn.

A. pulchra, Miq.

Nom. Jap. *Nariya-lan.* ナリヤラン

Hab. Liukiu: Yaeyama; Formosa: Siko Hill, Tamsui, Kusseki, Kootoosjoo.

Bletia hyacinthina, R. Br.; F. S. II. 23; Rolf. J. L. S. XXXVI. 19.

syn. *Limodorum striatum,* Th. Fl. Jap. 28; Miq. P. 136.

Epidendrum tuberosum, Lour.

E. striatum, Th. T. L. S. II. (1794) 327; Th. Ic. Pl. Jap. I. t. 9.

Cymbidium striatum, Sw.

C. hyacinthinum, Sm.; Bot. Mag. t. 1492.
Gyas humilis, Salisb.
Bletilla striata, Reichb. f. Bot. Zeit. (1878) 75; Pfitz. Engl. Orchid. 123.

Nom. Jap. *Shi-lan.* シラン
Byak-gyu. ビヤクギフ

Hab. Nippon: inter Kamakra et Kanasawa; Sikok: Agawa-goori (Tosa); Kiusiu: Aso (Higo), Nagasaki (Hizen).

var. **Gebina**, Bl.; F. S. II. 23; Rolf. J. L. S. XXXVI. 19.

syn. *Bletilla Gebinæ*, Reichb. f.
Bletia Gebinæ, Lindl.
Bletilla striata, v. Gebinæ, Reichb. f. Bot. Zeit. (1878) 75.

Nom. Jap.

Hab. Nippon: Kamakra (Sagami); Kiusiu: prope Nagasaki (Hizen).

Bulbophyllum inconspicuum, Max. M. B. XII. 545; Mak. Ill. Fl. Jap. I. t. 20; Yabe, T. B. M. (1903) 143.

Nom. Jap. *Mugi-lan.* ムギラン

Hab. Nippon: Mt. Natsi (Kii), Sasanami (Nagato); Sikok: Mt. Godai (Tosa); Tsusima: Mt. Siratake; Kiusiu: Mt. Naga.

Bulbophyllum Drymoglossum, Max.; Ohk. T. B. M. (1887) 14, t. 3; Mak. T. B. M. (1887) 7; Ill. Fl. Jap. I. t. 19.

Nom. Jap. *Mame-lan.* マメラン
Mamezuta-lan. マメヅタラン

Hab. Nippon: Mt. Kiyosumi (Awa), Mt. Natsi, Ukui (Kii); Sikok: Nanokawa (Tosa); Kiusiu: Mt. Kirisima (Hiuga).

Calanthe alpina, Hk. f.

Nom. Jap. *Kiso-ebine.* キソエビネ

Hab. Nippon: Mt. Fudsi (Suruga), Mt. Komagatake (Sinano).

Calanthe aristulifera, Reichenb. f. Bot. Zeit. (1878) 74.

Nom. Jap.

Hab. Kiusiu: Satsuma.

Calanthe discolor, Lindl.; Reichenb. f. Bot. Zeit. (1845) 334; Max. M. B. VIII. 642; Miq. P. 136; F. S. II. 25; Kranzl. Engl. Jahrb. VI. 54; Mak. Ill. Fl. Jap. I. t. 15.

syn. *Calanthe lurida*, Decne.
Limodorum striatum, Banks Ic. t. 2.

Nom. Jap. *Ebine.* エビネ

Hab. Yezo: Hakodate, Konuma (Osima); Nippon: Nikko (Simotsuke), Tokio, Yokohama, Kanagawa (Musasi), Yokoska (Sagami) Mt. Amagi (Idsu), Hikami (Suwoo); Kiusiu: Nagasaki (Hizen), Ohsumi; Sikok: Nanokawa (Tosa).

var. **viridi alba,** Max. M. B. VIII. 642; F. S. II. 25.

Nom. Jap.

Hab. Nippon: Yokohama, Tomioka (Musasi); Kiusiu: Nagasaki (Hizen), Miyadsi (Higo)?

Calanthe formosana, Rolf. Ann. Bot. IX. (1895) 157; Henry, L. 92.

Nom. Jap.

Hab. Formosa: S. Cape.

Calanthe gracilis, Lindl.

Nom. Jap.

Hab. Liukiu: Ohsima.

Calanthe japonica, Bl.; Miq. P. 137; Max. M. B. VIII. 643; F. S. II. 26.

Nom. Jap.

Hab.

Calanthe kirishimensis, Yat. T. B. M. (1892) 253.

Nom. Jap. *Kirishima-ebine.* キリシマエビネ

Hab. Kiusiu: Mt. Kirisima (Hiuga).

Calanthe nipponica, Mak. T. B. M. (1899) 128.

Nom. Jap. *Kinsei-lan.* キンセイラン
Kinsei-ebine. キンセイエビネ

Hab. Nippon: Mt. Komagatake (Sinano), Mt. Haksan (Kaga).

Calanthe laxiflora, Mak.

Nom. Jap.

Hab. Liukiu: Okinawa.

Calanthe reflexa, Max. M. B. VIII. 644; F. S. II. 26; Yabe, T. B. M. (1903) 143.

Nom. Jap. *Natsu-ebine.* ナツエビネ

Hab. Nippon: Mt. Natsi (Kii); Sikok: Mt. Isidsutsi (Iyo), Nanokawa (Tosa); Kiusiu: Mt. Unsen (Hizen); Mt. Kirisima (Hiuga); Tsusima: Mt. Taterayama.

Calanthe striata, R. Br.; Max. M. B. VIII. 641; Miq. P. 136; F. S. II. 24; Mak. T. B. M. (1889) 448.

syn. *Limodorum striatum*, Banks Ic. t. 2, non Th.
Nom. Jap. *Sono-ebine.* ソノエビネ
Hab. Kiusiu: Simabara, Nagasaki (Hizen).
var. **Sieboldi**, Max. M. B. VIII. 641; F. S. II. 25; Mak. T. B. M. (1889) 448; Yabe, T. B. M. (1903) 143.
syn. *Calanthe Sieboldi*, Decne.
Nom. Jap. *Aruman.* アルマン
Ki-ebine. キエビネ
Hab. Tsusima: Idsuhara.
var. **bicolor**, Max. M. B. VIII. 641; F. S. II. 25; Mak. T. B. M. (1889) 448.
syn. *C. bicolor*, Lindl.
Nom. Jap. *Takane.* タカネ
Hab.

Calanthe Textori, Miq. P. 136; Max. M. B. VIII. 643.
Nom. Jap.
Hab.

Calanthe tricarinata, Lindl.; Max. M. B. VIII. 644; F. S. II. 27; Mak. Ill. Fl. Jap. I. t. 14.
Nom. Jap. *Sarumen-ebine.* サルメンエビネ
Ezo-ebine. エゾエビネ
Hab. Yezo: Konuma (Osima), Sapporo (Isikari); Sikok: Nanokawa (Tosa).

Calanthe veratrifolia, R. Br.; Bot. Mag. t. 2615; Kranzl. Engl. Jahrb. VI. (1885) 54; Mak. T. B. M. (1896) 286; Rolf. J. L. S. XXXVI. 26; Henry, L. 92.
Nom. Jap. *Tsuru-lan.* ツルラン
Hab. Liukiu: Ohsima, Yaeyama; Yakusima; Formosa: S. Cape, Kelung.

Calypso bulbosa, Reichb.; Mak. T. B. M. (1902) 177.
syn. *Cypripedium bulbosum*, L.
Calypso borealis, Salisb.
Nom. Jap. *Hotei-lan.* ホテイラン
Hab.

Calypso japonica, Maxim.; Komarov. Fl. Mansh. I. (1901) 533.
Nom. Jap.
Hab. Nippon: Mt. Fudsi (Suruga), Nambu (Riktsiu), Hakone (Sagami).

Cheirostylis chinensis, Rolf. Ann. Bot. IX. (1895) 158; J. L. S. XXXVI. 43; Henry, L. 92.

Nom Jap.

Hab. Formosa: Ape's Hill, Takow.

Cirrhopetalum japonicum, Mak. Ill. Fl. Jap. I. t. 42.

Nom. Jap. *Miyama-mugilan.* ミヤマムギラン

Hab. Sikok: Mt. Hoonokawa, Nanokawa (Tosa).

Cleisostoma formosanum, Hance; Henry, L. 92.

Nom. Jap.

Hab. Formosa: Tamsui.

Coenoglossum flagelliferum, Max.; Mak. T. B. M. (1902) 90.

syn. *Habenaria flagellifera*, Mak. T. B. M. (1892) 48; Ill. Fl. Jap. I. t. 17.

Nom. Jap. *Mukago-tombo.* ムカゴトンボ

Hab. Sikok: Tosa.

Corymbis veratrifolia, Hk. f.; Mak. T. B. M. (1896) 285.

syn. *Corymborchis veratrifolia*, Bl.

Nom. Jap. *Baikei-lan.* バイケイラン
Koba-lan. コバラン

Hab. Liukiu.

Cremastra appendiculata, Mak. T. B. M. (1904) 24.

syn. *Cymbidium appendiculata*, D. Don.
Cremastra Wallichiana, Lindl.; Miq. P. 136; F. S. II. 24.
C. mitrata, A. Gr. Bot. Jap. 411.
Hyacintorchis variabilis, Bl. Mus. Lugd. Bat. I. 48, t. 16.

Nom. Jap. *Saihai-lan.* サイハイラン

Hab. Yezo: Sapporo (Isikari), Hakodate (Osima); Nippon: Yokoska, (Sagami), Tokio (Musasi), Tsioodjanohara (Idsu), Sinano; Takiyama (Suwoo); Sikok: Nanokawa (Tosa); Tsusima.

Cremastra unguiculata, Finet, Bull. Soc. Bat. France (1897) 235; Mak. T. B. M. (1904) 22.

syn. *Oreorchis unguiculata*, Finet, Bull. Soc. Bot. France (1897) 70; Mak. T. B. M. (1899) 335.

Nom. Jap. *Token-lan.* トケンラン

Hab. Yezo: Tsukisap, Isikari; Nippon: Miharu (Iwasiro), Mino; Mt. Ibuki (Oomi).

Cymbidium alborubens, Mak. T. B. M. (1902) 11.
Nom. Jap.
Hab. Formosa.

Cymbidium ensifolium, Sw.; Bot. Mag. t. 1751; F. S. II. 27; Kranzl. Engl. Jahrb. VI. 54 (excl. syn. C. sinense); Mak. T. B. M. (1892) 274.
syn. *Epidendrum ensifolium,* L.
Limodorum ensatum, Th. Fl. Jap. 29.
Epidendrum sinense, Red., non Andr.
Cymbidium micans, Schauer.
C. xiphiifolium, Lindl.
Nom. Jap. Suruga-lan. スルガラン
Hab. Nippon: Udo (Suruga); Liukiu: Ohsima.

Cymbidium Hoosai, Mak. T. B. M. (1902) 27.
Nom. Jap. Hōsai-lan. ハウサイラン
Hab. Formosa.
form. **Hakuran,** Mak. T. B. M. (1902) 28.
Nam. Jap.
Hab.

Cymbidium Kanran, Mak. T. B. M. (1902) 10; Yabe, T. B. M. (1903) 143.
Nōm. Jap. Kan-lan. カンラン
Hab. Tsusima: Mt. Yatate.
form. **purpurascens,** Mak. T. B. M. (1902) 11.
Nom. Jap.
Hab.

Cymbidium lancifolium, Hk.; Mak. T. B. M. (1896) 109.
syn. *C. javanicum,* Bl.
Nom. Jap. Nagi-lan. ナギラン
Hab.

Cymbidium Leachianum, Reichb. f.; Rolf. J. L. S. XXXVI. 30.
Nom. Jap.
Hab. Formosa.

Cymbidium nipponicum, Mak. T. B. M. (1904) 107.
syn. *Bletia nipponica,* F. S. II. 511; Tan. T. B. M. (1887) 186.
Cymbidium pedicellatum, Finet Bull. Soc. Bot. Fr. (1900) 268, t. 9, A.
Nom. Jap. Maya-lan. マヤラン

Hab. Nippon: Nagakra, Itsinomiya (Kadsusa), Tokio (Musasi), Idsu; Inamuragasaki (Sagami), Mt. Maya (Settsu); Kiusiu: Mt. Aso (Higo); Sikok: Tosa.

Cymbidium scabroserrulatum, Mak. T. B. M. (1902) 154.
Nom. Jap.
Hab. Nippon: Tokio, cult.

Cymbidium sinense, Willd.
Nom. Jap
Hab. Formosa.

Cymbidium virens, Lindl.; F. S. II. 27; Yabe, T. B. M. (1903) 143.
syn. *C. Goeringii,* Reichb. f. Wallp. Ann. III. 547; Miq. P. 137.
Nom. Jap. *Shun-lan.* シユンラン
Hokuro. ホクロ
Hab. Nippon: Taga (Hitatsi), Tsitsibu, Tokio (Musasi), Yokoska (Sagami), Mt. Amagi (Idsu), Hikami (Suwoo); Sikok: Hata (Tosa); Kiusiu: Nagasaki (Hizen); Tsusima: Mt. Ariake.

Cypripedium debile, Reichb. f.; F. S. II. Index 738; Matsum Cat. 195.
syn. *C. cardiophyllum,* F. S. II. 39, 521.
Nom. Jap. *Ko-atsumori.* コアツモリ
Hab. Nippon: Nikko (Simotsuke), Mt. Takao, Ohhinata (Musasi), Mt. Fudsi (Suruga), Sinano; Sikok: Nanokawa (Tosa).

Cypripedium guttatum, Sw. *var.* **Yatabeanum,** Pfitz. Engl. Pflanz. IV. 33; Mak. T. B. M. (1903) 192.
syn. *C. Yatabeanum,* Mak. T. B. M. (1899) 91.
Nom. Jap. *Kibana-no-atsumorisō.* キバナノアツモリサウ
Hab. Yezo; Mt. Togaksi (Sinano).

Cypripedium japonicum, Th. Fl. Jap. 30; Ic. Pl. Jap. I. t. 1; Bl. Orch. Arch. Ind. I. 169, t. 59, f. 3; A. Gr. Pl. Jap. 230; Miq. P. 142; F. S. II. 40; Pfitz. Engl. Pflanz. 42.
Nom. Jap. *Kumagaisō.* クマガイサウ
Hab. Yezo; Nippon: Tokio, Yokohama (Musasi), Yokoska, Hakone (Sagami), Simoda, Ohmuro, Yugasima (Idsu), Sinano; Sikok: Tsurugisan (Awa).

Cypripedium macranthum, Sw.; Bot. Mag. t. 2938; Pfitz. Engl. Pflanz. 34.

Nom. Jap.
Hab. Japonia.

Cypripedium Thunbergii, Bl.; Kranzl. Orchid. I. 18; Pfitz. Engl. Pflanz. 36.
syn. *C. calceolus,* Th. F. J. 30; Miq. P. 142, non L.
C. calceolus, v. Atsumori, Morren.
C. macranthum, v. ventricosum, Reichb. f.; F. S. II. 40; Rolf. J. L. S. XXXVI. 66, non Sw.
Nom. Jap. *Atsumorisō.* アツモリサウ
Hab. Kurile: Urup; Yezo: Sempoodji (Kusiro); Nippon: Nikko (Simotsuke), Tsitsibu (Musasi), Boosiu.

Cyrtopera formosana, Rolf. Kew Bull. (1896) 198; Henry, L. 92.
Nom. Jap.
Hab. Formosa: S. Cape.

Dactylostalix ringens, Reichb. f. Bot. Zeit. (1878) 74; Mak. T. B. M. (1897) 413.
Nom. Jap. *Hitoha-lan.* ヒトハラン
Hab. Nippon: H utsi-yama, Mt. Adsuma (Iwasiro), Mt. Niohoo (Simotsuke), Mt. Komagatake (Sinano), Kii; Sikok: Nanokawa (Tosa).

Dendrobium hainanense, Rolf.
Nom. Jap. *Benibana-sekikoku.* ベニバナセキコク
Hab. Formosa: Kootoosjoo.

Dendrobium moniliforme, Sw.; F. S. II. 23; Rolf. J. L. S. XXXVI. 12.
syn. *Epidendrum moniliforme,* L.
E. monile, Th. Fl. Jap. 30.
Dendrobium catenatum, Lindl.; A. Gr. Pl. Jap. 19.
D. japonicum, Lindl.; Miq. P. 135; F. S. II. 22.
Onychium japonicum, Bl. Bijdr. 328.
Nom. Jap. *Sekikoku.* セキコク
Hab. Nippon: Nikko (Simotsuke), Mt. Kiyosumi (Boosiu), Simoda, Mt. Amagi (Idsu), Kii; Sikoku: Takaoka (Tosa); Kiusiu; Tsusima: Mt. Ariake.

Dendrobium nobile, Lindl. *var.* **formosanum,** Reichb. f.; Rolf. J. L. S. XXXVI. 13.
Nom. Jap. *Mokkoku-lan.* モクコクラン
Hab. Formosa.

Dendrobium Stricklandianum, Reichb. f. Gard. Chron. (1877) 749.

Nom. Jap.

Hab. Japonia.

Dendrobium tosaense, Mak. Ill. Fl. Jap. I. t. 46.

Nom. Jap. *Kibana-no-sekikoku.* キバナノセキコク

Hab. Sikok: Kootsi (Tosa).

Didymoplexis pallens, Griff.; Hemsl. J. L. S. XX (1883) 308, t. 28; Rolf. J. L. S. XXXVI. 47; Henry, L. 93.

syn. *Leucorchis sylvatica,* Bl.

Apetalon minutum, Wight, Ic. t. 1758.

Arethusa ecristata, Griff.

Epiphanes pallens, Reichb. f.

Nom. Jap.

Hab. Formosa: Takow.

Diploprora Championi, Hk. f.; Hk. Ic. Pl. t. 2120; Rolf. J. L. S. XXXVI. 34; Henry, L. 93.

syn. *Cottonia Championi,* Lindl.

Luisia bicaudata, Thw.

Vanda bicaudata, Thw.

Sarcanthus rostratus, Reichb. f.

Nom. Jap.

Hab. Formosa: Mt. Bankinsing.

Ephippianthus sachalinensis, Reichb. f.; Fr. Schm. Reis. Amur. 180. t. 6, f. 1-7; F. S. II. 510; Mak. T. B. M. (1897) 413.

syn. *E. Schmidtii,* Reichb. f.

Nom. Jap. *Ko-ichiyō-lan.* コイチエフラン

Hab. Nippon: Mt. Iwate (Riktsiu), Nikko (Simotsuke), Komagatake (Yetsigo), Mt. Ontake, Mt. Yatsugatake (Sinano), Mt. Iidesan (Iwasiro), Mt. Haksan (Kaga).

Epipactis chloidophylla, Wettst. Oester. Bot. Zeitsch. XXXIX. (1889) 428.

syn. *Cephalanthera chloidophylla,* Reichb. f. Linn. XXV. (1852) 228.

Nom. Jap.

Hab. Japonia.

Epipactis erecta, Wettst. Oester. Bot. Zeitsch. XXIX. (1889) 429.

syn. *Cephalanthera erecta,* Lindl.; Bl. Orch. Arch. Ind. 188, t.

65, f. 2; Miq. P. 141; F. S. II. 35; Mak. T. B. M. (1898) 374; (1889) 7; Rolf. J. L. S. XXXVI. 48.

Serapias erecta, Th. Fl. Jap. 27; Ic. Pl. Jap. t. 4.

Nom. Jap. *Gin-lan.* ギンラン

Hakusan-lan. ハクサンラン

Hab. Nippon: Aidsu (Iwasiro), Koodsuke; Tokio (Musasi), Yokoska (Sagami), Oh-utsi (Suwoo); Sikok: Aki-goori (Tosa); Tsusima.

Epipactis falcata, Wettst. Oester. Bot. Zeitsch. XXXIX. (1889) 428.

syn. *Cephalanthera falcata*, Lindl.; Bl. Orch. Arch. Ind. 187, t. 65, f. 1, 66; F. S. II. 35; Kranzl. Engl. Jahrb. VI. 55; Mak. T. B. M. (1898) 374; Rolf. J. L. S. XXXVI. 48.

C. platycheile, Reichb. f. Bot. Zeit. (1845) 335.

C. japonica, A. Gr. Pl. Jap. 319; Bot. Jap. 411.

Serapias falcata, Th. Fl. Jap. 28; Ic. Pl. Jap. t. 5; Miq. P. 141.

Nom. Jap. *Kin-lan.* キンラン

Ki-san-lan. キサンラン

Oh-lan. オホラン

Hab. Nippon: Koodsuke; Tokio (Musasi), Mt. Kanoosan (Kadsusa), Yokoska, Hakone (Sagami), Simoda, Ins. Hatsidjoo, Mt. Amagi (Idsu); Kiusiu: Nagasaki (Hizen).

Epipactis longibracteata, Wettst. Oester. Bot. Zeitsch. XXXIX. (1889) 428.

syn. *Cephalanthera longibracteata*, Bl. Orch. Arch. Ind. 188, t. 65, f. 3; F. S. II. 36; Mak. T. B. M. (1898) 374.

C. ensifolia, v. longebracteata, Miq. P. 141; A. Gr. Bot. Jap. 411.

Nom. Jap. *Sasaba-gin-lan.* ササバギンラン

Hab. Yezo: Hakodate (Osima); Nippon: Mt. Akanagi, Nakimusi (Simotsuke), Tokio (Musasi), Yokoska (Sagami).

Epipactis papillosa, F. S. II. 519; Wettst. Oester. Bot. Zeitsch. XXXIX. (1889) 428.

Nom. Jap. *Ezo-suzu-lan.* エゾスズラン

Hab. Yezo: Moiwa (Isikari), Mt. Komagatake (Osima); Nippon: Osenuma (Iwasiro), Nikko (Simotsuke), Numayama (Koodsuke).

Epipactis Thunbergii, A. Gr. Pl. Jap. 319; Wettst. Bot. Zeitsch. XXXIX. (1889) 428.

syn. *E. longifolia,* Bl. Orch. Acrh. Ind. 185, t. 64, f. 3.
E. gigantea, F. S. II. 519; Mak. T. B. M. (1889) 7; Yabe, T. B. M. (1903) 143, non Dougl.
Serapias longifolia, Th. Fl. Jap. 28, non L.

Nom. Jap. *Suzu-lan.* スズラン
Kaki-lan, カキラン
Sawa-lan. サハラン

Hab. Yezo; Nippon: Aomori (Mutsu), Mt. Adsuma, Aidsu (Iwasiro), Simidsu (Yetsigo), Gassan (Uzen), Nikko (Simotsuke), Hakone (Sagami), Mt. Kanoosan (Kadsusa), Boosiu; Wada-tooge (Sinano), Suma (Settsu), Mt. Kooya, Djudjoo-tooge (Kii), Hikami (Suwoo); Kiusiu: Mt. Iwatake (Buzen); Sikok: Nanokawa (Tosa); Tsusima: Idsuhara.

Epipogum aphyllum, Sw.; Mak. T. B. M. (1902) 175.

syn. *Epipogium aphyllum,* Rich.
E. Gmelini, Spr.
Epipogum Gmelini, Rich.
Epipogon aphyllus, Pftiz.
E. Gmelini, Ledeb.
Satyrium Epipogium, L.
Limodorum Epipogium, Sw.
Epipactis Epipogium, All.
E. Epipogum, Crantz.
Serapias Epipogium, Steud.

Nom. Jap. *Torakichi-lan.* トラキチラン

Hab. Nippon: Nikko (Simotsuke).

Eria formosana, Rolf. Kew Bull. (1896) 194; J. L. S. XXXVI. 16; Henry, L. 91.

Nom. Jap.

Hab. Formosa: S. Cape.

Eria japonica, Max. M. B. XII. 545.

syn. *Dendrobium reptans,* F. S. II. 510.

Nom. Jap. *Osa-lan.* ヲサラン
Bakkoku-lan. バツコクラン

Hab. Nippon: ins. Hatsidjoo (Idsu), Mt. Natsi (Kii); Kiusiu: Mt. Kirısima (Hiuga).

Eria luchuensis, Yatabe, T. B. M. (1893) 131, t. 6; Rolf. J. L. S. XXXVI. 17.

Nom. Jap. *Liukiu-sekikoku.* リウキウセキコク

Hab. Liukiu: ins. Iriomote.

Eulophia formosana, Rolf. J. L. S. XXXVI. 28.

syn. *Cyrtopera formosana,* Rolf. Kew Bull. (1896) 198.

Nom. Jap.

Hab. Formosa: S. Cape.

Galeola altissima, Reichb. f.; Matsum. T. B. M. (1898) 53.

Nom. Jap. *Taka-tsuru-lan.* タカツルラン

Hab. Liukiu: ins. Yonakuni.

Galeola septentrionalis, Reichb. f.; Max. M. B. VIII. 647; F. S. II. 39; Yabe, T. B. M. (1903) 143.

Nom. Jap. *Tsuchi-akebi.* ツチアケビ
Yama-tōgarashi. ヤマタウガラシ
Yama-shakujō. ヤマシヤクジヤウ

Hab. Yezo: Onuma (Osima); Nippon: Kadsusa; Nasimoto, Amagisan (Idsu), Siomi-tooge (Kii); Sikok: Mt. Isidsutsi (Iyo); Kiusiu: Mt. Kirisima (Hiuga); Tsusima: Mt. Taterayama.

Gastrodia elata, Bl. Mus. Lugd. Bat. II. 174; Orch. Arch. Ind. I. 143, t. 53, f. 1; Miq. P. 140; F. S. II. 34; Rolf. J. L. S. XXXVI. 48.

Nom. Jap. *Oni-no-yagara.* オニノヤガラ
Nusubito-no-ashi. ヌスビトノアシ

Hab. Yezo: Hakodate (Osima), Sapporo (Isikari); Nippon: Mt. Adsuma (Iwasiro), Nikko (Simotsuke), Katayama, Horinoutsi (Musasi).

Gastrodia gracilis, Bl. Mus. Lugd. Bat. II. 174; Orch. Arch. Ind. I. 142, t. 53, f. 2; t. 54, f. d; Miq. P. 140; F. S. II. 34; Mak. T. B. M. (1891) 54; (1892) 200.

Nom. Jap. *Shiro-temma.* シロテンマ
Hime-temma. ヒメテンマ

Hab. Nippon: Yamato.

Gastrodia shikokiana, Mak. T. B. M. (1892) 48.

Nom. Jap. *Hime-no-yagara.* ヒメノヤガラ

Hab. Sikok: Tosa.

Gastrodia viridis, Mak. T. B. M. (1902) 178.

Nom. Jap. Ao-temma. アヲテンマ

Hab. Japonia.

Geodorum dilatatum, R. Br.; Henry, L. 92.

Nom. Jap.

Hab. Formosa: S. Cape.

Geodorum formosanum, Rolf. Ann. Bot. IX. (1895) 157; J. L. S. XXXVI. 32; Henry, L. 92.

Nom. Jap.

Hab. Formosa: Bankinsing, Takow.

Geodorum semicristatum, Lindl.; Rolf. J. L. S. XXXVI. 32.

syn. *Tropidia grandis,* Hance, J. L. S. XIII. (1872) 128.

Nom. Jap.

Hab. Formosa: Ape's Hill, Takow.

Goodyera bifida, Bl. Orch. Arch. Ind. 40, t. 9, f. 1–11; Max. M. B. XII. 926; Mak. Ill. Fl. Jap. I. t. 37, a-b.

syn. *Georchis bifida,* Reichb. Bonpland. V. 35.

Nom. Jap. Akebono-shusulan. アケボノシユスラン

Hab. Sikok: Nanokawa (Tosa).

Goodyera formosana, Rolf. Ann. Bot. IX. (1895) 159; J. L. S. XXXVI. 45; Henry, L. 93.

Nom. Jap.

Hab. Formosa: Mt. Bankinsing.

Goodyera hachijoensis, Yatabe, T. B. M. (1891) 1. t. 19.

Nom. Jap. Hachijō-shusulan. ハチジヤウシユスラン

Hab. Ins. Hatsidjoo.

Goodyera macrantha, Max. Rgl. Gartenfl. (1867) 36, t. 533, f. 2; M. B. XII. 924; Mak. Ill. Fl. Jap. I. t. 36; Yabe, T. B. M. (1903) 143.

Nom. Jap. Beni-shusulan. ベニシユスラン

Hab. Tsusima: Mt. Mitake.

Goodyera Matsumurana, Schlecht.

Nom. Jap. Liukiu-shusu-lan. リウキウシユスラン

Hab. Liukiu: Ohsima.

Goodyera pendula, Max. M. B. XII. 924.

Nom. Jap. Tsuri-shusulan. ツリシユスラン

Hab. Nippon: Ise; Sikok: Nanokawa (Tosa).

Goodyera procera, Hook.; Max. M. B. XII. 926; Mak. T. B. M.

(1895) 257; Matsum. T. B. M. (1897) 77; Rolf. J. L. S. XXXVI. 45; Henry, L. 93.

syn. *Neottia procera*, Ker.
Cionisaccus lanceolatus, Bred.
Cordylestylis foliosa, Falc.
Goodyera carnea, Rich.
G. lancifolia, F. S. II. 520.

Nom. Jap. *Kinginsō.* キンギンサウ

Hab. Liukiu: Ins. Iriomote, Kumesima; Formosa: Bankinsing, Tamsui.

Goodyera repens, R. Br.; Miq. P. 141; F. S. II. 38 (excl. syn.), 520; Fr. Schm. Fl. Sachal. n. 438; Max. M. B. XII. 927; Rolf. J. L. S. XXXVI. 45.

Nom. Jap. *Shusu-lan.* シユスラン

Hab. Yezo; Nippon: Aidsu (Iwasiro), Takao, Kanasawa (Musasi), Hakone (Sagami), Mt. Komagatake (Sinano).

Goodyera Schlechtendaliana, Reichb. f. Linn. XII. (1849) 861; F. S. II. 38; Max. M. B. XII. 927; Mak. Ill. Fl. Jap. I. t. 39; Rolf. J. L. S. XXXVI. 46; Yabe, T. B. M. (1903) 143.

syn. *Goodyera secundiflora*, Griff.
G. japonica, Bl. Orch. Arch. Ind. I. 38, t. 9. f. 1.
G. similis, Bl. Orch. Arch. Ind. I. 39, t. 9. f. 2.

Nom. Jap. *Miyama-uzura.* ミヤマウヅラ

Hab. Yezo; Nippon: Aidsu (Iwasiro), Mt. Tsukba (Hitatsi), Mt. Kiyosumi (Awa), Mt. Takao, Mt. Mitake (Musasi), Mt. Komagatake (Sinano), Yokoska (Sagami), Mt. Fudsi (Suruga), Mt. Kooyasan (Kii); Sikok: Mt. Isidsutsi, Mt. Tsurugisan (Iyo), Mt. Yokogra (Tosa); Kiusiu: Nagasaki, Nomonosaki (Hizen), Tatara (Tsikzen), Yubu (Bungo), Satsuma; Tsusima: Mt. Mitake, Yatate, Ariake.

Goodyera velutina, Max. Rgl. Gartenfl. (1867) t. 533; F. S. II. 38; M. B. XII. 926; Kranzl. Engl. Jahrb. VI. 55; Mak. Ill. Fl. Jap. I. t. 38, a–b; Rolf. J. L. S. XXXVI. 46; Yabe, T. B. M. (1903) 143.

Nom. Jap. *Birōdo-lan.* ビロウドラン

Hab. Nippon: Mt. Kiyosumi (Awa), Ohtaki (Sinano), Ise; Sanindo; Tsusima: Mt. Yatate.

Gymnadenia cucullata, Rich.

Nom. Jap. *Miyama-mochizuri.* ミヤマモチズリ

Hab. Yezo; Sikok: Nisinogawa (Iyo).

Gymnadenia cyclochila, Kors.; Mak. T. B. M. (1897) 413.

syn. *Habenaria cyclochila,* F. S. II. 516.

Orchis cyclochila, Max. M. B. XII. 548.

Nom. Jap. *Kamomesō.* カモメサウ

Kamome-lan. カモメラン

Ichiyō-chidori. イチエフチドリ

Hab. Nippon: Nikko (Simotsuke), Mt. Fudsi (Suruga), Kiso (Sinano).

Gymnadenia gracilis, Miq. P. 139; F. S. II. 30; Max. Bull. Soc. Nat. Mosc. (1879) 60; Mak. T. B. M. (1889) 7; Rolf. J. L. S. XXXVI. 53.

syn. *Mitostigma gracile,* Bl. Mus. Lugd. Bat. 190.

Gymnadenia tryphiaeformis, Reichb. f.

Nom. Jap. *Hina-lan.* ヒナラン

Hab. Nippon: Itsinosaka (Suwoo), Mt. Maya (Settsu); Sikok: Nanokawa (Tosa).

Gymnadenia graminifolia, Reichb. f. Bot. Zeit. (1878) 75.

syn. *Poneorchis graminifolia,* Reichb. f. Linn. XXV. 228.

Nom. Jap.

Hab. Japonia.

Gymnadenia Keiskei, Max. Bull. Soc. Nat. Mosc. (1879) 61; F. S. II. 30.

Nsm. Jap. *Iwa-chidori.* イハチドリ

Hab. Nippon: Simoda (Idsu), Sinano.

var. **angustifolia,** Mak. T. B. M. (1903) 152.

syn. *Gymnadenia gracilis, v. angustifolia,* Finet. Bull. Soc. Bot. Fr. (1900) 280.

G. Keiskei, v. Kinoshitai, Mak. T. B. M. (1903) 113.

Nom. Jap. *Koani-chidori.* コアニチドリ

Hab. Nippon: Koani (Ugo).

Gymnadenia lepida, Reichb. f.; Rolf. J. L. S. XXXVI. 53.

Nom. Jap.

Hab. Liukiu.

Habenaria Chidori, Mak. T. B. M. (1892) 48; (1893) 134.

Nom. Jap. *Hina-chidori.* ヒナチドリ

Hab. Sikok: Tosa.

Habenaria galeandra, Benth.; Henry, L. 93.

Nom. Jap.

Hab. Formosa: Bankinsing.

Habenaria geniculata, Don.; Mak. P. P. Jap. Ic. Ill. II. (1903) t. 96–97.

syn. *Platanthera geniculata,* Lindl.

Habenaria Miersiana, Champ. Kew. Journ. VII. (1855) 37; Finet, Journ. d. Bot. XII. (1898) 344; Rolf. J. L. S. XXXVI. 60; Henry, L. 93.

H. Sieboldiana, Miq. P. 140; F. S. II. 33; Mak. T. B. M. (1893) 120.

H. radiata, Kranzl. Engl. Jahrb. XVI. (1892) 200.

Nom. Jap. *Daisagisō.* ダイサギサウ

Hab. Kiusiu: Nagasaki (Hizen); Liukiu: Okinawa; Formosa: S. Cape, Bankinsing.

Habenaria goodyeroides, Don; Henry, L. 93.

Nom. Jap.

Hab. Formosa: Ape's. Hill, S. Cape, Bankinsing.

Habenaria Oldhami, Kranzl. Engl. Jahrb. XVI. 205.

Nom. Jap.

Hab. Kiusiu: Nagasaki, Simabara (Hizen).

Habenaria polytricha, Rolf.; Hk. Ic. t. 2496; Henry, L. 93.

Nom. Jap.

Hab. Formosa: S. Cape.

Habenaria radiata, Spreng.; F. S. II. 33; Mak. T. B. M. (1893) 120; Ill. Fl. Jap. I. t. 18; Rolf. J. L. S. XXXVI. 60; Finet, Journ. d. Bot. XII. (1898) 344.

syn. *Orchis radiata,* Th.

O. Suzannae, Th.

Platanthera radiata, Lindl.

Nom. Jap. *Sagisō.* サギソウ

Hab. Nippon: Aidsu (Iwasiro), Hikami (Suwoo), Kiusiu: Nagasaki (Hizen), Tsikzen.

Habenaria sagittifera, Reichb. f. Bot. Zeit. (1845) 334; F. S. II. 33; Kranzl. Engl. Jahrb. XVI. (1892) 205.

syn. *Habenaria linearifolia,* Max. Fl. Amur. 269; Rgl. Fl. Uss. 143, t. 10, f. 14–18; Miq. P. 140.

Nom. Jap. *Mizu-tombo.* ミヅトンボ
Aoyagisō. アチヤギサウ
Hab. Yezo: Hakodate (Osima); Nippon: Aomori (Mutsu), Aidsu (Iwasiro), Hikami (Suwoo); Kiusiu: Tsikzen.

Habenaria tosaensis, Mak. T. B. M. (1892) 48.
Nom. Jap. *Ao-tombō.* アヲトンボ
Hab. Sikok: Tosa.

Hermium Monorchis, R. Br.; Kawak. T. B. M. (1898) 268; Mak. T. B. M. (1902) 56.
Nom. Jap. *Kushiro-chidori.* クシロチドリ
Hab. Yezo: Kusiro.

Lecanorchis japonica, Bl. Mus. Lugd. Bat. II. 188; Orch. Arch. Ind. I. 177, t. 62, f. 1; Miq. P. 140; F. S. II. 34.
Nom. Jap. *Muyō-lan.* ムエフラン
Hab. Nippon: Idsu, Mino; Mt. Maya (Settsu); Sikok: Nanokawa (Tosa).

Liparis auriculata, Bl.; Miq. P. 135; F. S. II. 22; Mak. T. B. M. (1897) 73.
Nom. Jap. *Kumokirisō.* クモキリサウ
Takanoha. タカノハ
Kumochirisō. クモチリサウ
Hab. Yezo: Samani (Hidaka), Mt. Komagatake (Osima); Nippon: Mt. Haksan (Kaga), Mt. Kooya (Kii), Miyano (Suwoo); Sikok: Nanokawa (Tosa).

Liparis bituberculata, Lindl.; Mak. T. B. M. (1897) 74.
Nom. Jap. *Shima-sasabalan.* シマサヽバラン
Hab. Ins. Hatsidjoo.

Liparis formosana, Reichb. f.; Mak. T. B. M. (1897) 74.
syn. *Liparis bituberculata,* Lindl. *v. formosana,* Ridl.
Nom. Jap. *Yūkoku-lan.* イウコクラン
Liukiu-kokulan. リウキウコクラン
Hab. Liukiu; Formosa.

Liparis Henryi, Rolf. Kew Bull. (1896) 193; Henry, L. 91.
Nom. Jap.
Hab. Formosa: S. Cape.

Liparis japonica, Max. M. B. XII. 544; Mak. T. B. M. (1889) 6.
syn. *Microstylis japonica,* Miq. P. 135; F. S. II. 21; Kranzl. Engl. Jahrb. VI. 54.

Nom. Jap. *Seitaka-suzumushi.* セイタカスヾムシ
Hab. Nippon: Nagato; Sikok: Tosa; Kiusiu: Mt. Takakuma (Ohsumi).

Liparis Krameri, F. S. II. 22, 509; Mak. T. B. M. (1889) 7.
Nom. Jap. *Jigabachiso.* ジガバチサウ
Hab. Nippon: Nikko-Fubasami (Simotsuke), Mt. Futatabi (Settsu).

Liparis liliifolia, Rich.; A. Gr. Bot. Jap. 409; Miq. P. 386; F. S. II. 21.
syn. *Sturmia liliifolia,* Reichb. f.
Nom. Jap. *Suzumushisō.* スヾムシサウ
Hab. Yezo: Hakodate (Osima); Nippon: Simoda (Idsu); Sikok: Agawa (Tosa); Kiusiu: Mt. Inugatake (Buzen).

Liparis longipes, Lindl.; Henry, L. 91.
Nom. Jap.
Hab. Formosa: Bankinsing, Ulaisja, Taitoo.

Liparis macrantha, Rolf. Ann. Bot. IX. (1895) 156; J. L. S. XXXVI. 7; Henry, L. 91.
Nom. Jap.
Hab. Formosa: Tamsui, Siko Hill, Heitsioosjoo.

Liparis nervosa, Lindl.; F. S. II. 21; Mak. T. B. M. (1897) 72; P. P. Jap. Ic. I. t. 76; Rolf. J. L. S. XXXVI. 7.
syn. *Ophrys nervosa,* Th. Fl. Jap. 27.
Epidendrum nervosum, Th. Ic. Pl. Jap. I. t. 10.
Malaxis nervosa, Sw.
Sturmia nervosa, Reichb. f.
Liparis bambusaefolia, Mak. T. B. M. (1892) 48.
L. cornicaulis, Mak. Ill. Fl. Jap. t. 47; T. B. M. (1897) 74 (sphalmate conicoulis).
Nom, Jap. *Koku-lan.* コクラン
Hab. Nippon: Koonomine (Suwoo); Sikok: Mt. Sioye (Tosa); Liukiu; Formosa: Tamsui, S. Cape.

Liparis odorata, Lindl.; Rolf. J. L. S. XXXVI. 7; Henry, L. 91.
syn. *Malaxis odorata,* Willd.
M. lancifolia, Sm.
Empusa paradoxa, Lindl.; Miq. P. 135; Oliv. J. L. S. IX. 169; F. S. II. 21.

Liparis paradoxa, Reichb. f.

Nom. Jap. *Sasaba-lan.* サヽバラン

Hab. Kiusiu : Nagasaki (Hizen) ; Formosa : Bankinsing.

Liparis plicata, F. S. II. 22, 509 ; Rolf. J. L. S. XXXVI. 8 ; Henry, L. 91.

Nom. Jap. *Tokei-lan.* トケイラン

Hab. Formosa : Bankinsing.

Liparis Uchiyamae, Schlecht.

Nom. Jap.

Hab. Liukiu : Ohsima.

Listera cordata, R. Br.; Bl. Orch. Arch. Ind. I. 136 ; Miq. P. 141 ; F. S. II. 36 ; Fr. Schm. Reis. Amur. 63, 183 ; Mak. T. B. M. (1893) 66.

syn. *Neottia cordata*, L.

Epipactis cordata, Sw.

Ophrys cordata, L.

O. minima, Bauh.

Cymbidium cordatum, Loud.

Bifolium minimum, Bauh.

Nom. Jap. *Ko-futabalan.* コフタバラン

Hab. Yezo : Akandake (Kusiro) ; Nippon : Nikko (Simotsuke), Mt. Komagatake (Sinano).

Listera Eschscholtziana, Cham. Linn. III. 33 ; Fr. Schm. Reis. Amur. 183 ; Mak. T. B. M. (1893) 69.

Nom. Jap. *Futaba-lan.* フタバラン

Hab. Yezo : Me-akandake (Kusiro) ; Nippon : Nikko (Simotsuke), Mt. Ontake (Sinano), Mt. Tsukba (Hitatsi) ; Sikok : Nanokawa (Tosa).

Listera japonica, Bl. Orch. Arch. Ind. I. 136, t. 38, f. 2 ; t. 48, f. E.; Miq. P. 141 ; F. S. II. 37 ; Mak. T. B. M. (1893) 66.

Nom. Jap. *Oh-futabalan.* オホフタバラン

Hab. Nippon : Mt. Yatsugatake (Sinano).

Listera shikokiana, Mak. T. B. M. (1893) 68.

Nom. Jap. *Hime-futabalan.* ヒメフタバラン

Hab. Sikok : Nanokawa (Tosa).

Luisia liukiuensis, Schlecht.

Nom. Jap.

Hab. Liukiu : Ohsima ; Yaksima.

Luisia teres, Bl. Mus. Bot. Lugd. Bat. I. 64 ; F. S. II. 28 ; Rolf. J. L. S. XXXVI. 33.

syn. *Epidendrum teres,* Th. Fl. Jap. 30 ; Ic. Pl. Jap. I. t. 7 ; Miq. P. 138.

Cymbidium triste, Lindl. exp. non. Willd.

Nom. Jap. Bō-lan. ボウラン

Hab. Ins. Bonin ; Kiusiu : Usine-go (Ohsumi), Ins. Goto.

Malaxis paludosa, Sw.; Mak. T. B. M. (1904) 123.

Nom. Jap. Yachi-lan. ヤチラン

Hab. Nippon : Nikko (Simotsuke).

Maxillaria Goeringii, Reichb. f. Bot. Zeit. (1845) 334.

Nom. Jap.

Hab. Japonia.

Microstylis congesta, Reichb. f.; Henry, L. 91.

Nom. Jap.

Hab. Liukiu ; Formosa : Bankinsing, Kootoosjoo.

Microstylis monophyllos, Lindl.; Mak. T. B. M. (1897) 413.

syn. *Liparis inconspicua,* Mak. T. B. M. (1892) 48.

Nom. Jap. Ichiyō-kolan. イチエフコラン

Hozaki-ichiyōlan. ホザキイチエフラン

Hab. Yezo Ponhorokabetz (Isikari) ; Nippon : Mt. Fudsi Suruga), Mt. Yatsugatake (Sinano).

Microtis parviflora, R. Br.; Hance, J. B. (1879) 15 ; Mak. T. B. M. (1894) 172 ; (1902) 55 ; Rolf. J. L. S. XXXVI. 46.

syn. *Microtis unifolia,* Kranzl. Engl. Jahrb. VI. 55.

Nom. Jap. Niraba-lan. ニラバラン

Hab. Nippon : Itsinomiya (Kadsusa), Ins. Hatsidjoo (Idsu), Miyano (Suwoo) ; Sikok : Iyo ; Kiusiu : Ohsumi ; Liukiu : Yaeyama, Kumesima ; Formosa : Tamsui.

Myrmechis gracilis, Bl. Orch. Arch. Ind. I. 77, t. 21. f. 2 ; F. S. II. 39.

syn. *Anectochilus gracilis,* Bl. Bijdr. 413.

Rhamphidia japonica, Reichb. f. Bot. Zeit. (1878) 75.

Nom. Jap. Aridōshi-lan. アリドホシラン

Hab. Nippon : Iidesan (Iwasiro), Mt. Sirane-Nikko (Simotsuke), Mt. Ontake (Sinano).

Neottia micrantha, Lindl.; Mak. T. B. M. (1900) 184 ; (1902) 177.

Nom. Jap. Hime-muyōlan. ヒメムエフラン

Hab. Yezo: Ins. Riisiri; Nippon: Nikko-Yumoto (Simotsuke), Mt. Fudsi (Suruga), Mt. Yatsugadake (Sinano).

Neottia Nidus avis, Rich.; Mak. T. B. M. (1902) 176.

syn. *Neottia kamtschatica,* Kawak. T. B. M. (1899) 266; Mak. T. B. M. (1900) 184.

Nom. Jap. *Sakane-lan.* サカネラン

Hab. Yezo: Sapporo (Isikari); Nippon: Nikko (Simotsuke).

Nervilla Aragoana, Gaud.; Mak. T. B. M. (1902) 200.

syn. *Pogonia Nervilla,* Bl.

P. flabelliformis, Lindl.; Mak. T. B. M. (1896) 56.

P. carinata, Wight.

Nom. Jap. *Aoi-bokuro.* アフヒボクロ

Yaeyama-kumagaiso. ヤヘヤマクマガイサウ

Hab. Liukiu: Yaeyama.

Nervilla punctata, Mak. T. B. M. (1902) 199.

syn. *Pogonia punctata,* Bl.; Mak. T. B. M. (1889) 448.

Nom. Jap. *Mukago-saishin.* ムカゴサイシン

Hab. Nippon: Tokio (Musasi).

Oberonia japonica, Mak. Ill. Fl. Jap. I. 1. t. 41.

syn. *Malaxis japonica,* Max. M. B. IX. 650; F. S. II. 510.

Nom. Jap. *Yōraku-lan.* ヤウラクラン

Hab. Nippon: Yokoska (Sagami), Mt. Kanoosan (Kadsusa), Toyoda (Tootoomi), Mt. Maya (Settsu).

Odontochilus Tashiroi, Mak. T. B. M. (1900) 141; (1902) 55.

syn. *Anoectochilus Tashiroi,* Max. M. B. XII. 546; Rolf. J. L. S. XXXVI. 42.

Nom. Jap.

Hab. Liukiu.

Orchis aristata, Fisch.; Miq. P. 138; Rolf. J. L. S. XXXVI. 49.

syn. *Orchis latifolia, v. Beeringiana,* Cham. et Schlecht. Linn. III. (1828) 26; F. S. II. 29.

O. camtschatica, Cham. Linn. III. 27.

Nom. Jap. *Haksan-chidori.* ハクサンチドリ

Tegata-chidori. テガタチドリ

Chidorisō. チドリサウ

Iwaki-chidori. イハキチドリ

Hab. Kurile: Urup; Yezo: Simamapp (Isikari), Hakodate (Osima); Nippon: Mt. Iwaki (Mutsu), Mt. Gassan, Mt. Tsio-

okai (Ugo), Zoowoosan, Yudonosan, Rokdjuri-goye, (Uzen), Mt. Adsuma (Iwasiro), Mt. Komagatake (Yetsigo), Nikko, Mt. Happuu, Mt. Niohoo (Simotsuke), Mt. Komagatake, Mt. Togaksi (Sinano).

Orchis Chondradenia, Mak. T. B. M. (1902) 89.

syn. *Chondradenia Yatabei,* Max.; Mak. T. B. M. (1897) 413
Orchis Fauriei, Finet, Journ. d. Bot. XII. (1898) 340 ; Bull. Soc. Fr. (1900) 276.

Nom. Jap. *Onoe-lan.* チノヘラン

Hab. Nippon : Mt. Zoowoosan (Uzen), Mt. Gassan (Ugo), Mt. Kurikoma, Mt. Kattasan (Rikzen), Nikko (Simotsuke), Mt. Futago (Sagami), Simidsu-tooge (Yetsigo).

Orchis pauciflora, Fisch.; Mak. T. B. M. (1904) 107.

syn. *Gymnadenia pauciflora,* Lindl.
Orchis Morio, Mak. T. B. M. (1900) 184, non L.
Orchis Joo-Iwokiana, Mak. T. B. M. (1902) 57.

Nom. Jap. *Nyohō-chidori.* ニョホウチドリ

Hab. Nippon : Mt. Niohoo (Simotsuke), Mt. Togaksi, Mt. Yatsugatake (Sinano).

Oreorchis patens, Lindl.; Miq. P. 358 ; F. S. II. 27. Finet, Bull. Soc. Bot. France (1897) 71.

syn. *Oreorchis lancifolia,* A. Gr. Bot. Jap. 410.

Nom. Jap. *Ko-kei-lan.* コケイラン

Hab. Yezo : Sapporo (Isikari), Hakodate(Osima), Yesan ; Nippon : Nippon (Simotsuke), Mt. Togaksi (Sinano).

form. **gracilis,** Mak. T. B. M. (1898) 16.

syn. *Oreorchis gracilis,* F. S. II. 27, 512 ; Mak. T. B. M. (1889) 7 ; Ill. Fl. Jap. I. t. 21 ; Finet, Bull. Soc. Bot. France (1897) 72.

Nom. Jap. *Hime-keilan.* ヒメケイラン

Hab. Yezo : Sapporo (Isikari), Mori, Yesan, Sibetsia ; Nippon : Sitsinohe (Mutsu), Mt. Hayatsine (Riktsiu), Sado ; Sikok : Nanokawa (Tosa).

Pachystoma chinense, Reichb.; Rolf. J. L. S. XXXVI. 17 ; Henry, L. 92.

syn. *Apaturia chinensis,* Lindl.

Nom. Jap.

Hab. Formosa: Tangkang.

Peristylus chloranthus, Lindl.; Rolf. J. L. S. XXXVI. 53.

syn. *Coeloglossum lacertiferum,* Lindl.

C. acuminatum, Lindl.

Habenaria lacertifera, Benth.

H. tentaculata, Kranzl.

Chaeradoplectron spiranthes, Schauer.

Nom. Jap.

Hab. Formosa.

Perularia fuscescens, Lindl.; Gmel. Fl. Sibir. I. 20, t. 4. f. 2; F. S. II. 30.

Nom. Jap.

Hab. Yezo: Hakodate (Osima).

Phajus maculatus, Lindl.; Bl. Mus. Bot. Lugd. Bat. II. 180; Orch. Arch. Ind. I. 9. t. 5; Miq. P. 136; F. S. II. 24; Mak. T. B. M. (1896) 109; Yabe, T. B. M. (1903) 143.

Nom. Jap. *Hoshi-kei.* ホシケイ

Kin-kei-lan. キンケイラン

Hab. Kiusiu: Mt. Kirisima (Hiuga); Tsusima: Mt. Tatera.

var. **minor,** F. S. II. 24.

syn. *Phajus minor,* Bl. Mus. Bot. Lugd. Bat. II. 181.

Nom. Jap. *Ganzeki-lan.* ガンゼキラン

Hab. Japonia.

Phajus grandifolius, Lour.

Nom. Jap. *Kwaku-lan.* クヮクラン

Hab. Liukiu: Kumesima.

Phalaenopsis Aphrodite, Reichb. f.; Rolf. J. L. S. XXXVI. 34; Henry, L. 92.

syn. *P. amabilis,* Lindl.; Bot. Mag. t. 4297, non. Bl.

Nom. Jap. *Ko-chō-lan.* コテフラン

Hab. Formosa: S. Cape, Katsilai-sja.

Phreatia formosana, Rolf. Ann. Bot. IX. (1895) 156; Henry, L. 91.

Nom. Jap.

Hab. Formosa: S. Cape.

Physurus chinensis, Rolf.

Nom. Jap.

Hab. Formosa: Kasinlo.

Platanthera angustifolia, Reichb. f.

syn. *Hermium angustifolium,* Benth.; Rolf. J. L. S. XXXVI. 50.
H. angustifolium, v. longicrure, Mak. T. B. M. (1896) 109; (1898) 15; Yabe, T. B. M. (1903) 142.
H. longicrure, Benth. et Hk. f.
Aceras angustifolia, Lindl.
A. angustifolia, v. longicruris, Miq. P. 139; F. S. II. 30; Mak. T. B. M. (1889) 7.

Nom. Jap. *Nagaba-no-mukagosō.* ナガバノムカゴサウ
Mukagosō. ムカゴサウ
Nukagosō. ヌカゴサウ
Akanumalan. アカヌマラン

Hab. Nippon: Nikko (Simotsuke), Mt. Takao (Musasi), Hakone (Sagami), Mt. Fudsi (Suruga), Ohsato (Suwoo), Siomi-tooge (Kii), Mt. Tsukba (Hitatsi); Sikok: Nanokawa (Tosa); Kiusiu: Nisi-take (Hiuga), Asosan (Higo), Katoosima (Hizen); Tsusima; Formosa; Liukiu: Okinawa.

Platanthera chlorantha, Custor; Max. Fl. Amur. 268; Fr. Schm. Fl. Sachal. 181; F. S. II. 32.

Nom. Jap. *Jimbaisō.* ジンバイサウ
Mizumo-lan. ミズモラン

Hab. Yezo: Hakodate (Osima); Nippon: Mt. Iwaki (Mutsu), Sawado (Sinano), Mt. Kongoosan (Kawatsi), Mt. Ohkumotori (Kii); Sikok. Mt. Isidsutsi (Iyo); Kiusiu: Mt. Hikosan (Buzen).

Platanthera conopsea, Schlecht.

syn. *Orchis conopsea,* L.
Gymnadenia conopsea, R. Br. *v. ussuriensis,* Rgl.; Miq. P. 138; F. S. II. 29.

Nom. Jap. *Tegata-chidori.* テガタチドリ
Chidorisō. チドリサウ

Hab. Nippon: Mt. Sirane, Akanuma (Simotsuke), Mt. Togaksi, Mt. Sirouma (Sinano), Mt. Haksan (Kaga).

Platanthera decipiens, Lindl.

syn. *Gymnadenia Vidalii,* F. S. II. 29, 512.

Nom. Jap. *Nobine-chidori.* ノビネチドリ

Hab. Yezo: Sapporo (Isikari); Nippon: Mt. Yudono (Uzen), Mt. Adsuma, Hiutsigatake (Iwasiro), Numayama (Koodsu-

ke), Nikko, Sidsu (Simotsuke), Mt. Togaksi (Sinano); Sikok: Nanokawa (Tosa), Tomioka (Musasi).

Platanthera Florenti, F. S. II. 32, 513.

Nom. Jap.

Hab. Nippon: Hakone (Sagami).

Platanthera hologlottis, Max. Fl. Amur. 268; F. S. II. 32; Rolf. J. L. S. XXXVI. 55.

syn. *Habenaria neuropetala,* Miq. P. 139.

Platanthera neuropetala, F. S. II. 33.

Nom. Jap. *Mizu-chidori.* ミヅチドリ

Jakō-chidori. ジヤカウチドリ

Hab. Yezo: Hakodate (Osima); Nippon: Aomori (Mutsu), Karuizawa (Sinano), Nikko (Simotsuke), Adsuma, Osenuma (Iwasiro), Mt. Haruna, Akagi (Koodsuke), Toda (Musasi).

Platanthera Iinumae, Mak. T. B. M. (1898) 16; (1902) 89.

syn. *Habenaria Iinumae,* Mak. Ill. Fl. Jap. I. t. 53.

Nom. Jap. *Iinuma-mukago.* イヒヌマムカゴ

Hab. Nippon: Mt. Nakatsu (Rikzen), Mt. Tsukba (Hitatsi), Mt. Takao (Musasi), Nikko (Simotsuke); Sikok: Mt. Yokogra (Tosa), Iyo; Kiusiu: Mt. Kirisima (Hiuga).

Platanthera interrupta, Max. M. B. XII. 550; Mak. T. B. M. (1890) 20; (1889) 7; Rolf. J. L. S. XXXVI. 56.

Nom. Jap. *Ohba-no-tombosō.* オホバノトンボサウ

Hab. Nippon: Mt. Iwate (Riktsiu), Hikami (Suwoo), Mt. Kooya (Kii), Gozaisio, Komono (Ise); Sikok: Mt. Ohtaki (Awa), Kosidsi-goye, Kuromori, Nanokawa, Mt. Godai, Sakawa (Tosa); Kiusiu: Nagasaki, Ohmura (Hizen), Mt. Hikosan, Mt. Iwatake (Buzen), Kana-goye (Bungo), Mt. Kirisima (Hiuga).

Platanthera japonica, Lindl.; F. S. II. 31; Mak. T. B. M. (1890) 21; (1889) 7; Rolf. J. L. S. XXXVI. 56.

syn. *Orchis japonica,* Th. Fl. Jap. 26.

Habenaria japonica, A. Gr. Bot. Jap. 410; Miq. P. 139.

Nom. Jap. *Tsuresagisō.* ツレサギサウ

Hab. Yezo: Hakodate (Osima); Nippon: Mt. Adsuma (Iwasiro), Rokgoo (Musasi), Mt. Ohmuro, Atami, Ins. Hatsidjoo (Idsu), Miyako (Yamasiro); Sikok: Nanokawa (Tosa), Idsumi (Iyo); Liukiu: Ohsima.

Platanthera Makinoi, Yabe, T. B. M. (1903) 19.
Nom. Jap.
Hab. Nippon: Mt. Sirouma (Sinano).

Platanthera mandarinorum, Reichb. f. Linn. XXV. (1852) 226; Mak. T. B. M. (1890) 21; Rolf. J. L. S. XXXVI. 56; Yabe, T. B. M. (1903) 142.
syn. *Habenaria Keiskei,* Miq. P. 139.
Platanthera Keiskei, F. S. II. 31.
P. oreades, v. macrocentron, F. S. II. 514.
Nom. Jap. Yama-sagisō. ヤマサギサウ
Hab. Nippon: Mt. Hayatsine (Riktsiu), Adsuma (Iwasiro), Nikko (Simotsuke), Mt. Tsukba (Hitatsi), Mt. Tateyama (Yettsiu), Atami, Mt. Amagi (Idsu), Mt. Fudsi (Suruga), Owari; Sikok: Sakawa, Katasaka (Tosa); Tsusima: Mt. Ariake.

Platanthera Matsudai, Mak. T. B. M. (1902) 56.
Nom. Jap. Takane-tombo. タカネトンボ
Hab. Nippon: Mt. Gassan (Ugo), Mt. Miookoosan (Yetsigo).

Platanthera minor, Reichb. f. Bot. Zeit. (1878) 75.
syn. *Habenaria japonica, v. minor,* Miq.
Nom. Jap.
Hab. Nippon: Kimpoksan (Sado), Komagatake (Yetsigo), ins. Koodsusima (Idsu).

Platanthera nipponica, Mak. T. B. M. (1902) 153.
Nom. Jap. Kobano-tombosō. コバノトンボサウ
Hab. Nippon: Riktsiu, Mt. Tateyama (Yettsiu), Mt. Sida (Idsumi), Bittsiu, Hikami (Suwoo); Sikok: Iyo.

Platanthera obcordata, Lindl.; Rolf. J. L. S. XXXVI. 56.
syn. *Orchis obcordata,* Buch.
Gymnadenia obcordata, Reichb. f.
Platanthera Galeandra, Reichb. f.
Habenaria Galeandra, Benth.
Gymnadenia Galeandra, Reichb. f.
Platanthera Championi, Lindl.
Nom. Jap.
Hab. Formosa.

Platanthera ophryoides, Fr. Schm.
syn. *P. Reinii,* F. S. II. 32, 513.

Nom. Jap. *Kiso-chidori.* キソチドリ

Hab. Nippon: Mt. Iwatesan (Riktsiu), Mt. Yudonosan, Mt. Gassan (Uzen), Mt. Komagatake (Iwasiro), Mt. Tsiookai (Ugo), Nikko (Simotsuke), Mt. Ontake (Sinano), ins. Hatsidjoo (Idsu), Mt. Fudsi (Suruga), Totsinoki-dani (Ise).

Platanthera rupestris, Schlecht.

syn. *Gymnadenia rupestris,* Miq. P. 138; F. S. II. 30.

Nom. Jap. *Uchō-lan.* ウチヤウラン
Kochō-lan. コテフラン
Seki-lan. セキラン
Arima-lan. アリマラン
Iwa-lan. イハラン

Hab. Nippon: Nikko, Kanuma (Simotsuke), Natsi (Kii); Sikok: Nanokawa (Tosa); Kiusiu: Mt. Inugatake (Buzen).

Platanthera sachalinensis, Fr. Schm.; Mak. T. B. M. (1889) 7; (1890) 20.

Nom. Jap. *Oh-yamasagisō.* オホヤマサギサウ

Hab. Yezo: Sibetz (Nemuro), Nippon: Aidsu (Iwasiro), Nikko (Simotsuke), Mt. Kurikoma (Riktsiu), Mt. Tsiookaisan (Ugo), Mt. Hagro (Sado), Yetsigo; Mt. Sirouma (Sinano); Sikok: Kuromori, Nanokawa, Tsuitate-tooge (Tosa).

Platanthera Takedai, Mak. T. B. M. (1903) 120.

Nom. Jap.

Hab. Nippon: Mt. Niohoo (Simotsuke), Mt. Gassan (Uzen).

Platanthera ussuriensis, Max. M. B. XII. 551; Mak. T. B. M. (1890) 20; Rolf. J. L. S. XXXVI. 57.

syn. *P. tipuloides, v. ussuriensis,* Rgl. Fl. Ussur. 157. t. 10, f. 7-9; F. S. II. 32.

Nom. Jap. *Ko-tombosō.* コトンボサウ
Tombosō. トンボサウ

Hab. Yezo; Nippon: Nambu (Riktsiu), Nikko (Simotsuke), Simidsu, Mt. Miookoo (Yetsigo), Mt. Tsukba (Hitatsi), Haruna (Koodsuke), Yokohama (Musasi), Hakone (Sagami); Kiusiu: Mt. Unzen (Hizen).

Platanthera virides, Lindl.

syn. *Peristylus bracteatus,* Lindl. *f. major,* Max.; F. S. II. 31.

Nom. Jap. *Ao-chidori.* アヲチドリ
Nemuro-chidori. ネムロチドリ
Ko-nobine-chidori. コノビネチドリ

Hab. Kurile: Sikotan; Yezo: Sapporo, Moiwa (Isikari), Sempoodsi (Nemuro); Nippon: Tsiuzendji, Sirane (Nikko), Aidsu (Iwasiro), Mitsumine (Musasi).

Platanthera Yatabei, Max.

Nom. Jap. Hosoba-no-kisochidori. ホソバノキソチドリ

Hab. Nippon: Mt. Ontake (Sinano).

Platyclinis formosana, Schlecht.

Nom. Jap.

Hab. Formosa: Kootoosjoo.

Pogonia japonica, Reichb. f. Linn. XXV. 228; Mak. T. B. M. (1898) 103.

syn. *P. similis,* Bl. Orch. Arch. Ind. 148, t. 32.

P. ophioglossoides, Ker.; A. Gr. Bot. Jap. 409; Miq. P. 208; F. S. II. 34; Hance, J. B. (1885) 247; Rolf. J. L. S. XXXVI. 47.

P. ophioglossoides, v. japonica, Max.

Nom. Jap. Tokiso. トキサウ

Hab. Yezo: Isikari, Hakodate (Osima); Gassan (Uzen), Nikko (Simotsuke), Adsuma, Osenuma (Iwasiro), Haruna, Mt. Akagi (Kootsuke), Simoda, Ohmuro (Idsu), Ise; Karuisawa (Sinano), Mt. Tateyama (Yettsiu); Hikami (Suwoo), Sikok: Nanokawa (Tosa).

var. **minor,** Mak. T. B. M. (1898) 103; Yabe, T. B. M. (1903) 143.

syn. *Pogonia ophioglossoides, v. minor,* Mak.

Nom. Jap. Yama-tokisō. ヤマトキサウ

Hab. Nippon: Nikko (Simotsuke), Kadsusa; Ohmuro (Idsu); Sikok: Nanokawa (Tosa); Kiusiu: Mt. Inugatake (Buzen); Tsusima: Mt. Ariake.

Saccalobium japonicum, Mak. Ill. Fl. Jap. I. t. 16; P. P. Jap. Ic. I. (1900) t. 40.

Nom. Jap. Kashinoki-lan. カシノキラン

Hab. Nippon; Sikok: Mt. Hoonokawa, Niida, Asidsuri (Tosa); Kiusiu: Mt. Kirisima (Hiuga); Liukiu.

Saccalobium Matsuran, Mak. T. B. M. (1892) 48.

Nom. Jap. Matsu-lan. マツラン
Beni-kayalan. ベニカヤラン

Hab. Nippon: Iwasiro, Mt. Amagi (Idsu); Sikok: Tosa.

Sarcanthus formosanus, Rolf. J. L. S. XXXVI. 37.
syn. *Cleisostoma formosana,* Hance, J. B. (1884) 364.
Nom. Jap.
Hab. Formosa: Keluug, Tamsui.

Sarcanthus scolopendrifolius, Mak. Ill. Fl. Jap. I. 1, t. 40, a-b.
Nom. Jap. *Mukade-lan.* ムカデラン
Hab. Sikok: Ogawa, Ohsaki (Tosa).

Sarcochilus japonicus, Miq. P. 138; F. S. II. 28.
syn. *Thrixspermum japonicum,* Reichb. f. Bot. Zeit. (1878) 75.
Nom. Jap. *Kaya-lan.* カヤラン
Hab. Nippon: Nikko (Simotsuke), Mt. Tsukba (Hitatsi), Mt. Kanoosan (Kadsusa), Boosiu, Kamakra (Sagami), Sasanami (Nagato); Sikok: Nanokawa (Tosa).

Spiranthes australis, Lindl.; Miq. P. 141; A. Gr. Pl. Jap. 320; F. S. II. 37; Kranzl· Engl. Jahrb. VI. 55; Rolf. J. L. S. XXXVI. 41; Henry, L. 92; Yabe, T. B. M. (1903) 143.
syn. *S. amoena,* Bunge, Enum. Pl. Chin. 63.
Gyrostachys australis, Bl. Orch. Arch. Ind. I. 128, *v. flexuosa,* Bl. l.c. 130, t. 38, f. 3.
Nom. Jap. *Neji-bana.* ネヂバナ
Shinko-bana. シンコバナ
Mochizuri. モチズリ
Hidari-maki. ヒダリマキ
Hab. Yezo: Hakodate (Osima); Nippon: Aomori (Mutsu), Aidsu (Iwasiro), Nikko (Simotsuke), Kadsusa, Tokio, Yokohama (Musasi), Yokoska (Sagami), Atami, Simoda (Idsu), Yettsiu, Ise, San-indo; Nagano (Suwoo), Kii; Kiusiu: Mt. Inugatake (Buzen); Tsusima; Liukiu: Miyakosima, Okinawa; Formosa: Bankinsing, Takow, Taiboopho, Taitsiu.

Stigmatodactylis sikokianus, Max.; Mak. P. P. Jap. Ic. I. (1900) t. 39; T. B. M. (1899) 9; Ill. Fl. Jap. I. t. 43.
Nom. Jap. *Kōrogi-lan.* コホロギラン
Hab. Sikok: Mt. Yokogra (Tosa).

Taeniophyllum aphyllum, Mak. P. P. Jap. I. t. 11.
syn. *Sarcochilus aphyllus,* Mak. T. B. M. (1887) 75, t. 10; (1892) 48.
Cryptorchis aphylla, Mak. T. B. M. (1893) 118; (1895) 231.
Nom. Jap. *Kumo-lan.* クモラン

Hab. Nippon: Ikegami (Musasi), Mt. Kiyosumi (Boosiu), Sasanami (Suwoo); Sikok: Tosa.

Tainia cordifolia, Hk. f.; Rolf. J. L. S. XXXVI. 20.

Nom. Jap.

Hab. Formosa: Kelung.

Tipularia japonica, Matsum. T. B. M. (1901) 87.

Nom. Jap. Hitotsu-bokuro. ヒトツボクロ

Hab. Nippon: Nikko (Simotsuke), Mt. Tsukba (Hitatsi), Mt. Kooya (Kii), Settsu; Sikok: Nanokawa (Tosa); Kiusiu: Mt. Wakasugi (Tsikzen).

Tropidia formosana, Rolf. Ann. Bot. IX. (1895) 158; Henry, L. 92.

Nom. Jap.

Hab. Formosa: Bankinsing.

Yoania japonica, Max. M. B. VIII. 647.

Nom. Jap. Shōki-lan. シヤウキラン

Hab. Nippon: Mt. Gassan (Ugo), Nikko (Simotsuke), Yetsigo, Mt. Tateyama (Yettsiu), Obara (Yetsizen).

Zeuxine formosana, Rolf. Ann. Bot. IX. (1895) 158; J. L. S. XXXVI. 42; Henry, L. 92.

Nom. Jap.

Hab. Formosa: S. Cape.

Zeuxine sulcata, Lindl.; Ito, T. B. M. (1900) 27, t. 2; Rolf. J. L. S. XXXVI. 42; Henry, L. 92.

syn. Z. *emarginata,* Lindl.

Z. *Tripleura,* Lindl.

Tripleura pallida, Lindl.

Nom. Jap.

Hab. Kiusiu: Satsuma; Formosa: Taiwan, Tamsui, Ape's Hill, Bankinsing, Tooseikak.

INDEX GENERUM.

[*Shokubutsu Zokumei no Midashi.*]

INDEX SYNONYMORUM.

[*Gakumei Imioo no Midashi.*]

INDEX NOMINUM JAPONICORUM.

[*Wamioo no Midashi.*]

著作權登錄

明治三十八年四月五日印刷
明治三十八年四月十日發行

著作者
松村任三
東京市本郷區駒込曙町十六番地

印刷兼發行者
丸善株式會社
代表者專務取締役 小柳津要人
東京市日本橋區通三丁目十四番地

印刷所
株式會社東京築地活版製造所
東京市京橋區築地二丁目十七番地

發行所
東京市日本橋區通三丁目 丸善株式會社
大阪市東區博勞町四丁目 丸善株式會社

